

2025 DEALER SUPPORT MANUAL



Battery



Chain Saws



Augers & Drills



Cut-Off Machines
Rock Boss®



Trimmers
Brushcutters



Kombi



Hand Tools, Axes,
Logging Tools



Electric



Protective



Oils & Lubricants



Technical
Materials



iMOW®



Pole Pruners



Hedge Trimmers



Blowers &
Sprayers



Pressure Washers



YARD BOSS®



Zero-Turn
Mowers



RM Mowers

2025 DEALER SUPPORT MANUAL CHANGES

THE 2025 DEALER SUPPORT MANUAL HAS UNDERGONE SEVERAL UPDATES. THERE IS NOW A SINGLE, COMPREHENSIVE DEALER SUPPORT MANUAL APPLICABLE TO ALL SIX STIHL BRANCHES ACROSS THE UNITED STATES. THIS MANUAL ENCOMPASSES THE FULL RANGE OF PRODUCTS OFFERED BY STIHL INC.

PLEASE NOTE THAT CERTAIN PRODUCTS, ACCESSORIES, AND KITS MAY NOT BE AVAILABLE IN ALL REGIONS. WE STRONGLY RECOMMEND CHECKING EBIZ/B2B PRIOR TO PLACING AN ORDER TO CONFIRM THE AVAILABILITY OF THE DESIRED ITEMS IN YOUR AREA.

ADDITIONALLY, POLICIES, PROCEDURES, FORMS AND DEALER PRICE LEVELS HAVE BEEN REMOVED FROM THE DEALER SUPPORT MANUAL. ONLY THE SUGGESTED RETAIL PRICE (SRP) IS NOW DISPLAYED. CONSEQUENTLY, THE MONEY SIGN LOGO WILL NO LONGER APPEAR AT THE TOP OF PRODUCT PAGES.

PLEASE NOTE ALL POLICIES, PROCEDURES, FORMS AND DEALER PRICE LEVELS CAN BE FOUND ON SSO IN THE DOCUMENTS SECTION.

AUGERS & DRILLS

BT 45 Earth Auger Drill

BT 45 Wood Boring Drill

BT 131 Earth Auger

Accessories



**BT 45 EARTH AUGER DRILL**

Series 4314



Auger bits sold separately

Displacement: 27.2 cc (1.66 cu. in.),
 Engine Power: 0.8 kW (1.07 bhp),
 Weight*: 4.8 kg (10.5 lbs.)*
 Fuel Capacity: 250 cc (8.5 oz.)
 Drill Speed: 1st Gear: 663 rpm, 2nd Gear: 1,972 rpm, Reverse: 590 rpm

Description	Part Number	SRP
Earth Auger Drill (EAD) 2 Forward Speeds / 1 Reverse Speed	4314 200 0004 US	\$589.99

*Dry Weight and powerhead only

BT 45 WOOD BORING DRILL

Series 4314



Auger bits sold separately

Displacement: 27.2 cc (1.66 cu. in.),
 Engine Power: 0.8 kW (1.07 bhp),
 Weight*: 4.8 kg (10.5 lbs.)*
 Fuel Capacity: 250 cc (8.5 oz.)
 Drill Speed: 1st Gear: 663 rpm, 2nd Gear: 1,972 rpm, Reverse: 590 rpm

Description	Part Number	SRP
Wood Boring Drill (WBD) Jacobs Chuck Keyless 2 Forward Speeds / 1 Reverse Speed	4314 200 0003 US	\$589.99

*Dry Weight and powerhead only

BT 131 EARTH AUGER

Series 4313



Auger bits sold separately

Displacement: 36.3 cc (2.2 cu. in.),
 Engine Power: 1.4 kW (1.9 bhp),
 Weight*: 10.0 kg (22.0 lbs.)*
 Fuel Capacity: 710 cc (24.0 oz.)
 Drilling Gear Speed: 200 rpm
 Gear Reduction: 47.5:1
 Torque (Engine): 1.7 Nm (1.25 ft./lb.)
 Torque (Auger): 60.0 ft./ lb.

Description	Part Number	SRP
Anti-Vibration System Powerhead and Gear Box with Brake	4313 011 2121 US	\$859.99

*Dry Weight and powerhead only

**BT 45 CONVERSION KITS**

Description	Part Number	SRP
Chuck Kit Converts Earth Auger Configuration to Wood Boring Drill	4314 007 1000	\$88.99



Planting Hole Drill Kit Converts Wood Boring Configuration to Earth Auger	4314 007 1001	\$100.49
--	---------------	----------



5/8" Core Drill Adapter Kit. Includes Water Kit and 5/8" Adapter.	4314 007 1006	\$211.99
--	---------------	----------

Keyed Jacobs Chuck	4314 680 4001	\$66.99
--------------------	---------------	---------



1 1/4" Core Drill Bit Adapter ONLY	4314 682 3904	\$58.99
------------------------------------	---------------	---------

BT 45 EARTH AUGER DRILL BITS

Description	Part Number	SRP
3" Diameter, Length 23.4"	4314 680 1903	\$105.99
4" Diameter, Length 23.4"	4314 680 1904	\$111.99
5" Diameter, Length 23.4"	4314 680 1905	\$129.99



BT 45 WOOD BORING DRILL BITS




Description	Part Number	SRP
1/2" Diameter, Length 12.5"	4314 682 5001	\$14.99
3/4" Diameter, Length 18"	4314 682 5002	\$23.99
7/8" Diameter, Length 18"	4314 682 5003	\$35.99
1" Diameter, Length 18"	4314 682 5004	\$47.99

BT 45 ACCESSORIES



Description	Part Number	SRP
Carrying Strap / Handle Item - A	4314 710 6500	\$5.99
Harness Item - B	4314 710 9000	\$11.99


BT 45 EAD AUGER BIT REPLACEMENT HEADS



Description	Part Number	SRP
3" Replacement Head	4314 680 3003	\$85.99
4" Replacement Head	4314 680 3004	\$96.49
5" Replacement Head	4314 680 3005	\$106.99





AUGER EXTENSION AND ADAPTERS



Description	Part Number	SRP
18" Auger Extension	4313 680 2302	\$87.99
Auger Retaining Pin	4311 682 3500	\$11.99
Converts the Splined Output Shaft of the BT 120/121/130/131 a 1" Square Drive	4313 680 3900	\$52.99
Converts the Splined Output Shaft of the BT 120/121/130/131 to a 7/8" Square Drive	4313 680 3901	\$58.99

BT 130/131 AUGERS



Description	Part Number	SRP
5.9" Planting Auger (150 mm) x 20 5/8"	4311 680 2515	\$182.99
10.2" Planting Auger (260 mm) x 25 5/8"	4404 680 1900	\$200.99
1.6" Diameter (40 mm) x 27 3/8"	4313 680 2030	\$123.99
2.4" Diameter (60 mm) x 27 3/8"	4313 680 2031	\$141.99
3.5" Diameter (90 mm) x 27 3/8"	4313 680 2032	\$152.99
4.7" Diameter (120 mm) x 27 3/8"	4313 680 2033	\$164.99
5.9" Diameter (150 mm) x 27 3/8"	4313 680 2034	\$176.99
7.9" Diameter (200 mm) x 27 5/8"	4313 680 2035	\$188.99
1.6" Head (40 mm) x 27 3/8"	4313 680 3000	\$40.99
2.4" Head (60 mm) x 27 3/8"	4313 680 3001	\$47.99
3.5" Diameter (40 mm) x 27 3/8"	4313 680 3002	\$52.99
4.7" Head (120 mm) x 27 3/8"	4313 680 3003	\$58.99
5.9" Head (150 mm) x 27 3/8"	4313 680 3004	\$70.99
7.9" Head (200 mm) x 27 5/8"	4313 680 3005	\$75.99

STIHL BATTERY SYSTEM

BGA- BLOWERS

BRA- BACKPACK BLOWERS

FCA- EDGERS

FSA- TRIMMERS

GTA- GARDEN PRUNER

HLA- EXTENDED HEDGE TRIMMERS

HSA- HEDGE TRIMMERS

HTA- POLE PRUNERS

KGA- SWEEPER

KMA- KOMBI

KOA- AIR INFLATOR

MSA- CHAINSAWS

RCA- CLEANER

REA- PRESSURE WASHERS

RMA- LAWN MOWERS

SEA- VACUUMS

SGA- SPRAYERS

SHA- SHREDDER VACUUMS

TSA- CUT-OFF MACHINES

ACCESSORIES

AS BATTERIES

AK BATTERIES

AP BATTERIES

AR BATTERIES

LITHIUM-ION BATTERY CHARGERS

CARRYING CASES

PRODUCT ACCESSORIES





BGA 30.0



Weight without battery: 1.5 kg (3.3 lbs)
 Weight with battery: 1.7 kg (3.8 lbs)
 Run Time: 8-25 Min (1 AS Battery) 16-50 Min (2 AS Batteries)
 Blowing Force*: 5 Newtons
 Max Air Velocity: 96 mph
 Air Volume at Nozzle: 253 cfm
 Sound Pressure Rating**: 57 dB(A)
 Recommended Battery: AS 2
 Recommended Charger: AL 1

Description	Part Number	SRP
BGA 30.0 Unit Only	BA08 011 5902 US	\$109.99
BGA 30.0 Set with two AS 2 batteries and an AL 1 charger	BA08 011 5912 US	\$169.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec². ** The sound pressure rating is measured at 50 ft.

BGA 45

AI Series/Series 4513



Weight with Integrated Battery: 2.0 kg (4.4 lbs.)
 Charge Time: 300 minutes (5 hours)
 Run Time: Up to 10 minutes
 Blowing Force*: 5 Newtons
 Max Air Velocity: 44 m/sec. (98 mph)
 Air Volume at Nozzle: 420m³/h (247 cfm)
 Sound Pressure Rating**: 60dB(A)

Discontinued. Available while supplies last

Description	Part Number	SRP
BGA 45 includes 18 Volt Integrated Lithium-Ion Battery. Charger included with unit.	4513 011 5902 US	\$139.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec². ** The sound pressure rating is measured at 50 ft.



BGA 57

AK Series/ Series 4523



Weight without Battery: 2.3 kg (5.1 lbs.)
 Weight with recommended AK 20: 3.5 kg (7.8 lbs.)
 Run time with recommended AK 20: (144 Wh) Up to 22 minutes
 Blowing Force*: 9 Newtons
 Max Air Velocity: 55 m/sec. (123 mph)
 Air Volume at Nozzle: 620 m³/h (365 cfm)
 Sound Pressure Rating**: 59 dB(A)
 Recommended Battery: AK 20
 Recommended Charger: AL 101

Description	Part Number	SRP
BGA 57 Unit Only	4523 011 5961 US	\$179.99
BGA 57 set with AK 20 Battery and AL 101 Charger	4523 011 5991 US	\$219.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec². ** The sound pressure rating is measured at 50 ft.

BGA 60

AK Series/ Series BA04



Weight without Battery: 2.27 kg (5.0 lbs.)
 Weight with recommended AK 30: 3.58 kg (7.9 lbs.)
 Run Time with recommended AK 30: Up to 16 minutes
 Blowing Force*: 13 Newtons
 Max Air Velocity: 69 m/sec. (154 mph)
 Air Volume at Nozzle: 780 m³/h (459 cfm)
 Sound Pressure Rating**: 56 dB(A)
 Recommended Battery: AK 30
 Recommended Charger: AL 101

Description	Part Number	SRP
BGA 60 Unit Only	BA04 011 5901 US	\$219.99
BGA 60 set with AK 30 battery & AL 101 charger	BA04 011 5941 US	\$299.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec². ** The sound pressure rating is measured at 50 ft.



BGA 86



Weight without Battery: 2.8 kg (6.2 lbs.)
 Weight with recommended AP 300: 4.5 kg (10 lbs.)
 Run time with recommended AP 300: Up to 21 minutes
 Blowing Force*: 15 Newtons
 Max Air Velocity: 69 m/sec. (154 mph)
 Air Volume at Nozzle: 780 m³/h (459 cfm)
 Sound Pressure Rating**: 58 dB(A)
 Recommended Battery: AP 300
 Recommended Charger: AL 300

Description	Part Number	SRP
BGA 86 Unit Only	BA02 011 5901 US	\$249.99
BGA 86 Set with AP 300 S & AL 301	BA02 211 0000 US	\$609.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec². ** The sound pressure rating is measured at 50 ft.

BGA 100

AP Series/ Series 4866



Weight without Battery: 2.5 kg (5.5 lbs.)
 Run time with recommended AR 3000 L: Up to 510 minutes
 Blowing Force*: 17 Newtons on boost mode
 Max Air Velocity: 75 m/sec. (168 mph)
 Air Volume at Nozzle: 840 m³/h (494 cfm)
 Sound Pressure Rating**: 56 dB(A)
 Recommended Battery: AR 3000 L
 Recommended Charger: AL 301/ AL 500

Description	Part Number	SRP
BGA 100 Unit Only	4866 011 5901 US	\$439.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec². ** The sound pressure rating is measured at 50 ft.



BGA 160.0



Weight without battery: 2.6 kgs (5.7 lbs)
 Weight with recommended AP 300 S battery: 4.4 kg (9.7 lbs)
 Run Time with recommended AP 300 S: Up to 15 minutes
 Blowing Force*: 21 Newtons
 Max Air Velocity: 76 m/s (170 mph)
 Air Volume at Nozzle: 940 m³/h (550 cfm)
 Sound Pressure Rating**: 83 dB(A)
 Recommended Battery: AP 300 S
 Recommended Charger: AL 301

Description	Part Number	SRP
BGA 160.0 Unit Only	BA09 011 5901 US	\$269.99
BGA 160.0 Set with AP 300 S and AL 301	BA09 011 5910 US	\$649.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec². ** The sound pressure rating is measured at 50 ft.

BGA 200

AP Series/ Series BAO1



Weight without Battery: 3.2 kg (7.1 lbs.)
 Run time with AR 3000 L: Up to 500 Minutes
 Blowing Force*: 21 Newtons on boost mode
 Max Air Velocity: 84 m/sec. (188 mph)
 Air Volume at Nozzle: 940 m³/h (553 cfm)
 Sound Pressure Rating**: 59 dB(A)

Requires either an AR backpack battery or special accessory to operate with AP battery.

Recommended Battery: AR 3000 L
 Recommended Charger: AL 301/ AL 500

Description	Part Number	SRP
BGA 200 Unit Only	BA01 011 5901 US	\$519.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec². ** The sound pressure rating is measured at 50 ft.

BGA 250



Weight without battery: 6.0 lbs
 Weight with recommended AP 500 S Battery: 10.2 lbs
 Sound Pressure Rating: 60 dB(A)
 Run Time with recommended AP 500 S: Up to 14 minutes
 Blowing Force*: 26 Newtons
 Max Air Velocity: 190 mph
 Sound Pressure Rating**: 60 dB(A)
 Recommended Battery: AP 500 S
 Recommended Charger: AL 301

Description	Part Number	SRP
BGA 250 Unit Only	BA06 011 5901 US	\$329.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec² ** The sound pressure rating is measured at 50 ft.



BGA 300.0

AP Series/ Series BA03



Weight Without Battery: 7.48 kg (16.5 lbs.)
 Run time with recommended AR 3000 L: Up to 140 Minutes
 Blowing Force*: 26 Newtons on boost mode
 Max Air Velocity: 85.8 m/sec. (192 mph)
 Air Volume at Nozzle: 970 m³/h (571 cfm)
 Sound Pressure Rating**: 59 dB(A)

Requires AR backpack to operate.

Recommended Battery: AR 3000 L
 Recommended Charger: AL 301-4/ AL 500

Description	Part Number	SRP
BGA 300 Unit Only	BA03 011 5901 US	\$699.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec². ** The sound pressure rating is measured at 50 ft.

**BGA 300.1****APIII**

Weight Without Battery: 7.48 kg (16.5 lbs.)
 Run time with recommended AR 3000 L: Up to 140 Minutes
 Blowing Force*: 26 Newtons on boost mode
 Max Air Velocity: 85.8 m/sec. (192 mph)
 Air Volume at Nozzle: 970 m³/h (571 cfm)
 Sound Pressure Rating**: 59 dB(A)

Requires AR backpack to operate.

Recommended Battery: AR 3000 L
 Recommended Charger: AL 301-4/ AL 500

Description	Part Number	SRP
BGA 300.1 Unit Only	BA03 011 5911 US	\$749.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².** The sound pressure rating is measured at 50 ft.

BRA 500.0**APIII**

Weight without battery: 4.8 kg (10.5 lbs)
 Weight with recommended AP 500 S battery: 14.5 kg (31.9 lbs)
 Run Time with recommended AP 500 S: Up to 19 minutes
 Blowing Force*: 31.5 Newtons
 Max Air Velocity: 85.9 m/sec (192.3 mph)
 Air Volume at Nozzle**: 1249.9 m³/h (735.7 cfm)

Recommended Battery: AP 500 S
 Recommended Charger: AL 301

Description	Part Number	SRP
BRA 500.0 Unit Only	BA07 011 5901 US	\$1,019.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².** The sound pressure rating is measured at 50 ft.

BRA 600.0

Weight without battery: 10.2 kg (22.5 lbs)
 Weight with recommended AP 500 S battery: 14.5 kg (32.0 lbs)
 Run Time with recommended AP 500 S: Up to 17 minutes
 Blowing Force*: 34 Newtons
 Max Air Velocity: 110 m/sec (246.1 mph)
 Air Volume at Nozzle**: 1340.5 m³/h (789 cfm)

Recommended Battery: AP 500 S
 Recommended Charger: AL 301

Description	Part Number	SRP
BRA 600.0 Unit Only	BA07 011 5911 US	\$1,069.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².** The sound pressure rating is measured at 50 ft.



FCA 135



Blade Speed: 8,100 rpm
 Gear Ratio: 1:1.235
 Weight without battery*: 5.1 kg (11.2 lbs.)
 Weight with recommended AP 300 S*: 6.9 kg (15.2 lbs.)
 Run time with recommended AP 300 S Battery: Up to 45 minutes
 Blade Size: 20.3 cm (8.0")
 Arbor Size: 25.4 mm (1.0")

Recommended Battery: AP 300 S
 Recommended Charger: AL 301

Description	Part Number	SRP
FCA 135 Unit Only	FA02 011 7802 US	\$399.99

*Weight without cutting attachment or deflector.

FCA 140



Blade Speed: 4,800 rpm
 Gear Ratio: 1:2.9
 Weight without battery*: 5.7 kg (12.6 lbs.)
 Weight with recommended AP 300 S*: 7.5 kg (16.7 lbs.)
 Run time with recommended AP 300 S Battery: Up to 45 minutes
 Blade Size: 20.3 cm (8.0")
 Arbor Size: 25.4 mm (1.0")

Recommended Battery: AP 300 S
 Recommended Charger: AL 301

Description	Part Number	SRP
FCA 140 Unit Only	FA02 011 7800 US	\$489.99

*Weight without cutting attachment or deflector.

FCA 80



Blade Speed: 8,300 rpm
 Gear Ratio: 1:1.0
 Weight without battery*: 10.8 lbs.
 Weight with recommended AK 30*: 13.7 lbs
 Run time with recommended AK 30: Up to 30 Minutes
 Blade Size: 20.3 cm (8")
 Arbor Size: 25.4 mm (1.0")

Recommended Battery: AK 30
 Recommended Charger: AL 301

Description	Part Number	SRP
FCA 80 Unit Only	FA08 011 7800 US	\$359.99
FCA 80 set with AK 30 & AL 101	FA08 011 7810 US	\$519.99

*Weight without cutting attachment or deflector.



FSA 30



Weight without battery*: 2.10 kg (4.6 lbs.)
 Weight with recommended AS 2 battery*: 2.4 kg (5.50 lbs.)
 Run time with recommended AS 2 battery: Up to 19 minutes
 Cutting Width with STIHL PolyCut™: 23 cm (9")
 Mechanical Power Output: 0.13 kW
 Electrical Power Input: 0.24 kW
 Recommended Battery AS 2
 Recommended Charger: AL 1

Description	Part Number	SRP
FSA 30.0 Unit Only	FA10 011 5701 US	\$109.99
FSA 30.0 set with AS 2 & AL 1	FA10 011 5711 US	\$169.99

*Weight without cutting attachment or deflector.

FSA 57



Weight without battery*: 2.7 kg (6 lbs.)
 Weight with recommended AK 10*: 3.5 kg (7.8 lbs)
 Run time with recommended AK 10: Up to 25 minutes
 Cutting Width: 28 cm (11")
 Accessory Compatibility:
 AutoCut® 2-2 (for serial numbers starting with 9) (4008 710 2103)
 Replacement pre wound spool for AutoCut 2-2 (for serial numbers starting with 9) (4008 710 4302)®
 3 Pack of pre-wound spools AutoCut®C3-2 (for serial numbers starting with 5) (4009 710 4306)
 Replacement pre wound spool for AutoCut®C3-2 (for serial numbers starting with 5) (4009 710 4305)
 STIHL PolyCut™3-2 (for serial numbers starting with 5) (4009 710 2104)

 PLEASE NOTE: All FSA 57s with a serial number starting with "9", will use AutoCut® 2-2 heads. All FSA 57's with serial numbers starting with "5" will use AutoCut® C3-2 heads. THEY CAN NOT INTERCHANGE.

 Recommended Battery: AK 10
 Recommended Charger: AL 101

Description	Part Number	SRP
FSA 57 set with AK 20 Battery and AL 101 charger	4522 011 5773 US	\$249.99
FSA 57 Unit Only	4522 011 5761 US	\$179.99
FSA 57 set with AK 10 Battery and AL 101 charger	4522 011 5771 US	\$219.99

*Weight without cutting attachment or deflector.



FSA 50.0

AK III



Weight without battery: 2.9 kg (6.6 lbs)
 Weight with recommended AK 10 battery: 3.7 kg (8.2 lbs)
 Run Time with recommended AK 10: Up to 20 minutes
 Cutting Width: 30 cm (11.8")
 Electrical Power Input: 0.43 kW
 Mechanical Power Output: 0.30 kW

Recommended Battery: AK 10
 Recommended Charger: AL 101

Description	Part Number	SRP
FSA 50.0 Unit Only	FA11 011 5701 US	\$179.99
FSA 50.0 Set with AK 10 and AL 101	FA11 011 5711 US	\$249.99

FSA 60 R

AK III



Weight without battery*: 3.1 kg (6.8 lbs.)
 Weight with recommended AK 20*: 4.3 kg (9.5 lbs.)
 Run time with recommended AK 20: Up to 60 minutes
 Cutting Width: 35 cm (13.8")
 Recommended Battery: AK 20
 Recommended Charger: AL 301
 Electrical Power Input: 0.65 kW,
 Mechanical Power Input: 0.51 kW

Description	Part Number	SRP
FSA 60 R set w/ AK 20 & AL 101	FA04 011 5741 US	\$329.99
FSA 60 R Unit Only	FA04 011 5701 US	\$249.99

*Weight without cutting attachment or deflector.

**FSA 70.0 R**

Weight without battery*: 3.20 kg (7.10 lbs)
 Weight with recommended AK 20*: 4.7 kg (10.3 lbs)
 Run Time with recommended AK 20: Up to 40 minutes
 Cutting Width: 40.5 cm (16.0")
 Recommended Battery: AK 20
 Recommended Charger: AL 301
 Mechanical Power Output: 0.80 kW
 Electrical Power Input: 1.00 kW

Description	Part Number	SRP
FSA 70.0 R Unit Only	FA07 011 5701 US	\$279.99
FSA 70.0 R Set with AK 20 and AL 101	FA07 011 5711 US	\$359.99

*Weight without cutting attachment or deflector.

FSA 80

Weight without battery*: 5 kg / 11.1 lbs.
 Weight with recommended AK 20*: 6.2 kg / 13.7 lbs.
 Run time with recommended AK 20: Up to 50 minutes
 Cutting Width: 38 cm / 14.96 in.
 Recommended Battery: AK 20
 Recommended Charger: AL 301
 Mechanical Power Output: 0.80 kW
 Electrical Power Input: 1.03 kw

Description	Part Number	SRP
FSA 80 set with AK 20 & AL 101	FA08 011 5711 US	\$489.99
FSA 80 unit only	FA08 011 5701 US	\$419.99

*Weight without cutting attachment or deflector.

FSA 80 R

Weight without battery*: 4.8 kg / 10.6 lbs.
 Weight with recommended AK 20*: 6.0 kg / 13.2 lbs.
 Run time with recommended AK 20: Up to 25 min.
 Cutting Width: 38 cm / 14.96 in.
 Recommended Battery: AK 20
 Recommended Charger: AL 301
 Mechanical Power Output: 0.80 kW,
 Electrical Power Output: 1.03 kW

Description	Part Number	SRP
FSA 80 R Unit Only	FA08 011 5721 US	\$359.99
FSA 80 R set with AK 20 & AL 101	FA08 011 5731 US	\$429.99

*Weight without cutting attachment or deflector.



FSA 86 R



Weight without battery*: 3.20 kg (7.10 lbs.)
 Weight with recommended AP 200 S*: 4.5 kg (10 lbs.)
 Run time with recommended AP 200 S: Up to 30 minutes
 Cutting Width: 35 cm (13.8")
 Recommended Battery: AP 200 S
 Recommended Charger: AL 301
 Mechanical Power Output: 0.51 kW
 Electrical Power Input: 0.65 kW

Description	Part Number	SRP
FSA 86 R Unit Only	FA05 011 5701 US	\$279.99

*Weight without cutting attachment or deflector.

FSA 110.0 R



Weight without battery*: 3.3 kg (7.9 lbs)
 Weight with recommended AP 300 S battery*: 5.1 kg (11.9 lbs)
 Run Time with recommended AP 300 S: Up to 85 minutes
 Cutting Width: 40.6 cm (16")
 Recommended Battery: AP 300 S
 Recommended Charger: AL 301
 Mechanical Power Output: 0.80 kW
 Electrical Power Input: 1.00 kW

Description	Part Number	SRP
FSA 110.0 R Unit Only	FA07 011 5721 US	\$329.99

*Weight without cutting attachment or deflector.



FSA 120.0



Weight without battery*: 5.3 kg / (11.4 lbs.)
 Weight with recommended AP 300 S*: 7.1 kg (15.4 lbs.)
 Run time with recommended AP 300 S: Up to 50 minutes
 Recommended Battery: AP 300 S
 Recommended Charger: AL 301
 Mechanical Power Output: 0.80 kW
 Electrical Power Input: 1.03kW

Description	Part Number	SRP
FSA 120 Unit Only	FA08 200 0003 US	\$429.99

*Weight without cutting attachment or deflector.

FSA 120.0 R



Weight without battery*: 5.0 kg / (11.0 lbs.)
 Weight with recommended AP 300 S*: 6.8kg (15 lbs.)
 Run time with recommended AP 300 S: Up to 50 minutes
 Recommended Battery: AP 300 S
 Recommended Charger: AL 301
 Mechanical Power Output: 0.80 kW
 Electrical Power Input: 1.03kW

Description	Part Number	SRP
FSA 120 R Unit Only	FA08 200 0006 US	\$379.99

*Weight without cutting attachment or deflector.

FSA 135



Weight without battery*: 4.9 kg (10.8 lbs.)
 Weight with recommended AP 300 S*: 6.9 kg (15.2 lbs)
 Run time with recommended AP 300 S Battery: Up to 45 minutes
 Cutting Width: 16.5"
 Recommended Battery: AP 300 S
 Recommended Charger: AL 301

Description	Part Number	SRP
FSA 135 unit only	FA01 200 0006 US	\$539.99

*Weight without cutting attachment or deflector.



FSA 135 R



Weight without battery*: 4.5 kg (10.1 lbs.)
 Weight with recommended AP 300 S*: 6.4 kg (14.1 lbs)
 Run time with recommended AP 300 S Battery: Up to 45 minutes
 Cutting Width: 42 cm (16.5")
 Recommended Battery: AP 300 S
 Recommended Charger: AL 301
 Mechanical Power Output: 0.95 kw
 Electrical Power Input: 1.20 kW

Description	Part Number	SRP
FSA 135 R unit only	FA01 200 0011 US	\$489.99

*Weight without cutting attachment or deflector.

FSA 200.0



Weight without battery*: 5.8 kg (12.8 lbs.)
 Weight with recommended AP 500 S*: 7.7 kg (17.0 lbs)
 Run time with recommended AP 500 S: Up to 40 minutes
 Cutting Width: 45 cm (17.7")
 Recommended Battery: AP 500 S
 Recommended Charger: AL 301
 Mechanical Power Output: 1.55 kW
 Electrical Power Input: 2.00 kW

Description	Part Number	SRP
FSA 200 Unit Only	FA03 200 0004 US	\$699.99

*Weight without cutting attachment or deflector.

FSA 200.0 R



Weight without battery*: 4.8 kg / 10.6 lbs.
 Weight with recommended AP 500 S*: 6.7 kg (14.8 lbs)
 Run time with recommended AP 500 S: Up to 40 minutes
 Cutting Width: 45 cm (17.7")
 Recommended Battery: AP 500 S
 Recommended Charger: AL 301
 Mechanical Power Output: 1.55 kW
 Electrical Power Input: 2.00 kW

Description	Part Number	SRP
FSA 200 R Unit Only	FA03 200 0008 US	\$649.99

*Weight without cutting attachment or deflector.



FSA 400.0



Weight without battery*: 7.1 kg (15.6 lbs)
 Weight with recommended AP 500 S battery*: 9.1 kg (20.0 lbs)
 Run Time with AP 500 S battery and AutoCut®: Up to 25 minutes
 Cutting Width: 52 cm (20.5")
 Mechanical Power Output: 2.00 kW
 Electrical Power Input: 2.50 kW
 Recommended Battery: AP 500 S
 Recommended Charger: AL 301

Description	Part Number	SRP
FSA 400.0 Unit Only	FA09 200 0010 US	\$809.99

*Weight without cutting attachment or deflector.

FSA 400.0 K



Weight without battery*: 6.9 kg (15.2 lbs)
 Weight with recommended AP 500 S battery*: 8.9 kg (19.6 lbs)
 Run Time with AP 500 S battery and Metal Blade: Up to 50 minutes
 Cutting Width: 52 cm (20.5")
 Mechanical Power Output: 2.00 kW
 Electrical Power Input: 2.50 kW
 Recommended Battery: AP 500 S
 Recommended Charger: AL 301

Description	Part Number	SRP
FSA 400.0 K Unit Only	FA09 200 0011 US	\$809.99

*Weight without cutting attachment or deflector.



GTA 26



Weight: 1.2 kg (2.7 lbs.)
 Weight with recommended AS 2 Battery: 1.4 kg (3.1 lbs.)
 Run Time with recommended AS 2: Up to 25 minutes
 Recommended Battery: AS 2
 Recommended Charger: AL 1

Description	Bar Length	Bar Length	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
GTA 26 Set with AS 2 battery and AL 1 Charger.	4"	4"	3007 003 0101	0000 792 9164	71 PM3 28	3670 005 0028	GA01 011 6911 US	\$199.99
GTA 26 Unit Only	4"	4"	3007 003 0101	0000 792 9164	71 PM3 28	3670 005 0028	GA01 011 6906 US	\$169.99

GTA 26 ACCESSORIES

Description	MOQ	Length	Part Number	SRP
 Guide Bar for GTA 26			3007 003 0101	\$21.99
 Chain for GTA 26	28	1.17 ft	3670 005 0028	\$17.99
 Lubricating Oil for GTA 26 Packed in a display box. MOQ = 15	15		0782 516 8501	\$7.99
 Holster for GTA 26	280		GA01 490 1700	\$32.99
 Scabbard for GTA 26			0000 792 9164	\$7.49
 Extension for GTA 26	280		GA01 820 5001	\$95.99

WARNING! Improper use of any power tool may cause serious or fatal injury. Read, understand and follow carefully the operating and safety instructions in your instruction manual before using such products.



HLA 56



Weight without battery: 3.8 kg (8.4 lbs.)
 Weight with recommended AK 20: 5.0 kg (11.1 lbs.)
 Run time with recommended AK 20: (144 Wh) Up to 100 minutes
 Blade Length: 18"
 Strokes per Minute: 2,800

Recommended Battery: AK 20
 Recommended Charger: AL 101

Description	Part Number	SRP
HLA 56 Unit only	HA01 011 2901 US	\$279.99
HLA 56 Kit with AK 20 Battery and AL 101 Charger	HA01 200 0037	\$429.99

HLA 66

AP Series/ Series 4859



Weight without battery: 3.67 kg (8.1 lbs.)
 Weight with recommended AP 200: 4.97 kg (10.96 lbs.)
 Run time with recommended AP 200: Up to 145 minutes
 Blade Length: 50 cm (20")
 Strokes per Minute: 3,000

Recommended Battery: AP 200
 Recommended Charger: AL 101/ AL 301/ AL 500

Description	Part Number	SRP
HLA 66 unit only	4859 011 2911 US	\$379.99

HLA 86

AP Series/ Series 4859



Weight without battery: 4.8 kg (10.6 lbs.)
 Weight with recommended AP 200: 6.12 kg (13.5 lbs.)
 Run time with recommended AP 200: Up to 145 minutes
 Blade Length: 50 cm (20")
 Strokes Per Minute: 3,000

Recommended Battery: AP 200
 Recommended Charger: AL 101/ AL 301/ AL 500

Description	Part Number	SRP
HLA 86 unit only	4859 011 2931 US	\$519.99



HLA 135 (145°)

AP Series/ Series HA04



Weight without battery: 5.6 kg (12.4 lbs.)
 Weight with recommended AP 200: 6.9 kg (15.3 lbs.)
 Run time with recommended AP 200 Battery: Up to 64 minutes
 Blade Length: 60 cm (24")
 Strokes Per Minute: 4,000 (Setting 3)

Recommended Battery: AP 200
 Recommended Charger: AL 101/ AL 301/ AL 500

Description	Part Number	SRP
HLA 135 (145°) unit only	HA04 200 0002 US	\$519.99

HLA 135 K (145°)

AP Series/ Series HA04



Weight without battery: 5.2 kg (11.5 lbs.)
 Weight with recommended AP 200: 6.5 kg (14.4 lbs.)
 Run time with recommended AP 200 Battery: Up to 64 minutes
 Blade Length: 60 cm (24")
 Strokes Per Minute: 4,000 (Setting 3)

Recommended Battery: AP 200
 Recommended Charger: AL 101/ AL 301/ AL 500

Description	Part Number	SRP
HLA 135 K (145°) unit only	HA04 200 0008 US	\$489.99

HLA 135 K (0°)

AP Series/ Series HA04



Weight without battery: 4.7 kg (10.4 lbs.)
 Weight with recommended AP 200: AP 200: 6.0 kg (13.3 lbs.)
 Run time with recommended AP 200 Battery: Up to 64 minutes
 Blade Length: 60 cm (24")
 Strokes Per Minute: 4,000 (Setting 3)

Recommended Battery: AP 200
 Recommended Charger: AL 101/ AL 301/ AL 500

Description	Part Number	SRP
HLA 135 K (0°) unit only	HA04 200 0007 US	\$469.99



HSA 26



Run Time with recommended AS 2: Up to 110 minutes
 Weight (with hedge shear attachment): 0.7 kg (1.5 lbs)
 Weight with AS 2 battery & hedge shear attachment: 1.0 kg (2.2 lbs)
 Shrub Shear Length: 200 mm (7.9")
 Grass Shear Width: 120 mm (4.7")

Recommended Battery: AS 2
 Recommended Charger: AL 1

Description	Part Number	SRP
HSA 26 Lithium-Ion Garden Shears Unit Only	HA03 011 3501 US	\$109.99
HSA 26 Lithium-Ion Garden Shears with AS 2 battery, AL 1 Charger and carry case	HA03 011 3507 US	\$169.99

HSA 30.0



Weight without battery (Powerhead Only): 2 kg (4.45 lbs.)
 Weight with recommended AS 2: 2.2 kg (4.85 lbs.)
 Run time with recommended AS 2: Up to 50 minutes
 Blade Length: 45 cm (18")
 Strokes per minute: 2,800

Recommended Battery: AS 2
 Recommended Charger: AL 1

Description	Part Number	SRP
HSA 30 unit only	HA08 011 3502 US	\$129.99
HSA 30 set with AS 2 & AL 1	HA08 011 3509 US	\$169.99



HSA 40.0



Weight without battery (Powerhead Only): 2.1 kg (4.62 lbs.)
 Weight with recommended AS 2: 2.3 kg (5.07 lbs.)
 Run time with recommended AS 2: Up to 80 minutes with two AS2 Batteries
 Blade Length: 50 cm (20")
 Strokes per minute: 2,800

Recommended Battery: AS 2
 Recommended Charger: AL 1

Description	Part Number	SRP
HSA 40 unit only	HA08 011 3522 US	\$179.99
HSA 40 Set with two AS 2 & AI 1	HA08 011 3529 US	\$209.99



HSA 45

AI Series/ Series 4511



Weight with integrated battery: 2.3 kg (5.1 lbs.)

Run Time: Up to 40 minutes

Charge Time: 210 minutes (3.5 hours)

Blade Length: 50 cm (20")

Strokes per minute: 2,500

Discontinued. Available while supplies last

Description	Part Number	SRP
HSA 45 with 18 Volt Integrated Lithium-Ion Battery. Integrated battery design. Charger included with unit.	4511 011 3502 US	\$149.99

HSA 50

AK Series/ Series 4521



Weight without battery (Powerhead Only): 2.9 kg (6.4 lbs.)

Weight with recommended AK 10: 3.7 kg (8.2 lbs.)

Run time with recommended AK 10: (72 Wh) Up to 50 minutes

Blade Length: 50 cm (20")

Strokes per minute: 2,800

Recommended Battery: AK 10

Recommended Charger: AL 101

Description	Part Number	SRP
HSA 50 unit only	4521 011 3531 US	\$219.99
HSA 50 set with AK 10 Battery and AL 101 Charger	4521 011 3541 US	\$279.99

HSA 50.1

AK Series/ Series 4521



Weight without battery (Powerhead Only): 2.9 kg (6.4 lbs.)

Weight with recommended AK 10: 3.7 kg (8.2 lbs.)

Run time with recommended AK 10: (72 Wh) Up to 50 minutes

Blade Length: 50 cm (20")

Strokes per minute: 2,800

Recommended Battery: AK 10

Recommended Charger: AL 101

Description	Part Number	SRP
HSA 50.1 set with AK 10 Battery and AL 101 Charger	4521 011 3571 US	\$279.99



HSA 60

AK Series/ Series HA06



Weight without battery (Powerhead Only): 3.49 kg (7.7 lbs.)

Weight with recommended AK 10: 4.3 kg (9.5 lbs.)

Run time with recommended AK 10: Up to 60 minutes

Blade Length: 60 cm (24")

Strokes per minute: 3,000

Recommended Battery: AK 10

Recommended Charger: AL 101

Description	Part Number	SRP
HSA 60 unit only	HA06 011 3501 US	\$289.99
HSA 60 set with AK 10 battery & AL 101 charger	HA06 011 3511 US	\$379.99

HSA 60.1

AK Series/ Series HA06



Weight without battery (Powerhead Only): 3.49 kg (7.7 lbs.)

Weight with recommended AK 10: 4.3 kg (9.5 lbs.)

Run time with recommended AK 10: Up to 60 minutes

Blade Length: 60 cm (24")

Strokes per minute: 3,000

Recommended Battery: AK 10

Recommended Charger: AL 101

Description	Part Number	SRP
HSA 60.1 set with AK 10 battery & AL 101 charger	HA06 011 3541 US	\$379.99

HSA 100

AP Series / Series HA07



Weight without battery: 3.5 kg (7.7 lbs.)

Run time with recommended AP 200 Battery: Up to 150 minutes

Blade Length: 60 cm (24")

Stroke Per Minute: 3,000

Recommended Battery: AP 200

Recommended Charger: AL 301

Description	Part Number	SRP
HSA 100 unit only	HA07 011 3501 US	\$369.99



HSA 100.1

AP Series / Series HA07



Weight without battery: 3.5 kg (7.7 lbs.)

Run time with recommended AP 200 Battery: Up to 150 minutes

Blade Length: 60 cm (24")

Stroke Per Minute: 3,000

Recommended Battery: AP 200

Recommended Charger: AL 301

Description	Part Number	SRP
HSA 100.1 unit only	HA07 011 3531 US	\$369.99

HSA 130 R

AP Series / Series 4869



Weight without battery: 4.1 kg (9.0 lbs.)

Run time with recommended AR 2000 L Battery: Up to 690 minutes

Blade Length: 60 cm (24")

Stroke Per Minute: 2,800 / 3,000 / 3,200

Recommended Battery: AR 2000 L

Recommended Charger: AL 301-4 / AL 301 / AL 500

Description	Part Number	SRP
HSA 130 R unit only	4869 011 3562 US	\$589.99

HSA 130 T

AP Series / Series 4869



Weight without battery: 3.9 kg (8.6 lbs.)

Run time with recommended AR 2000 L Battery: Up to 690 minutes

Blade Length: 60 cm (24")

Stroke Per Minute: 4,400 / 4,700 / 5,000

Recommended Battery: AR 2000 L

Recommended Charger: AL 301-4 / AL 301 / AL 500

Description	Part Number	SRP
HSA 130 T unit only	4869 011 3568 US	\$589.99

**HSA 140.0 R**

Weight without battery: 4.3 kg (9.5 lbs)

Run Time with AP 200 S: Up to 150 min

Blade Length: 60 cm (24")

Stroke Per Minute: Level 1: 2,600; Level 2: 3,000; Level 3: 3,400

Weight with Battery: 5.7 kg (12.3 lbs)

Recommended Battery: AP 200 S

Description	Part Number	SRP
HSA 140 R	HA02 011 3501 US	\$649.99
HSA 140 R 24" Set with AP 200 AL 301	HA02 211 0000 US	\$969.99

HSA 140.0 T

Weight without battery: 4.2 kg (9.3 lbs)

Run Time with AP 200 S: Up to 140 min

Blade Length: 60 cm (24")

Stroke Per Minute: Level 1: 3,900; Level 2: 4,500; Level 3: 5,000

Weight with Battery: 5.5 kg (12.1 lbs)

Recommended Battery: AP 200 S

Description	Part Number	SRP
HSA 140 T	HA02 011 3511 US	\$649.99
HSA 140 T 24" Set with AP 200 and AL 301	HA02 211 0001 US	\$969.99

**HSA 150.0 R**

Weight without battery: 4.6 kg (10.1 lbs)

Run Time with AP 200 S: Up to 150 min

Blade Length: 75 cm (30")

Stroke Per Minute: Level 1: 2,600; Level 2: 3,000; Level 3: 3,400

Weight with Battery: 6.0 kg (13.0 lbs)

Recommended Battery: AP 200 S

Recommended Charger: AL 301

Description	Part Number	SRP
HSA 150 R 30"	HA02 011 3521 US	\$729.99
HSA 150 R 30" Set with AP 200 and AL 301	HA02 211 0002 US	\$1,019.99

HSA 150.0 T

Weight without battery: 4.3 kg (9.5 lbs)

Run Time with AP 200 S: Up to 140 min

Blade Length: 75 cm (30")

Stroke Per Minute: Level 1: 3,900; Level 2: 4,500; Level 3: 5,000

Weight with Battery: 5.6 kg (12.4 lbs)

Recommended Battery: AP 200 S

Recommended Charger: AL 301

Description	Part Number	SRP
HSA 150 T 30"	HA02 011 3531 US	\$729.99
HSA 150 T 40"	HA02 011 3537 US	\$789.99
HSA 150 T 30" with AP 200 and AL 301	HA02 211 0003 US	\$1,019.99
HSA 150 T 40" Set with AP 200 and AL 301	HA02 211 0004 US	\$1,049.99

**HTA 50**

Weight without battery: 3.9 kg (8.6 lbs.)

Weight with recommended AK 20: 5.1 kg (11.2 lbs.)

Run time with recommended AK 20: Up to 45 minutes

Overall Length: 9' 2" ft.

Recommended Battery: AK 20

Recommended Charger: AL 101

Description	Bar Length	Guide Bar	Scabbard	Chain	Chain Loop PN	Part Number	SRP
HTA 50 Unit only	10"	3005 008 3403	0000 792 9172	71PM3 56	3670 005 0056	LA02 011 6401 US	\$239.99
HTA 50 kit with AK 20 battery & AL 101 charger	10"	3005 008 3403	0000 792 9172	71PM3 56	3670 005 0056	LA02 200 0018	\$429.99
HTA 50 kit with AK 30 battery & AL 101 Charger	10"	3005 008 3403	0000 792 9172	71PM3 56	3670 005 0056	LA02 200 0021	\$479.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

HTA 66

Weight without battery: 3.3 kg (7.3 lbs.)

Weight with recommended AP 200: 4.6 kg (10.2 lbs.)

Run time with recommended AP 200: Up to 42 minutes

Overall Length: 7' 9" ft.

Recommended Battery: AP 200

Recommended Charger: AL 101/ AL 301/ AL 500

Description	Bar Length*	Guide Bar	Scabbard	Chain	Chain Loop PN	Part Number	SRP
HTA 66 Unit only	10"	3005 008 3403	0000 792 9170	71PM3 56	3670 005 0056	LA03 011 6411 US	\$399.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

HTA 86

Weight without battery: 4.6 kg (10.1 lbs.)

Weight with recommended AP 200: 6.9 kg (13.0 lbs.)

Run time with recommended AP 200: Up to 42 minutes

Overall Length: 8'8" to 12'8" ft.

Recommended Battery: AP 200

Recommended Charger: AL 101/ AL 301/ AL 500

Description	Bar Length*	Guide Bar	Scabbard	Chain	Chain Loop PN	Part Number	SRP
HTA 86 Unit only	10"	3005 008 3403	0000 792 9170	71PM3 56	3670 005 0056	LA03 011 6431 US	\$609.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

**HTA 135**

Weight without battery: 6.8 kg (15.0 lbs.)
 Weight with recommended AP 300 S: 8.6 kg (19.0 lbs.)
 Run time with recommended AP 300 S: Up to 45 minutes
 Chain Type: 3/8" STIHL PICCO™ Micro™ Mini
 Overall Length: 9.4 ft. to 13.3 ft.

Recommended Battery: AP 300 S
 Recommended Charger: AL 101/ AL 301/ AL 500

Description	Bar Length*	Guide Bar	Scabbard	Chain	Chain Loop PN	Part Number	SRP
HTA 135 Unit Only	10"	3005 008 3903	0000 792 9170	61 PMM3 39	3610 005 0039	LA01 200 0001 US	\$689.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

HTA 150.0

Weight without battery: 4.7 kg / 10.4 lbs.
 Weight with recommended AP 300 S: 6.5 kg / 14.3 lbs.
 Run time with recommended AP 300 S: Up to 60 minutes
 Chain Type: 3/8" STIHL PICCO™ Micro™ Mini
 Overall Length: Up to 6.5ft.

Recommended Battery: AP 300 S
 Recommended Charger: AL 101/ AL 301/ AL 500

Description	Bar Length*	Guide Bar	Scabbard	Chain	Chain Loop PN	Part Number	SRP
HTA 150 Unit Only	10"	3005 008 3903	0000 792 9170	61 PMM3 39	3610 005 0039	LA01 200 0024 US	\$719.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

HTA 160.0

Weight without battery: 6.9 kg / 15.2 lbs.
 Weight with recommended AP 300 S: 8.7 kg / 19.2 lbs.
 Run time with recommended AP 300 S: Up to 45 minutes
 Chain Type: 3/8" STIHL PICCO™ Micro™ Mini
 Overall Length: 9'4 feet up to 13'3 feet

Recommended Battery: AP 300 S
 Recommended Charger: AL 101/ AL 301/ AL 500

Description	Bar Length*	Guide Bar	Scabbard	Chain	Chain Loop PN	Part Number	SRP
HTA 160 Unit Only	10"	3005 008 3903	0000 792 9170	61 PMM3 39	3610 005 0039	LA01 200 0018 US	\$749.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



KGA 770.0



Weight without battery: 16.9 kg (37.5 lbs)
 Weight with recommended AP 300 S: 18.8 kg (41.4 lbs)
 Run Time with recommended AP 300 S: Up to 260 minutes
 Sweeping Width: 77 cm (30")
 Sweeper bag capacity: 40 L (10.5 gal)
 Cleaning Area: 23,680 sq. ft
 Recommended Battery: AP 300 S
 Recommended Charger: AL 301

Description	Part Number	SRP
KGA 770.0 Unit Only	4860 011 4707 US	\$899.99



KMA 80 R



Weight without battery: 3.4 kg (7.5 lbs.)
 Weight with recommended AK 30: 4.7 kg (10.4 lbs.)
 Run time with recommended AK 30 & FS-KM Line Head is up to 25 minutes: All others vary based on attachment and battery used.
 Blowing Force with BG-KM*: 15 Newtons
 Air Volume at Nozzle with BG-KM: 480 cfm
 Air Velocity with BG-KM: 127 mph
 Recommended Battery: AK 30
 Recommended Charger: AL 101
 Mechanical Power Output: 0.80 kW
 Electrical Power Input: 1.00 kW

Description	Part Number	SRP
KMA 80 R set with AK 30 & AL 101	FA08 011 6810 US	\$379.99
KMA 80 R set with AK 30, AL 101 & FS-KM	FA08 011 6811 US	\$429.99
KMA 80 R Unit Only	FA08 011 6801 US	\$239.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².

KMA 120.0 R



Weight without battery: 3.5 kg (7.70 lbs.)
 Weight with recommended AP 300 S: 5.3 kg (11.7 lbs.)
 Run time with recommended AP 300 S: Varies based on attachment and battery used
 Blowing Force with BG-KM*: 15 Newtons
 Air Volume at Nozzle with BG-KM: 480 cfm
 Recommended Battery: AP 300 S
 Recommended Charger: AL 101
 Mechanical Power Output: 0.80 kW
 Electrical Power Input: 1.00 kW
NOT FOR USE WITH FSB-KM

Description	Part Number	SRP
KMA 120 R Unit Only	FA08 011 6821 US	\$329.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².



KMA 135 R



Weight without battery: 3.4 kg (7.5 lbs.)
 Weight with recommended AP 300 S battery: 5.2 kg (11.5 lbs.)
 Run Time: Varies based on attachment and battery used
 Blowing Force with BG-KM*: 15 Newtons
 Air Volume at Nozzle with BG-KM: 480 cfm
 Mechanical Power Output: 0.95 kW
 Electrical Power Input: 1.20 kW
 Compatible with all current KM attachments (excludes FSB curved shaft trimmer).
 Recommended Battery: AP 300 S
 Recommended Charger: AL 301

NOT FOR USE WITH FSB-KM

Description	Part Number	SRP
KMA 135 R unit only	FA02 011 6801 US	\$409.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².

KMA 200.0 R



Weight without battery: 3.9 kg (8.6 lbs)
 Weight with recommended AP 500 S battery: 5.8 kg (12.8 lbs)
 Run time with recommended AP 500 S & FSS-KM attachment: Up to 40 minutes
 Max Speed with FSS-KM attachment: 9,500 rpm
 Cutting Width with FSS-KM attachment: 45.7 cm (17.7")
 Mechanical Power Output: 1.50 kW,
 Electrical Power Input: 1.90 kW
 Recommended Battery: AP 500 S
 Recommended Charger: AL 301

NOT FOR USE WITH FSB-KM

Description	Part Number	SRP
KMA 200.0 R Unit Only	FA03 011 6801 US	\$539.99



KOA 20.0



Unit Width: 4.15 inches (W), Unit Length: 11.09 inches (L), Unit Height: 8.79 inches (H)

Weight with recommended AS 2 Battery: 1.48 kg (3.73 lbs)

Weight without Battery: 1.48 kg (3.26 lbs)

Max Noise High Pressure Mode: 81.4 dB(A)

High Volume Pump-Max Air Pressure: 0.67 PSI

High Volume Pump- Max Air Flow: 14.13 cfm

Maximum Pressure High Pressure 150 PSI

Recommended Battery: AS 2

Recommended Charger: AL 1

Description	Part Number	SRP
KOA 20.0 Unit Only	SA06 011 8201 US	\$109.99
KOA 20 Set with AS 2 Battery and AL Charger	SA06 011 8211 US	\$179.99



MSA 60.0 C-B

AK Series/ Series MA04



Weight without battery: 2.7 kg (6.0 lbs)

Weight with recommended AK 20: 3.95 kg (8.7 lbs)

Run time with recommended AK 20 battery: (144 Wh) Up to 40 minutes

Chain Oil Capacity: 109cc (3.7 oz.)

Chain Type: 1/4" STIHL PICCO™

Recommended Battery: AK 20

Recommended Charger: AL 101

Prior Part Numbers:

Unit Only: MA04 011 5801 US

Set: MA04 011 5807 US

50th Anniversary Set: MA04 011 5871 US

Description	Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
MSA 60 C-B Unit Only	12"	3005 008 3405	0000 792 9171	71 PM3 64	3670 005 0064	MA04 011 5861 US	\$299.99
MSA 60 C-B set w/ AK 20 & AL 101	12"	3005 008 3405	0000 792 9171	71 PM3 64	3670 005 0064	MA04 011 5867 US	\$329.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed

MSA 70.0 C-B

AK Series/ Series MA04



Weight without battery: 2.7 kg (6.0 lbs)

Weight with recommended AK 30 Battery: 4.0 kg (8.9 lbs)

Run time with recommended AK 30: Up to 45 minutes

Chain Oil Capacity: 109cc (3.7 oz.)

Chain Type: 1/4" STIHL PICCO™

Recommended Battery: AK 30

Recommended Charger: AL 101

Prior Part Numbers:

Unit Only: MA04 011 5817 US

Set: MA04 011 5823 US

Description	Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
MSA 70 C-B Unit Only	12"	3005 008 3405	0000 792 9171	71PM3 64	3670 005 0064	MA04 011 5877 US	\$349.99
MSA 70 C-B set w/ AK 30 & AL 101	12"	3005 008 3405	0000 792 9171	71PM3 64	3670 005 0064	MA04 011 5883 US	\$399.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

**MSA 80.0 C-B****AKIII**

Weight without battery: 3.3 kg (7.3 lbs)
 Weight with recommended AK 30 S battery: 4.6 kg (10.1 lbs)
 Run time with recommended AK 30 S: Up to 35 min
 Chain Oil Capacity: 210 cc (7.1 oz)
 Chain Type: 1/4" STIHL PICCO™

Recommended Battery: AK 30 S
 Recommended Battery: AL 301

Description	Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
MSA 80.0 Unit Only	14"	3005 008 3409	0000 792 9171	71 PM3 64	3670 005 0064	MA04 011 5845 US	\$379.99
MSA 80.0 Set	14"	3005 008 3409	0000 792 9171	71 PM3 72	3670 005 0072	MA04 011 5835 US	\$489.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

MSA 160.0 C-B

AP Series/Series MA03

APIII

Weight without battery: 3.1 Kg (6.8 lbs.)
 Weight with recommended AP 300 S: 4.9 kg (10.8 lbs.)
 Run time with recommended AP 300 S: Up to 62 minutes
 Chain Oil Capacity: 210 cc (7.1 oz.)
 Guide Bar Length: 25 to 35 cm (10-14") STIHL LIGHT 01

Recommended Battery: AP 300 S
 Recommended Charger: AL 301

Description	Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
MSA 160 C-B unit only	12"	3005 008 3405	0000 792 9171	71PM3 64	3670 005 0064	MA03 200 0002	\$359.99
MSA 160 C-B unit only	14"	3005 008 3409	0000 792 9171	71PM3 72	3670 005 0072	MA03 200 0044	\$369.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

MSA 161 T**APIII**

Weight (Powerhead only): 2.1 kg (4.6 lbs)
 Weight with recommended AP 200: 3.4 kg (7.5 lbs)
 Run time with recommended AP 200: Up to 42 minutes
 Chain Oil Capacity: 105 cc (3.55 oz)
 Chain Type: 1/4" STIHL PICCO™

Recommended Battery: AP 200
 Recommended Charger: AL 301

For In-Tree Professional Use ONLY

Description	Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
MSA 161 T Lithium-Ion Top Handle Chain saw unit only	12"	3005 008 3405	0000 792 9171	71 PM3 65	3670 005 0065	1252 200 0048	\$489.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MSA 200.0 C-B



Weight (Powerhead only): 3.1 Kg (6.8 lbs.)
 Weight with recommended AP 300 S: 4.9 kg (10.8 lbs)
 Run time with recommended AP 300 S: Up to 50 minutes
 Chain Oil Capacity: 210 cc (7.1 oz.)
 Chain Type: 3/8" STIHL PICCO™

Recommended Battery: AP 300 S
 Recommended Charger: AL 301/ AL 301-4/ AL 500

Description	Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
MSA 200.0 C-B unit only	12"	3005 000 4405	0000 792 9172	61 PS3 44	3699 005 0044	MA03 200 0008	\$399.99
MSA 200.0 C-B unit only	14"	3005 000 4409	0000 792 9172	61PS3 50	3699 005 0050	MA03 200 0007	\$409.99
MSA 200.0 C-B unit only	16"	3005 000 4413	0000 792 9173	61 PS3 55	3699 005 0055	MA03 200 0043	\$419.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

MSA 220.0 C-B

AP Series/Series MA03



Weight (Powerhead only): 3.1 kg (6.8 lbs.)
 Weight with recommended AP 300 S: 4.9 kg (10.8 lbs.)
 Run Time with recommended AP 300 S: Up to 40 minutes
 Chain Oil Capacity: 210cc (7.1 oz.)
 Chain Type: 3/8" PS3

Recommended Battery: AP 300 S
 Recommended Charger: AL 301

Description	Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
MSA 220.0 C-B unit only	16"	3005 000 4413	0000 792 9173	61 PS3 55	3699 005 0055	MA03 200 0014	\$449.99
MSA 220.0 C-B unit only	18"	3005 000 4417	0000 792 9173	61 PS3 61	3699 005 0061	MA03 200 0016	\$459.99
MSA 220.0 C-B unit only	14"	3005 000 4409	0000 792 9172	61 PS3 50	3699 005 0050	MA03 200 0015	\$439.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MSA 220.0 TC-O



Picture shown with optional Lightweight Guide Bar.

Weight (Powerhead only): 2.7 kg (5.95 lb.)
 Weight with recommended AP 300 S: 4.54 kg (10.01 lb.)
 Run time with recommended AP 300 S: Up to 22 mins.
 Chain Type: 3/8" PS3
 Guide Bar Length: 12" -16"
 Chain Oil Capacity: 7.4 oz.

Recommended Battery: AP 300 S
 Recommended Charger: AL 301-4, AL 500

For In-Tree Professional Use ONLY

Description	Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
MSA 220 TC-O unit only	12"	3005 000 4805	0000 792 9160	63PS3 44	3616 005 0044	MA01 200 0033	\$489.99
MSA 220 TC-O unit only	14"	3005 000 4809	0000 792 9160	63PS3 50	3616 005 0050	MA01 200 0014	\$499.99
MSA 220 TC-O unit only	16"	3005 000 4813	0000 792 9161	63PS3 55	3616 005 0055	MA01 200 0016	\$509.99
MSA 220 TC-O unit only	12" L P04	3005 000 7405	0000 792 9160	63PS3 44	3616 005 0044	MA01 200 0034	\$509.99
MSA 220 TC-O unit only	14" L P04	3005 000 7409	0000 792 9160	63PS3 50	3616 005 0050	MA01 200 0035	\$519.99
MSA 220 TC-O unit only	16" L P04	3005 000 7413	0000 792 9161	63PS3 55	3616 005 0055	MA01 200 0036	\$529.99
MSA 220 TC-O unit only	12"	3005 000 4405	0000 792 9160	61PS3 44	3699 005 0044	MA01 200 0056	\$489.99
MSA 220 TC-O unit only	14"	3005 000 4409	0000 792 9160	61PS3 50	3699 005 0050	MA01 200 0057	\$499.99
MSA 220 TC-O unit only	16"	3005 000 4413	0000 792 9161	61PS3 55	3699 005 0055	MA01 200 0058	\$509.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

MSA 300 C-O

AP Series/Series MA02



Weight (Powerhead only): 4.5 kg (9.92 lb.)
 Weight with recommended AP 500 S: 6.4 kg (14.11 lb.)
 Run Time with recommended AP 500 S: Up to 44 minutes
 Chain Oil Capacity: 10.5 oz.
 Chain Type: .325" RS3 chain

Recommended Battery: AP 500 S Only
 Recommended Charger: AL 301-4, AL 500

Description	Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
MSA 300 C-O unit only	16"	3003 000 3313	0000 792 9175	23RS3 67	3694 005 0067	MA02 200 0058	\$859.99
MSA 300 C-O unit only	18"	3003 008 3317	0000 792 9175	23RS3 74	3694 005 0074	MA02 200 0059	\$869.99
MSA 300 C-O unit only	20"	3003 008 3321	0000 792 9176	23RS3 81	3694 005 0081	MA02 200 0060	\$879.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



RCA 20.0



Weight without battery: 1.00 kg (2.2 lbs.)
 Weight with recommended AS 2 Battery: 1.3 kg (2.9 lbs.)
 Run Time with recommended AS 2: Up to 20 minutes
 Max Pressure: 24 bar (350 psi)
 Max Water Flow: 230 L/Hr (1 GPM)

Recommended Battery: AS 2
 Recommended Charger(s): AL 1

Description	Part Number	SRP
RCA 20.0 unit only. Includes: 4-in-1 Nozzle, Suction Hose, Detergent Sprayer, Connector, Extension Lance and Bag.	RA02 011 7601 US	\$189.99
RCA 20.0 set with 2 AS 2 batteries & AL 1 charger Includes: 4-in-1 Nozzle, Suction Hose, Detergent Sprayer, Connector, Extension Lance and Bag	RA02 011 7611 US	\$259.99

ACCESSORIES FOR RCA 20.0



Part Number	SRP
RA02 500 5900	\$37.99



REA 60.0 PLUS



Weight without battery: 6.5 kg (14.3 lbs.)

Weight with recommended AK 30 S battery: 7.8 kg (17.2 lbs.)

Run time with recommended AK 30 / AK 30S Battery: Up to 25 minutes

Rated Pressure: 1,500 PSI

Water Flow: 230 L/Hr (1 GPM)

Recommended Battery: AK 30 / AK 30S

Recommended Charger(s): AL 301

Description	Part Number	SRP
REA 60 Plus unit. Includes: 3-in-1 Nozzle, Detergent Suction Hose, 15' of Semi-Rigid Hose with On-Board Reel.	RA01 011 7603 US	\$279.99
REA 60.0 Plus Set includes AK 30 Battery and AL 101	RA01 011 7623 US	\$449.99

REA 100.0 PLUS



Weight without battery: 6.5 kg (14.3 lbs.)

Weight with recommended AP 300S battery: 8.2 kg (18.2 lbs.)

Run time with recommended AP 300S Battery: Up to 45 minutes

Rated Pressure: 1,800 PSI

Water Flow: 270 L/Hr (1.2 GPM)

Recommended Battery: AP 300S

Recommended Charger(s): AL 301

Description	Part Number	SRP
REA 100.0 Plus unit. Includes: 3-in-1 Nozzle, Detergent Suction Hose, 15' of Semi-Rigid Hose with On-Board Reel.	RA01 011 7613 US	\$379.99
REA 100.0 Plus Set includes AP 300 S and AL 301 Charger	RA01 011 7633 US	\$699.99



RE/REA ACCESSORIES

	Description	Part Number	SRP
	Splash Guard	4910 550 9000	\$37.99
	Brush Roller	4910 550 3400	\$96.99
	Cart with Water Tank	RA01 500 9800	\$105.99
	Telescopic Lance	4910 550 3510	\$181.99

**RMA 348.0****AKIII**

Weight without battery: 25.2 kg (55.6 lbs)
 Weight with recommended AK 30 S battery: 26.4 kg (58.2 lbs)
 Area Mowed: Approx. 3,110 sq. ft
 Cutting Width: 46 cm (18.1")
 Deck Width: 50 cm (19.7")

Recommended Battery: AK 30 S
 Recommended Charger: AL 301

Description	Part Number	SRP
RMA 348.0 Unit Only	WA31 011 1400 US	\$379.99
RMA 348.0 Set with AK 30.0 S & AL 101	WA31 211 0000 US	\$489.99

RMA 348.0 V**AKIII**

Weight without battery: 62.2 lbs
 Weight with recommended AK 30 S battery: 64.8 lbs
 Cutting Width: 18.1"
 Deck Width: 19.7"

Recommended Battery: AK 30 S
 Recommended Charger: AL 301

Description	Part Number	SRP
RMA 348.0 V Unit Only	WA31 011 1420 US	\$489.99
RMA 348.0 V Set with AK 30 S and AL 101	WA31 211 0001 US	\$589.99

RMA 353.0 V

Weight without battery: 29 kg (64.0 lbs)
 Weight with battery: 31 kg (68.0 lbs)
 Area Mowed: Approx. 3,078 sq. ft
 Deck Width: 53 cm (21")
 Cutting Width: 51 cm (20")

Description	Part Number	SRP
RMA 353.0 V Unit Only	WA32 011 1420 US	\$539.99
RMA 353.0 Set with AP 300 S & AL 301	WA32 211 0001 US	\$749.99



RMA 448.3 V

AKIII



Weight without battery: 27.2 kg (59.5 lbs)
 Weight with recommended AK 30 S battery: 28.3 kg (62.4 lbs)
 Area Mowed: 3,659 sq. ft
 Deck Width: 48 cm (18.9")
 Cutting Width: 46 cm (18")

Recommended Battery: AK 30 S
 Recommended Charger: AL 301

Description	Part Number	SRP
RMA 448.3 V Unit Only	WA41 011 1450 US	\$709.99
RMA 448.3 V Set with AK 30 S & AL 101	WA41 211 0000 US	\$819.99

RMA 453.3 PV

APIII



Weight without battery: 29 kg (63.9 lbs)
 Weight with recommended AP 300 S battery: 30.8 kg (68.0 lbs)
 Area Mowed: Approx. 9,687 sq. ft (on a single charge with two AP 300 S batteries)
 Deck Width: 53 cm (21")
 Cutting Width: 51 cm (20")

Recommended Battery: AP 300 S
 Recommended Charger: AL 301

Description	Part Number	SRP
RMA 453.3 PV Unit Only	WA42 011 1430 US	\$859.99
RMA 453.3 PV Set with AP 300 S & AL 301	WA42 211 0000 US	\$1,179.99



RMA 460

AK Series/ Series 6368



Weight without battery: 25 kg. (55.1 lbs.)
 Weight with recommended AK 30: 25 kg. (55.1 lbs.)
 Area Mowed: approx. 2,852 sq. ft.
 Deck Width: 48.0 cm (19"): Cutting Width: 46.0 cm (18.1")
 Cutting Height: 1.4"- 3.9": Grass Catcher Capacity: 60.0 L (15.85 gal.)

Recommended Battery: Ak 30
 Recommended Charger: AL 101

Description	Part Number	SRP
RMA 460 Unit only Includes: bagger, mulch plug and side discharge chute	6368 011 1400 US	\$349.99
RMA 460 kit with AK 30 Battery & AL 101 Charger Includes: bagger, mulch plug and side discharge chute	6368 200 0005	\$399.99

RMA 460 V SELF- PROPELLED

AK Series/ Series 6368



Weight without battery: 28 kg (61.7 lbs.):
 Weight with recommended AK 30: 29.2 kg (64.4 lbs.)
 Area Mowed: approx. 2,368 sq. ft.
 Deck Width: 48 cm (19")
 Cutting Width: 46 cm (18.1"): Cutting Height: 1.0"- 3.9"
 Grass Catcher Capacity: 60.0 L (15.85 ga.): Self-Propelled Mower Speed:
 0.6 mph to 2.8 mph

Recommended Battery: AK 30
 Recommended Charger: AL 101

Description	Part Number	SRP
RMA 460 V Unit only Includes: bagger, mulch plug and side discharge chute	6368 011 1410 US	\$499.99
RMA 460 V kit w/ AK 30 battery and AL 101 charger Includes: bagger, mulch plug and side discharge chute.	6368 200 0035	\$649.99

**RMA 510**

Weight without battery: 27.0 kg (59.5 lbs.)
 Weight with recommended AP 300 S: 28.8 kg (63.5 lbs.)
 Area Mowed: 3,616 sq. ft.
 Deck Width: 53.3 cm (21")
 Cutting Width: 51.0 cm (20"): Cutting Height: 1.375"-3.75"
 Grass Catcher Capacity: 75.0 L (19.8 gal.)
 Recommended Battery: AP 300 S
 Recommended Charger: AL 301
Prior Part Numbers:
 Set with AP 300 S and AL 301: 6372 200 0051
 Set with AP 300 S and AL 101: 6372 200 0053

Description	Part Number	SRP
RMA 510 Set with AP 300 S Battery, AL 301 Charger Includes: bagger, mulch plug and side discharge chute	6372 200 0047	\$649.99
RMA 510 unit only Includes: bagger, mulch plug and side discharge chute	6372 011 1400 US	\$329.99
RMA 510 set with AP 300 S Battery and AL 101 Charger	6372 200 0049	\$599.99

RMA 510 V SELF- PROPELLED

Weight without battery: 29 kg (63.9 lbs.)
 Weight with Recommended AP 300: 30.7 kg (67.7 lbs.)
 Weight with recommended AP 300 S: 30.8 kg (67.9 lbs.)
 Cutting Width: 51.0 cm (20"): Cutting Height: 1.0"-3.9"
 Grass Catcher Capacity: 75.0 L (19.8 gal.)
 Self-Propelled Mower Speed: 0.6 mph to 2.8 mph
 Recommended Battery: AP 300 S
 Recommended Charger: AL 301
Prior Part Numbers:
 Set with AP 300 S and AL 101: 6372 200 0054

Description	Part Number	SRP
RMA 510 V Unit Only Includes: bagger, mulch plug, and side discharge chute	6372 011 1410 US	\$539.99
RMA 510 V kit with AP 300 S Battery & AL 101 Charger Includes: bagger, mulch plug and side discharge chute	6372 200 0050	\$809.99
RMA 510 V set with AP 300 S Battery, AL 301 Charger Includes: bagger, mulching kit and side discharge chute	6372 200 0048	\$859.99

**RMA 7.0 RV****APIII**

Weight without battery: 46 kg (101.0 lbs)
 Weight with battery: 50 kg (109.3 lbs)
 Area Mowed: Approx. 9,795 sq. ft
 Deck Width: 55 cm (22.4")
 Cutting Width: 53 cm (20.1")

Description	Part Number	SRP
RMA 7.0 RV Set	WA72 211 0000 US	\$2,999.99
RMA 7.0 RV Unit Only	WA72 011 1403 US	\$2,299.99

RMA 756.0 V**APIII**

Weight without battery: 53 kg (116.2 lbs)
 Weight with recommended AP 500 S battery*: 57 kg (125 lbs)
 Area Mowed*: Approx. 8,072 sq.ft
 Deck Width: 56 cm (22")
 Cutting Width: 54 cm (21")

Recommended battery: AP 500 S
 Recommended charger: AL 301

*Weight includes 2 batteries

Description	Part Number	SRP
RMA 756.0 V Unit Only	WA71 011 1403 US	\$2,699.99

RMA 765 V**APIII**

Cutting Width, 63 cm / (24.8 in.)
 Weight without battery: 44 kg (97 lbs.)
 Weight with recommended AP 3000L: 54 kg (119 lbs.)
 Area Mowed: 33,368 sq. ft.
 Deck Width: 65cm / (25.6 in.)
 Recommended battery: AR 3000L
 Recommended charger: AL 501

Optional ADA 1000 for use with AP 500 S

Description	Part Number	SRP
RMA 765 V Unit Only, Bagger and Mulching Kit	6392 011 1415 US	\$2,469.99
RMA 765 V Sales Kit (AL 501, AR 3000 L, Connecting Cable, Adapter AP ADA 100)	6392 200 0022	\$4,189.99



MOWER BLADES

Description	Part Number	SRP
Blade for RMA 765 V (Right)	6392 702 0100	\$19.99
Blade for RMA 765 V (Left)	6392 702 0105	\$19.99
Blade for RMA 348/460	6368 702 0100	\$21.99
Blade for RMA 448 V	WA41 702 0105	\$21.99
Blade for RMA 353/510	6372 702 0100	\$26.99
Blade for RMA 756 V	WA71 702 0100	\$32.99
Blade for RMA 7 RV	WA72 702 0100	\$32.99

**SEA 20**

Weight: 1.09 kg (2.4 lbs.)

Weight with recommended AS 2 Battery: 1.32 kg (2.9 lbs.)

Run Time with AS 2: Up to 14 minutes

Vacuum Performance: 36 CFM

Suction: Max 80 mbar (8 kPa)

Recommended Battery: AS 2

Recommended Charger: AL 1

Description	Part Number	SRP
SEA 20 Set with AS 2 & AL 1. Includes Nozzle Extension Tube, Flexible Hose, Brush Nozzle, Crevice Nozzle, and Transport Bag.	SA03 011 7311 US	\$179.99
SEA 20 Unit Only. Includes Nozzle Extension Tube, Flexible Hose, Brush Nozzle, Crevice Nozzle, and Transport Bag.	SA03 011 7301 US	\$109.99

ACCESSORIES FOR SEA 20

SEA 20 Micro Cleaning Kit

SA03 007 1000

\$16.99



SEA 20 Filter

SA03 080 1900

14.99

SEA 60

Voltage: 120 Volt (60 Hz), Suction: 210 mbar (84 in H2O), Air Flow: 3,600 L/min (127 cfm)

Weight Without Battery: 5.8 kg (12.7 lbs)

Weight with recommended AK 20 battery: 7 kg (15.4 lbs)

Run Time with AK 20: Up to 25 minutes

Container Capacity: 12.0 L (3.2 gal.)

Motor Output: 1.0 kW (8.3 amps)

Recommended Battery: AK 20

Recommended Charger: AL 301

Description	Part Number	SRP
SEA 60.0 Unit Only	SA04 011 7303 US	\$219.99



SEA 100



Weight Without Battery: 7.6 kg (16.5 lbs)
 Weight with recommended AP 200 S Battery: 8.9 kgs (19.6lbs)
 Run Time with recommended AP 200 S: Up to 29 minutes
 Suction: 190 mbar (19 kPA)
 Air Flow: 3,300 L/min (116 cfm)

Recommended Battery: AP 200 S

Description	Part Number	SRP
SEA 100 Unit Only	SA04 011 7313 US	\$319.99

ACCESSORIES FOR SEA

	Description	Part Number	SRP
	Filter Bag for SEA 60 & 100	SA04 500 9000	\$16.99
	Replacement PET Filter	SE01 703 5900	\$24.99
	Car Cleaning Kit	4901 500 9500	\$74.99



SGA 85



Weight without battery: 6.2 kg (13.7 lbs.)
 Weight with recommended AP 100 battery: 7.1 kg (15.5 lbs.)
 Run time with recommended AP 100 battery: Up to 510 minutes
 Tank Capacity: 17.0 L (4.5 gals.)
 Working Pressure: 14.5 - 87 PSI

Recommended Battery: AP 100
 Recommended Charger: AL 301

Description	Part Number	SRP
Battery powered backpack sprayer- unit only	4854 011 7001 US	\$489.99



SHA 56

AKIII



Weight without Battery (Shredder mode): 4.2 kg (9.3 lbs.),
 Weight with recommended AK 20 battery (Shredder mode): 5.4 kg (12.0 lbs.),
 Run time with recommended AK 20 battery (Shredder mode): Up to 25 minutes
 Blowing Force*: 8 N
 Max Air Velocity: 56 m/s (125 MPH)
 Air Volume at Nozzle: 560 m³/h (328 CFM)
 Sound Pressure Rating: 62 dB(A)
 Bag Capacity: 1.41 cubic feet
 Recommended Battery: AK 20
 Recommended Charger: AL 101
 Prior Kit Part number: SA02 200 0008

Description	Part Number	SRP
SHA 56 Unit Only	SA02 011 7101 US	\$279.99
SHA 56 kit with AK 20 & AL 101	SA02 200 0011	\$449.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².

SHA 140

APIII



Weight without Battery: 5.1 kg (11.2 lbs.)
 Weight with recommended AP 300 S battery: 6.9 kg (15.2 lbs.)
 Run time with recommended AP 300 S battery: Up to 60 minutes
 Air Volume: 536 cfm / 910 m³/h
 Bag Capacity: 1.94 cubic feet / 55 liters
 Recommended Battery: AP 300 S
 Recommended Charger: AL 301
 Accessory Catcher bag available: SA07-820-4800

Description	Part Number	SRP
SHA 140 Unit Only	SA07 011 7101 US	\$359.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².



TSA 230

AP Series/ Series 4864



Weight (Powerhead Only): 3.9 kg (8.6 lbs.)
 Weight with recommended AP 300 S: 5.7 kg (12.6 lbs.)
 Run time with recommended AP 300: Up to 22 minutes
 Cutting Depth: 7 cm (2.75")
 Wheel Diameter: 22.9 cm (9")

Recommended Battery: AP 300 S
 Recommended Charger: AL 101/ AL 301/ AL 500

Description	Wheel	Part Number	SRP
TSA 230 Unit only	9"	4864 011 6601 US	\$539.99

TSA 300.0



Shown with optional diamond wheel.

Weight with recommended AP 500 S: 8.2 kgs (18.1 lbs)
 Run Time with AP 500 S: Up to 20 min (in 2" thick pavers)
 Max Cutting Depth: 110 cm (4.3")
 Wheel Diameter: 300mm (12")

Recommended Battery: AP 500 S

Description	Wheel	Part Number	SRP
TSA 300.0 Unit Only	12"	TA02 011 6601 US	\$959.99

D-SB90N REDUCED NOISE WHEEL



Size	Part Number	SRP
12" (300 mm)	0835 097 8001	\$267.99



This page has been intentionally left blank.



AS BATTERIES



Description	Part Number	SRP
AS 2 Battery.	EA02 400 6501	\$64.99

AK BATTERIES



Description	Part Number	SRP
AK 20 Battery	4520 400 6536	\$149.99



AK 10 Battery	4520 400 6531	\$106.99
---------------	---------------	----------



AK 30 Battery	4520 400 6541	\$171.99
---------------	---------------	----------



AK 30 S Battery	4520 400 6546	\$171.99
-----------------	---------------	----------

AK BATTERY COVER



Description	Part Number	SRP
Battery Compartment Cover For Unit for AK Batteries	4520 602 0900	\$6.99

BATTERY REMINDER *Check Battery Inventory*

- Always store batteries as recommended in the instruction manual
- STIHL batteries are between 25% - 30% charged when shipped from the factory
- Over time, even properly stored batteries will slowly experience energy loss
- New, unused batteries that remain in dealer inventory for 5 years should be charged to avoid battery damage
- Allowing batteries to discharge to zero will cause permanent damage, preventing them from being recharged

WARNING! Improper use of any power tool may cause serious or fatal injury. Read, understand and follow carefully the operating and safety instructions in your instruction manual before using such products.



AP BATTERIES



Description	Weight	Part Number	SRP
AP 200 Battery	2.9 lbs	4850 400 6561	\$203.99



AP 200 S Battery	2.9 lbs	4850 400 6566	\$203.99
------------------	---------	---------------	----------



AP 300 Battery	3.8 lbs	4850 400 6571	\$239.99
----------------	---------	---------------	----------



AP 300 S Battery	3.96 lbs	4850 400 6581	\$320.99
------------------	----------	---------------	----------



AP 300 S Battery w/ STIHL Connected	3.96 lbs	4850 400 6586	\$320.99
-------------------------------------	----------	---------------	----------



AP 500 S Battery	4.2 lbs	EA01 400 6501	\$481.99
------------------	---------	---------------	----------

ADA 1000



Description	Part Number	SRP
AP battery adapter	6909 400 4301	\$213.99



AP BATTERY COVER



Description	Part Number	SRP
Battery Compartment Cover for Unit for AP Batteries	4850 602 0900	\$10.49

AP ACCESSORIES



Description	Part Number	SRP
AP Battery Backpack (Holds up to two AP batteries) AP Battery Bag with Cord (4850 440 5103) required with AP Battery Backpack. AP Battery Bag (4850 491 0101) required when carrying an extra battery	4850 490 0402	\$69.99



AP Battery Bag with Cord	4850 440 5103	\$117.99
--------------------------	---------------	----------



AP Strap Adapter 2-in-1	0000 490 2201	\$299.99
-------------------------	---------------	----------



AP Battery Bag (Up to a max of 2 per battery belt)	4850 491 0101	\$32.99
--	---------------	---------



Battery belt w/ double shoulder harness NOTE: AP Battery Bag w/ cord (4850 440 5103) required. AP battery bag (4850 491 0101) required when carrying an extra battery	4850 490 0500	\$37.99
--	---------------	---------



AP Adapter	4850 440 0505	\$58.99
------------	---------------	---------

BATTERY REMINDER *Check Battery Inventory*

- Always store batteries as recommended in the instruction manual
- STIHL batteries are between 25% - 30% charged when shipped from the factory
- Over time, even properly stored batteries will slowly experience energy loss
- New, unused batteries that remain in dealer inventory for 5 years should be charged to avoid battery damage
- Allowing batteries to discharge to zero will cause permanent damage, preventing them from being recharged

WARNING! Improper use of any power tool may cause serious or fatal injury. Read, understand and follow carefully the operating and safety instructions in your instruction manual before using such products.



AR BATTERIES



Description	Part Number	SRP
AR 2000 L Battery Backpack- Battery only - Prior Part Number	4871 400 6511	\$941.99



AR 2000 L Battery Backpack Kit Includes: AR 2000 L Battery (4871 400 6511), Carrying System (4871 490 0401), Connecting Cable (4871 440 2000) and AP Adapter (4850 440 0505)	7010 200 0010	\$1,229.99
--	---------------	------------



AR 3000 L	4871 400 6521	\$1,390.99
-----------	---------------	------------



AR 3000 L Battery Backpack Kit Includes: AR 3000 L Battery (4871 400 6521), Carrying system (4871 490 0401), Connecting Cable (4871 440 2000), Adapter AP (4850 440 0505)	7010 200 0011	\$1,639.99
---	---------------	------------

AR CARRY SYSTEM



Description	Part Number	SRP
AR Carry System For AR 2000 L / AR 3000 L batteries Only. Does not include any cables or adapters.	4871 490 0401	\$149.99

AR CABLE



Description	Part Number	SRP
AR Cable (AR 2000 L / AR 3000 L Only)	4871 440 2000	\$80.99

AR WEIGHT KIT



Description	Part Number	SRP
Weight Kit For AP adapter when used with AR Backpack Batteries 18.3 oz. (522g)	4850 007 1001	\$21.99



BATTERY CARRYING CASE



Case Insert - Option 1
One - AL 300 or AL 500 Charger
Three AP Batteries. Includes insert only.

7010 871 0028

\$47.99



Case Insert - Option 2
One - AL 101 Charger
Four - AK Batteries. Includes insert only.

7010 871 0029

\$47.99



Case Insert - Option 3
Six - AP Batteries Only. Includes insert only.

7010 871 0030

\$47.99



Case Insert - Option 4
Six - AK Batteries Only. Includes insert only.

7010 871 0031

\$47.99



Battery Case Only (Without Insert)

7010 881 5602

\$59.99



Battery Crate for AP batteries

4850 490 0600

\$32.99

BATTERY BOX



Battery Box Small (2 AP + 1 AL)

0000 882 9703

\$64.99



Battery Box Medium (6 AP + 1 AL)

0000 882 9704

\$74.99



Battery Large (Floor Pad, suitable for an AR & carrying or 2 AR's)

0000 882 9705

\$90.99



LITHIUM-ION BATTERY CHARGERS



AL 101 Charger
AK or AP Batteries

Part Number

4850 430 2522

SRP

\$64.99



AL 301 Rapid Charger with Cooling Fan
AK, AP or AR Batteries

EA09 430 5502

\$117.99



AL 301-4
charges 4 AP or AR batteries sequentially

EA04 430 5502

\$374.99



AL 500 High-speed Charger with Cooling Fan
AK, AP or AR Batteries

4850 430 5702

\$192.99



AL 501 High-speed Charger with Cooling Fan
AK, AP or AR Batteries

EA09 430 5702

\$192.99



AL 1 Charger

EA03 430 2502

\$64.99



AL 5 Charger

EA03 430 5702

\$74.99



AL 5-2 Charger

EA11 430 5702

\$106.99

CM 12 CHARGING MANAGEMENT



CM 12 Charging Circuit

Description

Part Number

SRP

EA08 430 7901

\$1,289.99



CHARGING INFRASTRUCTURE



Description	Part Number	SRP
CR 6.0 Charging Rack	EA08 018 0300	\$129.99



ACCESSORIES FOR BGA 56/57, BGA 86 & BGA 100



Description	Part Number	SRP
Flat Nozzle	4866 701 8301	\$12.99

ACCESSORIES FOR BGA 100



Description	Part Number	SRP
Adapter Set to attach Hip Pad to AR Harness	4866 007 1000	\$1.99

ACCESSORIES FOR BGA 100 & BGA 200



Description	Part Number	SRP
Contact Pad for use with AR Harness	4866 740 2500	\$10.99

BATTERY REMINDER *Check Battery Inventory*

- Always store batteries as recommended in the instruction manual
- STIHL batteries are between 25% - 30% charged when shipped from the factory
- Over time, even properly stored batteries will slowly experience energy loss
- New, unused batteries that remain in dealer inventory for 5 years should be charged to avoid battery damage
- Allowing batteries to discharge to zero will cause permanent damage, preventing them from being recharged

WARNING! Improper use of any power tool may cause serious or fatal injury. Read, understand and follow carefully the operating and safety instructions in your instruction manual before using such products.



ACCESSORIES FOR BGA 200



Description	Part Number	SRP
Carrying System	BA01 490 0400	\$90.99

ACCESSORIES FOR BGA 85



Description	Part Number	SRP
Curved Flat Nozzle	4606 701 8301	\$14.99

ACCESSORIES FOR BGA 500/600



Description	Part Number	SRP
Adjustable Nozzle	0000 700 6310	\$32.99

LAWN MOWER BAG



Description	Part Number	SRP
Lawn Mower Bag	0797 010 1900	\$21.99
Lawn Mower Bag -Personalized	0797 010 1901	\$26.99

Note: Order from Grand Forest Inc.



ACCESSORIES FOR TSA 230 & TSA 300



Description	Part Number	SRP
Depth Limiter with vacuum adapter for TSA 300	TA02 690 0801	\$106.99
Depth Limiter with vacuum adapter for TSA 230	4864 690 0802	\$99.99

**ACCESSORIES FOR FSA 57 (US PRODUCED VERSIONS ONLY)**

	Description	Case	Part Number	SRP
	STIHL PolyCut™ 3-2, uses STIHL PolyCut™ 2-2 blades Note: Deflector (4522 710 8102) is required for use of this product.	10	4009 710 2104	\$21.99
	AutoCut® C 3-2	10	4009 710 2106	\$26.99
	Single Prewound Spool with .080" Line for AutoCut® C 3-2	10	4009 710 4305	\$11.99
	3 Pack Prewound spools with .080" line for AutoCut® C 3-2	10	4009 710 4306	\$26.99

ACCESSORIES FOR HLA 56

	Description	Part Number	SRP
	18" Shaft Extension	HA01 820 5000	\$44.99

ACCESSORIES FOR HLA AND HTA UNITS

	Description	Part Number	SRP
	Support Stand for HLA 65/85 and HTA 65/85	4855 820 1000	\$33.99



ACCESSORIES FOR HLA 56/ HTA 50

	Description	Part Number	SRP
	Support Mounting Foot (hardware included)	HA01 007 1000	\$32.99

ACCESSORIES FOR HTA 50

	Description	Part Number	SRP
	20" Shaft extension for HTA 50	LA02 820 5000	\$44.99

ACCESSORIES FOR KMA 135 R, HLA 135, HTA 135

	Description	Part Number	SRP
	Support Foot (hardware included)	LA01 007 1002	\$37.99

ACCESSORIES FOR HLA 66, HLA 86, HTA 66, HTA 86

	Description	Part Number	SRP
	Support foot (hardware included)	4857 007 1001	\$32.99

ACCESSORIES FOR KMA 120 R

	Description	Part Number	SRP
	Support Foot (hardware included)	FA08 007 1001	\$32.99





CHAIN SAWS



- MS 151 C-E**
- MS 151 T C-E**
- MS 162**
- MS 172 C-E**
- MS 182**
- MS 182 C-BE**
- MS 194 T**
- MS 194 C-E**
- MS 201 C-EM**
- MS 201 T C-M**
- MS 212 C-BE**
- MS 250**
- MS 251 WOOD BOSS®**
- MS 251 C-BE**
- MS 261**
- MS 261 C-M**
- MS 261 C-M**
- MS 261 C-M**
- MS 271 FARM BOSS®**
- MS 291**
- ACCESSORIES**
-
- RESCUE ACCESSORIES**
- GUIDE BAR SCABBARDS**
- CARRYING CASE**
- STIHL SAW CHAIN FILES -**
- BOX OF 4 SLEEVES**
- FILES**
- DEPTH GAUGE TOOLS**
- FILE GUIDES**
- FILE GUIDE HOLDER**
- FILE GUIDE KITS**
- SAW CHAIN FILES**
- MS 291**
- MS 311**
- MS 362**
- MS 362 R**
- MS 362 R**
- MS 362 R C-M**
- MS 391**
- MS 400 C-M**
- MS 462**
- MS 462 R**
- MS 462 C-M**
- MS 462 R C-M**
- MS 500I**
- MS 462 R C-M RESCUE**
- MS 500I R**
- MS 661 MAGNUM®**
- MS 661 R MAGNUM®**
- MS 661 C-M MAGNUM®**
- MS 661 R C-M MAGNUM®**
- MS 881 MAGNUM®**
- MS 881 R MAGNUM®**
- MULTI-FUNCTION TOOL**
- PORTABLE 12 VOLT CHAIN GRINDER & ACCESSORIES**
- USG ATTACHMENTS**
- TACHOMETER**
- CHAIN SAW SCRENCH**
- BAR WRENCHES**
- WEDGES**
- DEBRIS SHIELD**
- WARNING LABELS**
- GUIDE BAR**
- STIHL CHAINS**
- SPUR SPROCKET KITS**



CHAIN SAWS

MS 151 C-E

Series 1146

E = Easy2Start™



1.44 cu. in. (23.6 cc),

Engine Power: 1.5 bhp (1.1 kW),

Weight**: 2.8 kg (6.2 lbs.)

Fuel Capacity: 200 cc (6.8 oz.)

Chain Oil Capacity: 150 cc (5.1 oz.)

Guide Bar Length: 25 to 30 cm (10" to 12") STIHL ROLLOMATIC® E Mini

FARM AND RANCH

While supplies last

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
10"	3005 008 3403	0000 792 9170	71 PM3 56	3670 005 0056	1146 200 0062	\$739.99
12"	3005 008 3405	0000 792 9171	71PM3 64	3670 005 0064	1146 200 0063	\$749.99

MS 151 T C-E



Displacement: 1.44 cu. in. (23.6 cc)

Engine Power: 1.3 bhp (1.0 kW)

Weight**: 2.6 kg (5.7 lbs.)

Fuel Capacity: 200 cc (6.76 oz.)

Chain Oil Capacity: 150 cc (5.07 oz.)

Guide Bar Lengths*: 25 to 30 cm (10" to 12") STIHL ROLLOMATIC® E Mini

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
10"	3005 008 3403	0000 792 9170	71 PM3 56	3670 005 0056	1146 200 0060	\$689.99
12"	3005 008 3405	0000 792 9171	71 PM3 64	3670 005 0064	1146 200 0061	\$699.99

FOR IN-TREE PROFESSIONAL USE ONLY!

MS 162

Series 1148



Packaged 2 per box

1.8 cu. in. (30.1 cc),

Engine Power: 1.6 bhp (1.2 kW),

Weight**: 4.5 kg (9.9 lbs.)

Fuel Capacity: 400 cc (13.5 oz.)

Chain Oil Capacity: 280 cc (9.5 oz.)

Guide Bar Length: 16" LIGHT, 3/8" PICCO™

When ordering a replacement guide bar, order PN: 3005 003 3913

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
16"	3005 008 4913	0000 792 9173	61PMM3 55	3610 005 0055	1148 200 0212 US	\$219.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

**Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW

MS 172 C-E



Packaged 2 per box
 Displacement: 1.9 cu. in. (31.8 cc)
 Engine Power: 1.9 bhp (1.4 kW)
 Weight**: 4.7 kg (10.4 lbs.)
 Fuel Capacity: 400 cc (13.5 oz.)
 Chain Oil Capacity: 280 cc (9.5 oz.)
 Guide Bar Lengths*: 16" LIGHT 01, 3/8" PICCO™

Bar Length	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
16"	3005 003 3913	0000 792 9173	61PMM3 55	3610 005 0055	1148 200 0213 US	\$249.99

MS 182

Series 1148



Packaged 2 per box
 2.2 cu. in. (35.8 cc),
 Engine Power: 2.1 bhp (1.6 kW),
 Weight**: 4.6 kg (10.1 lbs.)
 Fuel Capacity: 400 cc (13.5 oz.)
 Chain Oil Capacity: 280 cc (9.5 oz.)
 Guide Bar Lengths: 16" Light 04, 3/8" PICCO™

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
16"	3005 000 4813	0000 792 9173	63PM3 55	3636 005 0055	1148 200 0216 US	\$269.99

MS 182 C-BE

Series 1148

B = Quick Chair

E = Easy2Start™



Packaged 2 per box
 2.2 cu. in. (35.8 cc), 2.1 bhp (1.6 kW), 4.9 kg (10.8 lbs.)
 Fuel Capacity: 400 cc (13.5 oz.)
 Chain Oil Capacity: 280 cc (9.5 oz.)
 Guide Bar Lengths: 16" LIGHT 04, 3/8" PICCO™

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
16"	3005 000 4813	0000 792 9173	63PM3 55	3636 005 0055	1148 200 0215 US	\$319.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW

MS 194 T



Displacement: 1.94 cu. in. (38.1 cc)
 Engine Power: 1.88 bhp (1.4 kW)
 Weight**: 3.3 kg (7.28 lbs)
 Fuel Capacity: 270 cc (9.1 oz.)
 Chain Oil Capacity: 220 cc (7.4 oz.)
 Guide Bar Lengths*: 35 cm (14") STIHL ROLLOMATIC® E

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
12"	3005 000 4805	0000 792 9172	63 PS3 44	3616 005 0044	1137 200 0348	\$489.99
12"	3005 008 3905	0000 792 9171	61PMM3 44	3610 005 0044	1137 200 0391	\$489.99
12"	3005 000 4805	0000 792 9172	63PM3 44	3636 005 0044	1137 200 0349	\$489.99
12" Lightweight	3005 000 7405	0000 792 9172	63 PS3 44	3616 005 0044	1137 200 0350	\$519.99
14"	3005 000 4809	0000 792 9172	63 PS3 50	3616 005 0050	1137 200 0361	\$499.99
14"	3005 000 4809	0000 792 9172	63PM3 50	3636 005 0050	1137 200 0374	\$499.99
14"	3005 008 3909	0000 792 9171	61PMM3 50	3610 005 0050	1137 200 0352	\$499.99
14"	3005 000 4409	0000 792 9160	61PS3 50	3699 005 0050	1137 200 0402	\$499.99
14" Lightweight	3005 000 7409	0000 792 9172	63 PS3 50	3616 005 0050	1137 200 0353	\$529.99
16"	3005 000 4813	0000 792 9161	63 PS3 55	3616 005 0055	1137 200 0343	\$509.99
16"	3005 008 3913	0000 792 9161	61 PMM3 55	3610 005 0055	1137 200 0346	\$509.99

FOR IN-TREE PROFESSIONAL USE ONLY!

Chain Saws

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW

MS 194 C-E



1.94 cu. in. (31.8 cc), 1.88bhp (1.4kW),

Weight**:3.45 kg (7.6 lbs.)

Fuel Capacity: 270 cc (9.1 oz.)

Chain Oil Capacity: 31.8 cc (7.4 oz.)

Guide Bar Lengths: 30 to 40 cm (12" to 16") STIHL ROLLOMATIC® E

FARM AND RANCH

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
12"	3005 000 4805	0000 792 9172	63 PS3 44	3616 005 0044	1137 200 0354	\$539.99
12"	3005 000 4805	0000 792 9172	63PM3 44	3636 005 0044	1137 200 0355	\$539.99
14"	3005 008 3909	0000 792 9171	61 PMM3 50	3610 005 0050	1137 200 0362	\$549.99
14"	3005 000 4809	0000 792 9172	63PS3 50	3616 005 0050	1137 200 0357	\$549.99
14"	3005 000 4409	0000 792 9171	61PS3 50	3699 005 0050	1137 200 0401	\$549.99
16"	3005 000 4813	0000 792 9173	63PS3 55	3616 005 0055	1137 200 0359	\$559.99
16"	3005 008 3913	0000 792 9173	61 PMM3 55	3610 005 0055	1137 200 0373	\$559.99
12" Light	3005 000 7405	0000 792 9172	63PS3 44	3616 005 0044	1137 200 0356	\$569.99
14" Light	3005 000 7409	0000 792 9172	63PS3 50	3616 005 0050	1137 200 0358	\$579.99
16" Light	3005 000 7413	0000 792 9173	63PS3 55	3616 005 0055	1137 200 0360	\$589.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
**Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAWS

MS 201 C-EM



Displacement: 2.15 cu. in. (35.2 cc)

Engine Power: 2.41 bhp (1.8 kW)

Weight**: 3.9 kg (8.6 lbs.)

Fuel Capacity: 310 cc (10.5 oz.)

Chain Oil Capacity: 220 cc (7.4 oz.)

Guide Bar Lengths*: 30 to 40 cm (12" to 16") STIHL ROLLOMATIC® E or STIHL ROLLOMATIC® E Light

FARM AND RANCH

Bar Length	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
12"	3005 000 4805	0000 792 9172	63PS3 44	3616 005 0044	1145 200 0286	\$959.99
12"	3005 000 4805	0000 792 9172	63PM3 44	3636 005 0044	1145 200 0288	\$959.99
12" L	3005 000 7405	0000 792 9172	63PS3 44	3616 005 0044	1145 200 0287	\$989.99
14"	3005 000 4809	0000 792 9172	63PM3 50	3636 005 0050	1145 200 0291	\$969.99
14"	3005 000 4809	0000 792 9172	63PS3 50	3616 005 0050	1145 200 0289	\$969.99
14"	3005 000 4409	0000 792 9172	61PS3 50	3699 005 0050	1145 200 0323	\$969.99
14" L	3005 000 7409	0000 792 9172	63PS3 50	3616 005 0050	1145 200 0290	\$999.99
14" L	3005 000 7409	0000 792 9172	63PM3 50	3636 005 0050	1145 200 0292	\$999.99
16"	3005 000 4813	0000 792 9173	63PS3 55	3616 005 0055	1145 200 0283	\$979.99
16"	3005 000 4813	0000 792 9173	63PM3 55	3636 005 0055	1145 200 0285	\$979.99
16"	3005 000 4413	0000 792 9173	61PS3 55	3699 005 0055	1145 200 0325	\$979.99
16" L	3005 000 7413	0000 792 9173	63PS3 55	3616 005 0055	1145 200 0284	\$1,009.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW

MS 201 T C-M



Displacement: 2.15 cu. in. (35.2 cc)

Engine Power: 2.41 bhp (1.8 kW)

Weight**: 3.71 kg (8.16 lbs.)

Fuel Capacity: 310 cc (10.5 oz.)

Chain Oil Capacity: 220 cc (7.4 oz.)

Guide Bar Lengths*: 30 to 40 cm (12" to 16") STIHL ROLLOMATIC® E or STIHL ROLLOMATIC® E Light

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
12"	3005 000 4805	0000 792 9160	63 PS3 44	3616 005 0044	1145 200 0296	\$899.99
12"	3005 000 4805	0000 792 9160	63PM3 44	3636 005 0044	1145 200 0297	\$899.99
12" L	3005 000 7405	0000 792 9160	63PS3 44	3616 005 0044	1145 200 0298	\$929.99
14"	3005 000 4809	0000 792 9160	63PM3 50	3636 005 0050	1145 200 0300	\$909.99
14"	3005 000 4809	0000 792 9160	63 PS3 50	3616 005 0050	1145 200 0299	\$909.99
14"	3005 000 4409	0000 792 9160	61PS3 50	3699 005 0050	1145 200 0324	\$909.99
14" L	3005 000 7409	0000 792 9160	63 PS3 50	3616 005 0050	1145 200 0303	\$939.99
14" L	3005 000 7409	0000 792 9160	63PM3 50	3636 005 0050	1145 200 0304	\$939.99
16"	3005 000 4813	0000 792 9161	63 PS3 55	3616 005 0055	1145 200 0308	\$919.99
16"	3005 000 4813	0000 792 9173	63PM3 55	3636 005 0055	1145 200 0305	\$919.99
16"	3005 000 4413	0000 792 9161	61PS3 55	3699 005 0055	1145 200 0326	\$919.99
16" L	3005 000 7413	0000 792 9161	63PS3 55	3616 005 0055	1145 200 0307	\$949.99

NOTE: FOR IN-TREE PROFESSIONAL USE ONLY.

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

**Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW

MS 212 C-BE



Packaged 2 per box
 2.4 cu. in. (38.6 cc),
 Engine Power: 2.4 bhp (1.8 kW),
 Weight**: 4.9 kg (10.8 lbs.)
 Fuel Capacity: 400 cc (13.5 oz.)
 Chain Oil Capacity: 280 cc (9.5 oz.)
 Guide Bar Lengths: 18" LIGHT 04, 3/8" PICCO™

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
18"	3005 000 4817	0000 792 9173	63PM3 61	3636 005 0061	1148 200 0214 US	\$409.99

MS 250

Series 1123



Packaged 2 per box
 2.77 cu. in. (45.4 cc),
 Engine Power:
 Weight**: 4.6 kg (10.1 lbs.)
 Fuel Capacity: 470 cc (15.9 oz.)
 Chain Oil Capacity: 200 cc (6.8 oz.)
 Guide Bar Lengths: 40 to 45 cm (16" to 18") STIHL LIGHT 04

Homeowner

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
18"	3005 008 7017	0000 792 9173	23RM3 68	3695 005 0068	1123 200 0881 US	\$429.99

MS 251 WOOD BOSS®

Series 1143



Packaged 2 per box
 2.78 cu. in. (45.6 cc),
 Weight**: Fuel Capacity: 390 cc (13.2 oz.)
 Chain Oil Capacity: 200 cc (6.7 oz.)
 Guide Bar Lengths: 40 to 45 cm (16" to 18") STIHL WOOD BOSS®

Homeowner

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
18"	3005 810 7017	0000 792 9173	23RM3 68	3695 005 0068	1143 200 0700 US	\$429.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAWS

MS 251 C-BE

Series 1143
B = Quick Chain Adjuster
E = Easy2Start™



Packaged 2 per box
2.78 cu. in. (45.6 cc),
Engine Power:
Weight**: Fuel Capacity: 390 cc (13.2 oz.)
Chain Oil Capacity: 200 cc (6.7 oz.)
Guide Bar Lengths: 40 to 45 cm (16" to 18") STIHL LIGHT 04

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
18"	3005 008 7017	0000 792 9173	23RM3 68	3695 005 0068	1143 200 0699 US	\$479.99

MS 261



Displacement: 3.06 cu. In. (50.2 cc), 4.0 bhp (3.0kW),
Weight**: 4.9 kg (10.8 lbs.)
Fuel Capacity: 500 cc (16.9 oz.)
Chain Oil Capacity: 270 cc (9.13 oz.)
Guide Bar Lengths: 40 to 50 cm (16" to 20") STIHL LIGHT 04

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
16"	3003 000 3313	0000 792 9175	23RM3 67	3695 005 0067	1141 200 0678	\$759.99
18"	3003 008 3317	0000 792 9175	23RM3 74	3695 005 0074	1141 200 0679	\$769.99
20"	3003 008 3321	0000 792 9176	23RM3 81	3695 005 0081	1141 200 0680	\$779.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
**Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW

MS 261 C-M



3.06 cu. in. (50.2 cc),
 Engine Power: 4.0 bhp (3.0 kW),
 Weight**: 4.9 kg (10.8 lbs.)
 Fuel Capacity: 500 cc (16.9 oz.)
 Chain Oil Capacity: 270 cc (9.13 oz.)
 Guide Bar Lengths: 40 to 50 cm (16" to 20") STIHL LIGHT 04

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
16"	3003 000 3313	0000 792 9175	23RM3 67	3695 005 0067	1141 200 0675	\$759.99
18"	3003 008 3317	0000 792 9175	23RM3 74	3695 005 0074	1141 200 0676	\$769.99
20"	3003 008 3321	0000 792 9176	23RM3 81	3695 005 0081	1141 200 0677	\$779.99

MS 271 FARM BOSS®

Series 1141



Packaged 2 per box
 3.06 cu. in. (50.2 cc),
 Engine Power:
 Weight**: Fuel Capacity: 500 cc (16.9 oz.)
 Chain Oil Capacity: 240 cc (8.12 oz.)
 Guide Bar Lengths: Guide Bar Lengths: 40 to 50 cm (16" to 20") STIHL FARM BOSS®

FARM AND RANCH

50th Anniversary Set: 1141 200 0779 US

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
18"	3003 812 3317	0000 792 9175	23RM3 74	3695 005 0074	1141 200 0681 US	\$529.99
20"	3003 812 3321	0000 792 9176	23RM3 81	3695 005 0081	1141 200 0682 US	\$539.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW

MS 291

Series 1141



Packaged 2 per box
 3.39 cu. in. (55.5 cc),
 Engine Power:
 Weight**: Fuel Capacity: 500 cc (16.9 oz.)
 Chain Oil Capacity: 240 cc (8.12 oz.)
 Guide Bar Lengths: Guide Bar Lengths: 40 to 50 cm (16" to 20") STIHL LIGHT 04

FARM AND RANCH

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
18"	3003 008 3317	0000 792 9175	23RM3 74	3695 005 0074	1141 200 0673 US	\$609.99
20"	3003 008 3321	0000 792 9176	23RM3 81	3695 005 0081	1141 200 0674 US	\$619.99

MS 311



Displacement: 3.6 cu. in. (59.0 cc),
 Engine Power: 4.2 bhp (3.1 kW),
 Weight**: 6.2 kg (13.67 lbs.)
 Fuel Capacity: 600 cc (20.3 oz.)
 Chain Oil Capacity: 350 cc (11.8 oz.)
 Guide Bar Lengths: Guide Bar Lengths: 40 to 63 cm (16" to 25") STIHL LIGHT 04

FARM AND RANCH

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
16"	3003 008 8913	0000 792 9175	33RS3 60	3624 005 0060	1140 200 0626	\$699.99
18"	3003 008 8917	0000 792 9175	33RS3 66	3624 005 0066	1140 200 0594	\$709.99
20"	3003 008 8921	0000 792 9176	33RS3 72	3624 005 0072	1140 200 0595	\$719.99
25"	3003 000 8830	0000 792 9177	33RS3 84	3624 005 0084	1140 200 0596	\$729.99
25"	3003 000 4030	0000 792 9177	33RS3 84	3624 005 0084	1140 200 0650	\$729.99
The below kits include HEXA™ chain and come with a HEXA™ Basic Filing Kit (7010 881 9406)						
20" HEXA	3003 008 8921	0000 792 8176	33RH3 7233RS3 84	3135 005 0072	1140 200 07541	\$729.99
25" HEXA	3003 000 4030	0000 792 9177	33RH3 84	3135 005 0084	1140 200 0755	\$739.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW

MS 362



Picture shown with optional Lightweight Guide Bar.

, Displacement: 3.6 cu. in. (59.0 cc)
 Engine Power: 4.6 bhp (3.4 kW)
 Weight**: 5.6 kg (12.3 lbs.)
 Fuel Capacity: 600 cc (20.3 oz.)
 Chain Oil Capacity: 325 cc (11.0 oz.)
 Guide Bar Lengths*: 40 to 63 cm (16" to 25") STIHL ROLLOMATIC®

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
18"	3003 008 8917	0000 792 9175	33RS3 66	3624 005 0066	1140 200 0641	\$1,009.99
20"	3003 000 8822	0000 792 9176	33RS3 72	3624 005 0072	1140 200 0683	\$1,019.99
20"	3003 008 8921	0000 792 9176	33RS3 72	3624 005 0072	1140 200 0642	\$1,019.99
20"	3003 001 8822	0000 792 9176	33RS3 72	3624 005 0072	1140 200 0792	\$1,019.99
25"	3003 000 4030	0000 792 9177	33RS3 84	3624 005 0084	1140 200 0660	\$1,029.99
25"	3003 000 8830	0000 792 9177	33RS3 84	3624 005 0084	1140 200 0643	\$1,029.99
25"	3003 001 8830	0000 792 9177	33RH3 84	3135 005 0084	1140 200 0800	\$1,039.99
25"	3003 000 8830	0000 792 9177	33RS3 84	3624 005 0084	1140 200 0790	\$1,029.99
The below kits include HEXA™ chain and come with a HEXA™ Basic Filing Kit (7010 881 9406)						
20" HEXA	3003 008 8921	0000 792 9176	33RH3 72	3135 005 0072	1140 200 0759	\$1,029.99
25" HEXA	3003 000 8830	0000 792 9177	33RH3 84	3135 005 0084	1140 200 0761	\$1,039.99
Service Kit for MS 362					1140 007 1800	\$14.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW

MS 362 R



Displacement: 3.6 cu. in. (59.0 cc)
 Engine Power: 4.6 bhp (3.4 kW)
 Weight**6.0 kg (13.2 lbs.)
 Fuel Capacity: 600 cc (20.3 oz.)
 Chain Oil Capacity: 325 cc (11.0 oz.)
 Guide Bar Lengths*: 40 to 63 cm (16" to 25")

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
18"	3003 008 8917	0000 792 9175	33RS3 66	3624 005 0066	1140 200 0632	\$1,059.99
20"	3003 008 8921	0000 792 9176	33RS3 72	3624 005 0072	1140 200 0633	\$1,069.99
25"	3003 000 4030	0000 792 9177	33RS3 84	3624 005 0084	1140 200 0687	\$1,079.99
25"	3003 000 8830	0000 792 9177	33RS3 84	3624 005 0084	1140 200 0652	\$1,079.99
25"	3003 001 8830	0000 792 9177	33RS3 84	3624 005 0084	1140 200 0791	\$1,079.99

Chain Saws

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



MS 362 C-M



Picture shown with optional Lightweight Guide Bar.

Displacement: 3.6 cu. in. (59.0 cc)
 Engine Power: 4.7 bhp (3.5 kW)
 Weight**: 5.6 kg (12.3 lbs.)
 Fuel Capacity: 600 cc (20.3 oz.)
 Chain Oil Capacity: 325 cc (11.0 oz.)
 Guide Bar Lengths*: 40 to 63 cm (16" to 25"),

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
16"	3003 008 8913	0000 792 9175	33RS3 60	3624 005 0060	1140 200 0714	\$999.99
18"	3003 008 8917	0000 792 9175	33RS3 66	3624 005 0066	1140 200 0628	\$1,009.99
20"	3003 008 8921	0000 792 9176	33RS3 72	3624 005 0072	1140 200 0629	\$1,019.99
20"	3003 001 8822	0000 792 9176	33RS3 72	3624 005 0072	1140 200 0793	\$1,019.99
20"	3003 000 8822	0000 792 9176	33RS3 72	3624 005 0072	1140 200 0684	\$1,019.99
25"	3003 000 8830	0000 792 9177	33RS3 84	3624 005 0084	1140 200 0787	\$1,029.99
25"	3003 000 4030	0000 792 9177	33RS3 84	1029.99	1140 200 0694	\$1,029.99
25"	3003 000 8830	0000 792 9177	33RS3 84	3624 005 0084	1140 200 0631	\$1,029.99
The below kits include HEXA™ chain and come with a HEXA™ Basic Filing Kit (7010 881 9406)						
20" HEXA	3003 008 8921	0000 792 9176	33RH3 72	3135 005 0072	1140 200 0758	\$1,029.99
25" HEXA	3003 000 8830	0000 792 9177	33RH3 84	3135 005 0084	1140 200 0760	\$1,039.99
25" Lightweight HEXA	3003 000 2231	0000 792 9177	33RH3 84	3135 005 0084	1140 200 0764	\$1,089.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW

MS 362 R C-M



Displacement: 3.6 cu. in. (59.0 cc)
 Engine Power: 4.7 bhp (3.5 kW)
 Weight**: 5.6 kg (12.3 lbs.)
 Fuel Capacity: 600 cc (20.3 oz.)
 Chain Oil Capacity: 325 cc (11.0 oz.)
 Guide Bar Lengths*: 40 to 63 cm (16" to 25"),

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
18"	3003 008 8917	0000 792 9175	33RS3 66	3624 005 0066	1140 200 0636	\$1,059.99
20"	3003 008 8921	0000 792 9176	33RS3 72	3624 005 0072	1140 200 0637	\$1,069.99
20"	3003 000 8822	0000 792 9176	33RS3 72	3624 005 0072	1140 200 0685	\$1,069.99
20"	3003 001 8822	0000 792 9176	33RS3 72	3624 005 0072	1140 200 0794	\$1,069.99
25"	3003 001 8830	0000 792 9177	33RS3 84	3624 005 0084	1140 200 0795	\$1,079.99
25"	3003 000 8830	0000 792 9177	33RS3 84	3624 005 0084	1140 200 0686	\$1,079.99
25"	3003 000 4030	0000 792 9177	33RM3 84	3662 005 0084	1140 200 0657	\$1,079.99

Chain Saws

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW

MS 391



Picture shown with optional Lightweight Guide Bar.

Displacement: 3.9 cu. in. (64.1 cc),
 Engine Power: 4.4 bhp (3.3 kW),
 Weight**:6.2 kg (13.67 lbs.)
 Fuel Capacity: 600 cc (20.3 oz.)
 Chain Oil Capacity: 350 cc (11.8 oz.)
 Guide Bar Lengths: Guide Bar Lengths: 40 to 63 cm (16" to 25") STIHL LIGHT 04

FARM AND RANCH

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
16"	3003 008 8913	0000 792 9175	33RS3 60	3624 005 0060	1140 200 0625	\$759.99
18"	3003 008 8917	0000 792 9175	33RS3 66	3624 005 0066	1140 200 0590	\$769.99
20"	3003 008 8921	0000 792 9176	33RS3 72	3624 005 0072	1140 200 0591	\$779.99
20"	3003 008 8921	0000 792 9176	33RM 72	3650 005 0072	1140 200 0617	\$779.99
25"	3003 000 8830	0000 792 9177	33RS3 84	3624 005 0084	1140 200 0600	\$789.99
25"	3003 000 4030	0000 792 9177	33RS3 84	3624 005 0084	1140 200 0592	\$789.99
25"	3003 000 8830	0000 792 9177	33RS 84	3623 005 0084	1140 200 0618	\$789.99

The below kits include HEXA™ chain and come with a HEXA™ Basic Filing Kit (7010 881 9406)

20" HEXA™	3003 008 8921	0000 792 9176	33RH3 72	3135 005 0072	1140 200 0756	\$789.99
25" HEXA	3003 000 8830	0000 792 9177	33RH3 84	3135 005 0084	1140 200 0757	\$799.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW

MS 400 C-M



Picture shown with optional Lightweight Guide Bar.

Displacement: 4.1 cu. in. (66.8 cc),
 Engine Power: 5.4 bhp,
 Weight**: 5.8 kg (12.8 lbs.)
 Fuel Capacity: 20.3 oz. (600 cc)
 Chain Oil Capacity: 11.0 oz (325 cc)
 Guide Bar Lengths: 40 cm to 63 cm (16" to 25")

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
18"	3003 000 8817	0000 792 9175	33RS3 66	3624 005 0066	1140 200 0705	\$1,139.99
20"	3003 000 8822	0000 792 9176	33RM3 72	3662 005 0072	1140 200 0708	\$1,149.99
20"	3003 000 8822	0000 792 9176	33RS3 72	3624 005 0072	1140 200 0796	\$1,149.99
20"	3003 008 8921	0000 792 9176	33RS3 72	3624 005 0072	1140 200 0482	\$1,149.99
20"	3003 000 8822	0000 792 9176	33RS3 72	3624 005 0072	1140 200 0706	\$1,149.99
20"	3003 001 8822	0000 792 9176	33RM3 72	3662 005 0072	1140 200 0797	\$1,149.99
20"	3003 000 8822	0000 792 9176	33RS 72	3623 005 0072	1140 200 0807	\$1,149.99
20"	3003 001 8822	0000 792 9176	33RS 72	3623 005 0072	1140 200 0808	\$1,149.99
20" L	3003 000 2221	0000 792 9176	33RS3 72	3624 005 0072	1140 200 0707	\$1,199.99
25"	3003 000 4030	0000 792 9177	33RS3 84	3624 005 0084	1140 200 0483	\$1,159.99
25"	3003 000 8830	0000 792 9177	33RS3 84	3624 005 0084	1140 200 0709	\$1,159.99
25"	3003 000 8830	0000 792 9177	33RS 84	3623 005 0084	1140 200 0710	\$1,159.99
25"	3003 001 8830	0000 792 9177	33RS3 84	3624 005 0084	1140 200 0798	\$1,159.99
25"	3003 001 8830	0000 792 9177	33RS 84	3623 005 0084	1140 200 0799	\$1,159.99
25" L	3003 000 2231	0000 792 9177	33RS3 84	3624 005 0084	1140 200 0728	\$1,209.99

The below kits include HEXA™ chain and come with a HEXA™ Basic Filing Kit (7010 881 9406)

25" HEXA™	3003 000 8830	0000 792 9177	33RH 84	3133 005 0084	1140 200 0762	\$1,169.99
25" HEXA™	3003 000 4030	0000 792 9177	33RH3 84	3135 005 0084	1140 200 0765	\$1,169.99
25" Lightweight HEXA	3003 000 2231	0000 792 9177	33RH 84	3133 005 0084	1140 200 0763	\$1,219.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW

MS 462



Displacement: 4.41 cu. in. (72.2 cc),
 Engine Power: 5.9 bhp (4.4 kW),
 Weight**:6.0 kg (13.2 lbs.)
 Fuel Capacity: 24.3 oz (720 cc)
 Chain Oil Capacity: 11.5 oz (340 cc)
 Recommended Guide Bar Lengths: 16" to 28" (40 cm to 71 cm) STIHL ROL-
 LOMATIC® E Super

Picture shown with optional Lightweight Guide Bar.

Bar Length*	Guide Bar	Scabbard	Chain Loop	Chain Loop PN	Part Number	SRP
18"	3003 000 8817	0000 792 9175	33RS 66	3623 005 0066	1142 200 0193	\$1,489.99
20"	3003 000 8822	0000 792 9176	33RS 72	3623 005 0072	1142 200 0274	\$1,499.99
20"	3003 000 8822	0000 792 9176	33RS 72	3623 005 0072	1142 200 0194	\$1,499.99
20"	3003 001 8822	0000 792 9176	33RH 72	3133 005 0072	1142 200 0283	\$1,509.99
20" L	3003 000 2221	0000 792 9176	33RS 72	3623 005 0072	1142 200 0203	\$1,549.99
25"	3003 000 8830	0000 792 9177	33RS 84	3623 005 0084	1142 200 0276	\$1,509.99
25"	3003 000 4030	0000 792 9177	33RS3 84	3624 005 0084	1142 200 0195	\$1,509.99
25"	3003 000 8830	0000 792 9177	33RS3 84	3624 005 0084	1142 200 0196	\$1,509.99
25"	3003 000 8830	0000 792 9177	33RS 84	3623 005 0084	1142 200 0197	\$1,509.99
25"	3003 001 8830	0000 792 9177	33RS3 84	3624 005 0084	1142 200 0275	\$1,509.99
25"	3003 001 8830	0000 792 9177	33RH 84	3133 005 0084	1142 200 0285	\$1,519.99
25" L	3003 000 2231	0000 792 9177	33RS 84	3623 005 0084	1142 200 0204	\$1,559.99
28"	3003 000 8838	0000 792 9178	33RS 91	3623 005 0091	1142 200 0198	\$1,519.99
28"	3003 000 8838	0000 792 9178	33RSF 91	3676 005 0091	1142 200 0199	\$1,519.99
28"	3003 000 6038	0000 792 9178	36RSLF 91	3673 005 0091	1142 200 0200	\$1,519.99
28"	3003 000 2238	0000 792 9178	33RHF 91	3137 005 0091	1142 200 0267	\$1,579.99
28" L	3003 000 2238	0000 792 9178	33RS 91	3623 005 0091	1142 200 0205	\$1,569.99
32"	3003 000 8846	0000 792 9179	33RS 105	3623 005 0105	1142 200 0201	\$1,529.99
32" L	3003 000 2246	0000 792 9179	33RS 105	3623 005 0105	1142 200 0206	\$1,579.99
36"	3003 000 8853	0000 792 9179	33RS 114	3623 005 0114	1142 200 0202	\$1,539.99
36" L	3003 000 2253	0000 792 9179	33RS 114	3623 005 0114	1142 200 0207	\$1,589.99
The below kits include HEXA™ chain and come with a HEXA™ Basic Filing Kit (7010 881 9406)						
20" HEXA™	3003 000 8822	0000 792 9177	33RH 72	3133 005 0072	1142 200 0236	\$1,509.99
25" HEXA™	3003 000 8830	0000 792 9177	33RH 84	3133 004 0084	1142 200 0237	\$1,519.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW

MS 462 R



Picture shown with optional Lightweight Guide Bar.

Displacement: 4.41 cu. in. (72.2 cc)
 Engine Power: 5.9 bhp (4.4 kW)
 Weight**:6.0 kg (13.2 lbs.)
 Fuel Capacity: 24.3 oz (720 cc)
 Chain Oil Capacity: 11.5 oz (340 cc)
 Recommended Guide Bar Lengths*: 16" to 28", (40 cm to 71 cm) STIHL ROLLOMATIC E Super

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
18"	3003 000 8817	0000 792 9175	33RS 66	3623 005 0066	1142 200 0209	\$1,539.99
20"	3003 000 8822	0000 792 9176	33RS 72	3623 005 0072	1142 200 0210	\$1,549.99
20"	3003 001 8822	0000 792 9176	33RS 72	3623 005 0072	1142 200 0277	\$1,549.99
20"	3003 001 8822	0000 792 9176	33RH 72	3133 005 0072	1142 200 0284	\$1,559.99
20" L	3003 000 2221	0000 792 9176	33RS 72	3623 005 0072	1142 200 0219	\$1,599.99
25"	3003 000 8830	0000 792 9177	33RS 84	3624 005 0084	1142 200 0212	\$1,559.99
25"	3003 001 8830	0000 792 9177	33RS 84	3623 005 0084	1142 200 0278	\$1,559.99
25"	3003 001 8830	0000 792 9177	33RH 84	3133 005 0084	1142 200 0286	\$1,569.99
25" L	3003 000 2231	0000 792 9177	33RS 84	3623 005 0084	1142 200 0220	\$1,609.99
28"	3003 000 8838	0000 792 9178	33RS 91	3623 005 0091	1142 200 0213	\$1,569.99
28"	3003 000 8838	0000 792 9178	33RSF 91	3676 005 0091	1142 200 0215	\$1,569.99
28"	3003 000 6038	1569.99	1569.99	1569.99	1142 200 0214	\$1,569.99
28"	3003 000 2238	0000 792 9178	33RHF 91	3137 005 0091	1142 200 0268	\$1,629.99
28" L	3003 000 2238	0000 792 9178	33RS 91	3623 005 0091	1142 200 0221	\$1,619.99
28" L	3003 000 2238	0000 792 9178	33RSF 91	3676 005 0091	1142 200 0223	\$1,619.99
28" L	3003 000 2038	0000 792 9178	36RSLF 91	3673 005 0091	1142 200 0222	\$1,619.99
32"	3003 000 8846	0000 792 9179	33RS 105	3623 005 0105	1142 200 0216	\$1,579.99
32"	3003 000 8846	0000 792 9179	33RSLF 105	3672 005 0105	1142 200 0217	\$1,579.99
32" L	3003 000 2246	0000 792 9179	33RS 105	3623 005 0105	1142 200 0224	\$1,629.99
32" L	3003 000 2246	0000 792 9179	33RSLF 105	3672 005 0105	1142 200 0225	\$1,629.99
32" L	3003 000 2046	0000 792 9179	36RSLF 105	3673 005 0105	1142 200 0226	\$1,629.99
36"	3003 000 8853	0000 792 9179	33RS 114	3623 005 0114	1142 200 0218	\$1,589.99
36" L	3003 000 2253	0000 792 9179	33RS 114	3623 005 0114	1142 200 0227	\$1,639.99
36" L	3003 000 2053	0000 792 9179	36RSLF 114	3673 005 0114	1142 200 0228	\$1,639.99
The below kits include HEXA™ chain and come with a HEXA™ Basic Filing Kit (7010 881 9406)						
20" HEXA	3003 000 8822	0000 792 9176	33RH 72	3133 005 0072	1142 200 0238	\$1,559.99
25" HEXA	3003 000 8830	0000 792 9177	33RH 84	3133 005 0084	1142 200 0239	\$1,569.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



MS 462 C-M



Displacement: 4.41 cu. in. (72.2 cc),
 Engine Power: 5.9 bhp (4.4 kW),
 Weight**: 6.0 kg (13.2 lbs.)
 Fuel Capacity: 24.3 oz (720 cc)
 Chain Oil Capacity: 11.5 oz (340 cc)
 Recommended Guide Bar Lengths: 16" to 28" (40 cm to 71 cm)

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
16"	3003 000 8813	0000 792 9175	33RS 60	3623 005 0060	1142 200 0134	\$1,479.99
18"	3003 000 8817	0000 792 9175	33RS 66	3623 005 0066	1142 200 0135	\$1,489.99
20"	3003 000 8822	0000 792 9176	33RS 72	3623 005 0072	1142 200 0269	\$1,499.99
20"	3003 000 8822	0000 792 9176	33RS 72	3623 005 0072	1142 200 0136	\$1,499.99
20"	3003 001 8822	0000 792 9176	33RH 72	3133 005 0072	1142 200 0279	\$1,509.99
20" L	3003 000 2221	0000 792 9176	33RS 72	3623 002 0072	1142 200 0161	\$1,549.99
25"	3003 000 8830	0000 792 9177	33RS 84	3623 005 0084	1142 200 0271	\$1,509.99
25"	3003 000 4030	0000 792 9177	33RS3 84	3624 005 0084	1142 200 0137	\$1,509.99
25"	3003 000 8830	0000 792 9177	33RS3 84	3624 005 0084	1142 200 0138	\$1,509.99
25"	3003 000 8830	0000 792 9177	33RS 84	3623 005 0084	1142 200 0139	\$1,509.99
25"	3003 001 8830	0000 792 9177	33RS3 84	3624 005 0084	1142 200 0270	\$1,509.99
25"	3003 001 8830	0000 792 9177	33RH 84	3133 005 0084	1142 200 0280	\$1,519.99
25" L	3003 000 2231	0000 792 9177	33RS 84	3623 005 0084	1142 200 0130	\$1,559.99
28"	3003 000 8838	0000 792 9178	33RS 91	3623 005 0091	1142 200 0140	\$1,519.99
28"	3003 000 8838	0000 792 9178	33RSF 91	3676 005 0091	1142 200 0141	\$1,519.99
28"	3003 000 2238	0000 792 9178	33RHF 91	3137 005 0091	1142 200 0265	\$1,579.99
28"	3003 000 6038	0000 792 9178	36RSLF 91	3673 005 0091	1142 200 0158	\$1,519.99
1569.99	1569.99	1569.99	1569.99	1569.99	1142 200 0131	\$1,569.99
32"	3003 000 8846	0000 792 9179	33RS 105	3623 005 0105	1142 200 0176	\$1,529.99
32" L	3003 000 2246	0000 792 9179	33RS 105	3623 005 0105	1142 200 0178	\$1,579.99
36"	3003 000 8853	0000 792 9179	33RS 114	3623 005 0114	1142 200 0177	\$1,539.99
36" L	3003 000 2253	0000 792 9179	33RS 114	3623 005 0114	1142 200 0186	\$1,589.99
The below kits include HEXA™ chain and come with a HEXA™ Basic Filing Kit (7010 881 9406)						
20" HEXA™	3003 000 8822	0000 792 9176	33RH 72	3133 005 0072	1142 200 0229	\$1,509.99
25" HEXA™	3003 000 8830	0000 792 9177	33RH 84	3133 005 0084	1142 200 0230	\$1,519.99
25" Lightweight HEXA	3003 000 2231	0000 792 9177	33RH 84	3133 005 0084	1142 200 0235	\$1,569.99
28" HEXA™	3003 000 8838	0000 792 9178	33RH 91	3133 005 0091	1142 200 0231	\$1,529.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW

MS 462 R C-M



Displacement: 4.41 cu. in. (72.2 cc)
 Engine Power: 5.9 bhp (4.4 kW)
 Weight** 6.3 kg (13.9 lbs)
 Fuel Capacity: 24.3 oz (720 cc)
 Chain Oil Capacity: 11.5 oz (340 cc)
 Recommended Guide Bar Lengths: 16" to 28" (40 cm to 71 cm)

Bar Length	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
18"	3003 000 8817	0000 792 9175	33RS 66	3623 005 0066	1142 200 0143	\$1,539.99
20"	3003 000 8822	0000 792 9176	33RS 72	3623 005 0072	1142 200 0155	\$1,549.99
20"	3003 000 8822	0000 792 9176	33RS 72	3623 005 0072	1142 200 0273	\$1,549.99
20"	3003 001 8822	0000 792 9176	33RH 72	3133 005 0072	1142 200 0281	\$1,559.99
20" HEXA	3003 000 8822	0000 792 9176	33RH 72	3133 005 0072	1142 200 0232	\$1,559.99
20" L	3003 000 2221	0000 792 9176	33RS 72	3623 005 0072	1142 200 0162	\$1,599.99
25"	3003 000 8830	0000 792 9177	33RS 84	3623 005 0084	1142 200 0144	\$1,559.99
25"	3003 000 4030	0000 792 9177	33RS3 84	3624 005 0084	1142 200 0168	\$1,559.99
25"	3003 000 8830	0000 792 9177	33RS 84	3623 005 0084	1142 200 0272	\$1,559.99
25"	3003 001 8830	0000 792 9177	33RH 84	3133 005 0084	1142 200 0282	\$1,569.99
25" HEXA	3003 000 8830	0000 792 9177	33RH 72	3133 005 0084	1142 200 0233	\$1,569.99
25" L	3003 000 2231	0000 792 9177	33RS-84	3623 005 0084	1142 200 0149	\$1,609.99
28"	3003 000 8838	0000 792 9178	33RSF 91	3676 005 0091	1142 200 0150	\$1,569.99
28"	3003 000 8838	0000 792 9178	33RS 91	3623 005 0091	1142 200 0159	\$1,569.99
28"	3003 000 6038	0000 792 9178	36RSLF 91	3673 005 0091	1142 200 0160	\$1,569.99
28"	3003 000 2238	0000 792 9178	33RHF 91	3137 005 0091	1142 200 0266	\$1,629.99
28" HEXA	3003 000 8838	0000 792 9178	33RH 91	3133 005 0091	1142 200 0234	\$1,579.99
28" L	3003 000 2238	0000 792 9178	36RSLF 91	3673 005 0091	1142 200 0152	\$1,619.99
28" L	3003 000 2238	0000 792 9178	33RS-91	3623 005 0091	1142 200 0153	\$1,619.99
32"	3003 000 8846	0000 792 9179	33RS 105	3623 005 0105	1142 200 0179	\$1,579.99
32"	3003 000 8846	0000 792 9179	33RSLF 105	3672 005 0105	1142 200 0187	\$1,579.99
32" L	3003 000 2246	0000 792 9179	33RS 105	3623 005 0105	1142 200 0181	\$1,629.99
32" L	3003 000 2046	0000 792 9179	36RSLF 105	3673 005 0105	1142 200 0182	\$1,629.99
32" L	3003 000 2246	0000 792 9179	33RSLF 105	3672 005 0105	1142 200 0184	\$1,629.99
36"	3003 000 8853	0000 792 9179	33RS 114	3623 005 0114	1142 200 0180	\$1,589.99
36" L	3003 000 2053	0000 792 9179	36RSLF 114	3673 005 0114	1142 200 0185	\$1,639.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW

MS 462 R C-M RESCUE

Displacement: 4.41 cu. in. (72.2 cc),
 Weight**: Fuel Capacity: 24.3 oz (720 cc)
 Chain Oil Capacity: 11.5 oz. (340 cc)
 Dimensions for Complete Rescue Saw: Length 1080 mm /42.6in. Width 300 mm / 11.8 in. Height 320 mm / 12.6 in. Volume 103.7 L / 3.7 cu. ft.



Note: Shown with optional depth limiter.

For Fire/Rescue Service Only.

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
20"	3003 002 9421	0000 792 9176	36RDR 72	3944 005 0072	1142 200 0148	\$1,719.99
20"	3003 002 9421	w/ Depth Limiter (3003 650 6503)	36 RDR 72	3944 005 0072	1142 200 0156	\$1,909.99

Chain Saws

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW

MS 500i



Displacement: 4.83 cu. in. (79.2 cc),
 Engine Power: 6.7 bhp (5.0 kW),
 Weight**: 6.3 kg (13.9 lbs.)
 Fuel Capacity: 26.5 oz. (785 cc)
 Chain Oil Capacity: 11.0 oz. (325 cc)
 Recommended Guide Bar Lengths: 16" to 30" (40 cm to 75 cm) ROLLOMATIC® ES and 25" to 36" (63cm to 90cm) ROLLOMATIC® ES Light Guide Bars

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
18"	3003 000 8817	0000 792 9175	33RS 66	3623 005 0066	1147 200 0029	\$1,729.99
20"	3003 000 8822	0000 792 9176	33RS 72	3623 005 0072	1147 200 0030	\$1,739.99
20"	3003 001 8822	0000 792 9176	33RS 72	3623 005 0072	1147 200 0104	\$1,739.99
20"	3003 001 8822	0000 792 9176	33RH 72	3133 005 0072	1147 200 0108	\$1,749.99
25"	3003 000 8830	0000 792 9177	33RS 84	3623 005 0084	1147 200 0031	\$1,749.99
25"	3003 000 4030	0000 792 9177	33RS3 84	3624 005 0084	1147 200 0052	\$1,749.99
25"	3003 001 8830	0000 792 9177	33RS 84	3623 005 0084	1147 200 0105	\$1,749.99
25"	3003 001 8830	0000 792 9177	33RH 84	3133 005 0084	1147 200 0109	\$1,759.99
25" L	3003 000 2231	0000 792 9177	33RS 84	3623 005 0084	1147 200 0032	\$1,799.99
28"	3003 000 8838	0000 792 9178	33RS 91	3623 005 0091	1147 200 0033	\$1,759.99
28" L	3003 000 2238	0000 792 9178	33RS 91	3623 005 0091	1147 200 0034	\$1,809.99
30"	3003 000 6041	0000 792 9178	36RS 98	3621 005 0098	1147 200 0035	\$1,769.99
32" L	3003 000 2246	0000 792 9179	33RS 105	3623 005 0105	1147 200 0036	\$1,819.99
36" L	3003 000 2253	0000 792 9179	33RS 114	3623 005 0114	1147 200 0037	\$1,829.99
The below kits include HEXA™ chain and come with a HEXA™ Basic Filing Kit (7010 881 9406)						
20" HEXA	3003 000 8822	0000 792 9176	33RH 72	3133 005 0072	1147 200 0058	\$1,749.99
25" HEXA	3003 000 8830	0000 792 9177	33RH 84	3133 005 0084	1147 200 0059	\$1,759.99
25" L HEXA™	3003 000 2231	0000 792 9177	33RH 84	3133 005 0084	1147 200 0062	\$1,809.99
28" Lightweight HEXA	3003 000 2238	0000 792 9178	33RH 91	3133 005 0091	1147 200 0063	\$1,819.99
28" Lightweight HEXA	3003 000 2238	0000 792 9178	33RH 91	3133 005 0091	1147 200 0094	\$1,819.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW

MS 500i R



Picture shown with optional Lightweight Guide Bar.

Displacement: 4.83 cu. in. (79.2 cc),
 Engine Power: 6.7 bhp (5.0 kW),
 Weight**: 6.7 kg (14.8 lbs.)
 Fuel Capacity: 26.5 oz. (785 cc)
 Chain Oil Capacity: 11.0 oz. (325 cc)
 Recommended Guide Bar Lengths: 6" to 30" (40 cm to 75 cm) ROLLOMATIC® ES and 25" to 36" (63cm to 90cm) ROLLOMATIC® ES Light Guide Bars

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
18"	3003 000 8817	0000 792 9175	33RS 66	3623 005 0066	1147 200 0038	\$1,769.99
20"	3003 000 8822	0000 792 9176	33RS 72	3623 005 0072	1147 200 0106	\$1,779.99
20"	3003 000 8822	0000 792 9176	33RS 72	3623 005 0072	1147 200 0039	\$1,779.99
20"	3003 000 8822	0000 792 9176	33RH 72	3133 005 0072	1147 200 0060	\$1,789.99
25"	3003 000 8830	0000 792 9177	33RS 84	3623 005 0084	1147 200 0107	\$1,789.99
25"	3003 000 4030	0000 792 9177	33RS3 84	3624 005 0084	1147 200 0053	\$1,789.99
25"	3003 000 8830	0000 792 9177	33RS 84	3623 005 0084	1147 200 0040	\$1,789.99
25"	3003 000 8830	0000 792 9177	33RH 84	179999	1147 200 0061	\$1,799.99
25" L	3003 000 2231	0000 792 9177	33RS 84	3623 005 0084	1147 200 0050	\$1,839.99
28"	3003 000 8838	0000 792 9178	33RS 91	3623 005 0091	1147 200 0041	\$1,799.99
28"	3003 000 8838	0000 792 9178	33RSF 91	3676 005 0091	1147 200 0042	\$1,799.99
28" L	3003 000 2238	0000 792 9178	33RS 91	3623 005 0091	1147 200 0051	\$1,849.99
28" L	3003 000 2238	0000 792 9178	33RS 91	3623 005 0091	1147 200 0095	\$1,859.99
32"	3003 000 2246	0000 792 9179	33RHF 05	3137 005 0105	1147 200 0096	\$1,869.99
32" L	3003 000 2246	0000 792 9179	33RS 105	3623 005 0105	1147 200 0044	\$1,859.99
32" L	3003 000 2046	0000 792 9179	36RSLF 105	3673 005 0105	1147 200 0046	\$1,859.99
32" Lightweight	3003 000 2246	0000 792 9179	33RSF 105	3676 005 0105	1147 200 0047	\$1,859.99
36"	3003 000 2253	0000 792 9179	33RHF 14	3137 005 0114	1147 200 0097	\$1,879.99
36" L	3003 000 2253	0000 792 9179	33RSF 114	3676 005 0114	1147 200 0048	\$1,869.99
36" L	3003 000 2053	0000 792 9179	36RSLF 114	3673 005 0114	1147 200 0045	\$1,869.99

The below kits include HEXA™ chain and come with a HEXA™ Basic Filing Kit (7010 881 9406)

20" HEXA	3003 000 8822	0000 792 9176	33RH 72	3133 005 0072	1147 200 0110	\$1,789.99
25" HEXA	3003 000 8830	0000 792 9177	33RH 84	3133 005 0084	1147 200 0111	\$1,799.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW

MS 661 MAGNUM®



Picture shown with optional Lightweight Guide Bar.

5.56 cu. in. (91.1 cc),
 Engine Power: 7.2 bhp (5.4 kW),
 Weight**:7.5 kg (16.5 lbs.)
 Fuel Capacity: 28.7 oz. (850 cc)
 Chain Oil Capacity: 13.5 oz. (400 cc)
 Guide Bar Lengths: 16" to 36" (40 cm to 80 cm)STIHL ROLLOMATIC® E Super

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
20"	3003 000 8822	0000 792 9176	33RS 72	3623 005 0072	1144 200 0509	\$1,719.99
20"	3003 000 8822	0000 792 9176	33RS 72	3623 005 0072	1144 200 0378	\$1,719.99
25"	3003 000 8830	0000 792 9177	33RS 84	3623 005 0084	1144 200 0510	\$1,729.99
25"	3003 000 8830	0000 792 9177	33RS 84	3623 005 0084	1144 200 0379	\$1,729.99
25"	3003 001 8830	0000 792 9177	33RH 84	3133 005 0084	1144 200 0516	\$1,739.99
25" L	3003 000 2231	0000 792 9177	33RS 84	3623 005 0084	1144 200 0434	\$1,779.99
28"	3003 000 8838	0000 792 9178	33RS 91	3623 005 0091	1144 200 0421	\$1,739.99
28" L	3003 000 2238	0000 792 9178	33RS 91	3623 005 0091	1144 200 0381	\$1,789.99
32"	3003 000 8846	0000 792 9179	33RS 105	3623 005 0105	1144 200 0422	\$1,749.99
32" L	3003 000 2246	0000 792 9179	33RS 105	3623 005 0105	1144 200 0382	\$1,799.99
36"	3003 000 8853	0000 792 9179	33RS 114	3623 005 0114	1144 200 0423	\$1,759.99
36" L	3003 000 2253	0000 792 9179	33RS 114	3623 005 0114	1144 200 0383	\$1,809.99

The below kits include HEXA™ chain and come with a HEXA™ Basic Filing Kit (7010 881 9406)

25" HEXA	3003 000 8830	0000 792 9177	33RH 84	3133 005 0084	1144 200 0456	\$1,739.99
36" HEXA™	3003 000 8853	0000 792 9179	33RH 114	3133 005 0114	1144 200 0457	\$1,769.99
36" Lightweight HEXA	3003 000 2253	0000 792 9179	33RH 114	3133 005 0114	1144 200 0458	\$1,819.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW

MS 661 R MAGNUM®



Picture shown with optional Lightweight Guide Bar.

Displacement: 5.56 cu. in. (91.1 cc),
 Engine Power: 7.2 bhp (5.4 kW), Flush Cut (Shown): 7.6 kg (16.75 lbs.)
 Fuel Capacity: 27.9 oz. (825 cc)
 Chain Oil Capacity: 12.2 oz. (360 cc)
 Guide Bar Lengths: 16" to 36" (40 cm to 80 cm) STIHL ROLLOMATIC® E Super

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
20"	3003 000 8822	0000 792 9176	33RS 72	3623 005 0072	1144 200 0511	\$1,759.99
20"	3003 000 8822	0000 792 9176	33RS 72	3623 005 0072	1144 200 0386	\$1,759.99
25"	3003 000 8830	0000 792 9177	33RS 84	3623 005 0084	1144 200 0512	\$1,769.99
25"	3003 000 8830	0000 792 9177	33RS 84	3623 005 0084	1144 200 0387	\$1,769.99
25"	3003 001 8830	0000 792 9177	33RH 84	3133 005 0084	1144 200 0517	\$1,779.99
25" L	3003 000 2231	0000 792 9177	33RS 84	3623 005 0084	1144 200 0435	\$1,819.99
28"	3003 000 8838	0000 792 9178	33RS 91	3623 005 0091	1144 200 0424	\$1,779.99
28" L	3003 000 2238	0000 792 9178	33RS 91	3623 005 0091	1144 200 0389	\$1,829.99
32"	3003 000 8846	0000 792 9179	33RS 105	3623 005 0105	1144 200 0425	\$1,789.99
32" L	3003 000 2246	0000 792 9179	33RS 105	3623 005 0105	1144 200 0390	\$1,839.99
36"	3003 000 8853	0000 792 9179	33RS 114	3623 005 0114	1144 200 0426	\$1,799.99
36" L	3003 000 2253	0000 792 9179	33RS 114	3623 005 0114	1144 200 0391	\$1,849.99
The below kits include HEXA™ chain and come with a HEXA™ Basic Filing Kit (7010 881 9406)						
25" HEXA	3003 000 8830	0000 792 9177	33RH 84	3133 005 0084	1144 200 0459	\$1,779.99
36" HEXA™	3003 000 8853	0000 792 9179	33RH 114	3133 005 0114	1144 200 0460	\$1,809.99
36" L HEXA	3003 000 2253	0000 792 9179	33RH 114	3133 005 0114	1144 200 0461	\$1,859.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW

MS 661 C-M MAGNUM®



Picture shown with optional Lightweight Guide Bar.

Displacement: 5.56 cu. in. (91.1 cc),
 Engine Power: 7.2 bhp (5.4 kW),
 Weight**: 7.6 kg (16.8 lbs.)
 Fuel Capacity: 850 cc (28.7 oz.)
 Chain Oil Capacity: 400 cc (13.5 oz.)
 Guide Bar Length: 40 to 80 cm (16" to 36") STIHL ROLLOMATIC® E Super

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
20"	3003 000 8822	0000 792 9176	33RS 72	3623 005 0072	1144 200 0513	\$1,719.99
20"	3003 000 8822	0000 792 9176	33RS 72	3623 005 0072	1144 200 0402	\$1,719.99
25"	3003 000 8830	0000 792 9177	33RS 84	3623 005 0084	1144 200 0508	\$1,729.99
25"	3003 000 8830	0000 792 9177	33RS 84	3623 005 0084	1144 200 0337	\$1,729.99
25"	3003 001 8830	0000 792 9177	33RH 84	3133 005 0084	1144 200 0518	\$1,739.99
25" L	3003 000 2231	0000 792 9177	33RS 84	3623 005 0084	1144 200 0432	\$1,779.99
28"	3003 000 8838	0000 792 9178	33RS 91	3623 005 0091	1144 200 0339	\$1,739.99
28" L	3003 000 2238	0000 792 9178	33RS 91	3623 005 0091	1144 200 0404	\$1,789.99
32"	3003 000 8846	0000 792 9179	33RS 105	3623 005 0105	1144 200 0338	\$1,749.99
32" L	3003 000 2246	0000 792 9179	33RS 105	3623 005 0105	1144 200 0405	\$1,799.99
36"	3003 000 8853	0000 792 9179	33RS 114	3623 005 0114	1144 200 0336	\$1,759.99
36" L	3003 000 2253	0000 792 9179	33RS 114	3623 005 0114	1144 200 0406	\$1,809.99

The below kits include HEXA™ chain and come with a HEXA™ Basic Filing Kit (7010 881 9406)

25" HEXA	3003 000 8830	0000 792 9177	33RH 84	3133 0054 0084	1144 200 0462	\$1,739.99
28" HEXA™	3003 000 8838	0000 792 9178	33RH 91	3133 005 0091	1144 200 0463	\$1,749.99
32" HEXA™	3003 000 8846	0000 7912 9179	33RH 105	3133 005 0105	1144 200 0464	\$1,759.99
36" HEXA™	3003 000 8853	0000 792 9179	33RH 114	3133 005 0114	1144 200 0465	\$1,769.99
36" Lightweight HEXA	3003 000 2253	0000 792 9179	33RH 114	3133 005 0114	1144 200 0466	\$1,819.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW

MS 661 R C-M MAGNUM®



5.56 cu. in. (91.1 cc),
 Engine Power:
 Weight**: Fuel Capacity: 850 cc (28.7 oz.)
 Chain Oil Capacity: 400 cc (13.5 oz.)
 Guide Bar Length: 40 to 80 cm (16" to 36") STIHL ROLLOMATIC® E Super

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
20"	3003 000 8822	0000 792 9176	33RS 72	3623 005 0072	1144 200 0409	\$1,759.99
20"	3003 000 8822	0000 792 9176	33RS 72	3623 005 0072	1144 200 0514	\$1,759.99
25"	3003 000 8830	0000 792 9177	33RS 84	3623 005 0084	1144 200 0410	\$1,769.99
25"	3003 001 8830	0000 792 9177	33RH 84	3133 005 0084	1144 200 0519	\$1,779.99
25"	3003 000 8830	0000 792 9177	33RS 84	3623 005 0084	1144 200 0515	\$1,769.99
25" L	3003 000 2231	0000 792 9177	33RS 84	3623 005 0084	1144 200 0433	\$1,819.99
28"	3003 000 8838	0000 792 9178	33RSF 91	3676 005 0091	1144 200 0430	\$1,779.99
28"	3003 000 8838	0000 792 9178	33RS 91	3623 005 0091	1144 200 0420	\$1,779.99
28" L	3003 000 2238	0000 792 9178	33RS 91	3623 005 0091	1144 200 0412	\$1,829.99
32"	3003 000 6046	0000 792 9179	36RSLF 105	3673 005 0105	1144 200 0343	\$1,789.99
32"	3003 000 8846	0000 792 9179	33RS 105	3623 005 0105	1144 200 0342	\$1,789.99
32" L	3003 000 2246	0000 792 9179	33RS 105	3623 005 0105	1144 200 0413	\$1,839.99
36"	3003 000 2253	0000 792 9179	33RHF 14	3137 005 0114	1144 200 0494	\$1,859.99
36"	3003 000 6053	0000 792 9179	36RSLF 114	3673 005 0114	1144 200 0341	\$1,799.99
36"	3003 000 8853	0000 792 9179	33RSLF 114	3672 005 0114	1144 200 0431	\$1,799.99
36"	3003 000 8853	0000 792 9179	33RS 114	3623 005 0114	1144 200 0340	\$1,799.99
36" L	3003 000 2253	0000 792 9179	33RS 114	3623 005 0114	1144 200 0414	\$1,849.99

The below kits include HEXA™ chain and come with a HEXA™ Basic Filing Kit (7010 881 9406)

25" HEXA™	3003 000 8830	0000 792 9177	33RH 84	3133 005 0084	1144 200 0467	\$1,779.99
28" HEXA™	3003 000 8838	0000 792 9177	33RH 91	3133 005 0091	1144 200 0468	\$1,789.99
32" HEXA™	3003 000 8846	0000 792 9179	33RH 105	3133 005 0105	1144 200 0469	\$1,799.99
36" HEXA	3003 000 8853	0000 792 9179	33RH 114	3133 005 0114	1144 200 0470	\$1,809.99
36" Lightweight HEXA	3003 000 2253	0000 792 9179	33RH 114	3133 005 0114	1144 200 0471	\$1,859.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW

MS 881 MAGNUM®



Displacement: 7.42 cu. in. (121.6 cc),
 Engine Power: 8.6 bhp (6.4 kW),
 Weight**: 9.9 kg (21.8 lbs.)
 Fuel Capacity: 1300 cc (44.0 oz.)
 Chain Oil Capacity: 700 cc (23.7 oz.)
 Guide Bar Length: 53 to 105 cm (25" to 41") STIHL ROLLOMATIC®

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
25"	3002 000 9731	0000 792 9177	46RS 80	3946 005 0080	1124 200 0221	\$2,469.99
36"	3002 000 9753	0000 792 9179	46RS 108	3946 005 0108	1124 200 0211	\$2,489.99
41"	3002 000 9757	0000 792 9179 & 0000 792 9140	46RS 123	3946 005 0123	1124 200 0218	\$2,499.99

MS 881 R MAGNUM®



Displacement: 7.42 cu. in. (121.6 cc),
 Engine Power: 8.6 bhp (6.4 kW),
 Weight**: 10.0 kg (22.0 lbs.)
 Fuel Capacity: 1300 cc (44.0 oz.)
 Chain Oil Capacity: 700 cc (23.7 oz.)
 Guide Bar Length: 53 to 105 cm (25" to 41") STIHL ROLLOMATIC®

Bar Length*	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP
25"	3002 000 9731	0000 792 9177	46RS 80	3946 005 0080	1124 200 0222	\$2,509.99
36"	3002 000 9753	0000 792 9179	46RS 108	3946 005 0108	1124 200 0219	\$2,529.99
41"	3002 000 9757	0000 792 9179 & 0000 792 9140	46RS 123	3946 005 0123	1124 200 0220	\$2,539.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



RESCUE ACCESSORIES



Description	Part Number	SRP
Depth Limiter for MS 462 R C-M Rescue w/o Guide Bar & Chain	3003 650 6503	\$246.99
Depth Limiter Kit - Includes Special 20" Guide Bar (3003 002 9421). Chain not included.	1128 261 0007 US	\$358.99

MS 462 C-M R Rescue ONLY!

Chain Saws

GUIDE BAR SCABBARDS



Description	Part Number	SRP
Extension 12"	0000 792 9140	\$7.99
14" 3005 Arborist Saw	0000 792 9160	\$7.99
16" 3005 Arborist Saw	0000 792 9161	\$7.99
10" 3005 Mini 1/4" STIHL PICCO™	0000 792 9170	\$4.99
12" - 14" 3005 Mini 1/4" STIHL PICCO™	0000 792 9171	\$4.99
14" 3005 3/8" STIHL PICCO™	0000 792 9172	\$4.99
18" 3005	0000 792 9173	\$4.99
15" 3003	0000 792 9174	\$4.99
18" 3003	0000 792 9175	\$4.99
22" 3003 3002	0000 792 9176	\$5.99
25" 3003, 3002	0000 792 9177	\$5.99
30" 3003 3002	0000 792 9178	\$7.99
36" 3003 3002	0000 792 9179	\$7.99

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CARRYING CASE



Description	Part Number	SRP
Chainsaw Carrying Case, Medium fits models: MS 170 up to MS 500i (R wrap handle versions are excluded)	0000 900 4011	\$52.99
Chainsaw Carrying Case, Large fits models MS 661 up to MS 881 (R wrap handle versions excluded)	0000 900 4010	\$69.99
Bar Scabbard for Woodsman	0000 792 9127	\$9.99
Plastic Latch for Case 4008	7010 881 5600	\$2.99
Plastic Latch for Case 4006	0000 903 1302	\$1.99

STIHL SAW CHAIN FILES - BOX OF 4 SLEEVES



Description	Part Number	SRP
3.2mm (1/8") file in a 4 x 3-pack box- (used for 1/4" STIHL PICCO™)	7010 871 0400	\$26.99
3.5mm (9/64") file in a 4x3-pack box- (oversized for 1/4" STIHL PICCO™)	7010 871 1220	\$26.99
4.0mm (5/32") file in a 4x3-pack box- (used for 3/8" STIHL PICCO™)	7010 871 0401	\$26.99
4.5mm (11/64") file in a 4x3-pack box- (oversized for 3/8" STIHL PICCO™)	7010 871 0402	\$26.99
4.8mm (3/16") file in a 4x3-pack box- (used for .325" STIHL PICCO™)	7010 871 0403	\$26.99
5.2mm (13/64") file in a 4x3-pack box- (used for 3/8")	7010 871 0404	\$26.99
5.5mm (7/32") file in a 4x3-pack box- (used for .404" STIHL PICCO™)	7010 871 0405	\$26.99

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



FLAT FILE



Description	Boxes per Case	Part Number	SRP
Special File for Maintaining Depth Gauges (packed in a 6 x 2-Pack Box) Orders are placed per box. 1 box= 6 sleeves and each sleeve= 2 files.	50	7010 871 0043	\$68.99

*Orders quantities are "per box", i.e., 1 Box = 6 sleeves, 1 Sleeve = 2 files

TRIANGULAR FILE



Description	Part Number	SRP
Triangular chisel file (packed in a 6x 2 pack box). Orders are placed per box. 1 box= 6 sleeves and each sleeve= 2 files.	7010 871 0282	\$157.99

FILE HANDLES



Description	Case Qty	Part Number	SRP
Deluxe File Handle	20	0000 881 4500	\$5.99



Deluxe Soft-Grip FH3 For Round File	10	0000 881 4502	\$5.99
-------------------------------------	----	---------------	--------



Soft-Grip FH1 For Flat File	10	0000 881 4503	\$5.99
-----------------------------	----	---------------	--------

Standard Orange Poly	100	0811 490 7863	\$3.99
----------------------	-----	---------------	--------



Standard Orange Poly Display Packaged	60	0811 490 7864	\$3.99
---------------------------------------	----	---------------	--------



Flat-Sided Swiss File Handle	25	0814 498 1501	\$3.99
------------------------------	----	---------------	--------

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



DEPTH GAUGE SETTING TOOLS



Description	Case Qty	Part Number	SRP
.404" Harvester Chain	10	0000 893 4004	\$3.49
1/4" STIHL PICCO™ Micro	10	0000 893 4005	\$7.99
.031" Depth Gauge - .404"	10	1106 893 4000	\$7.99
.026" STIHL PICCO™, .325" & 3/8"	10	1110 893 4000	\$7.99

2 IN 1 FILE GUIDE




Description	Replacement File Size	Part Number	SRP
2 in 1 Filing Guide for 0.404" Replacement Flat File: (0814 253 3001) Replacement Round File (7010 871 0405)	7/32	0000 750 4300	\$49.99
2 in 1 Filing Guide for 3/8" STIHL PICCO™ Replacement Flat File (0814 252 3001) Replacement Round File (7010 871 0401)	5/32	5605 750 4303	\$49.99
2 in 1 Filing Guide for .325" Replacement Flat File (0814 252 3001) Replacement Round File (7010 871 0403)	3/16	5605 750 4304	\$49.99
2 in 1 Filing Guide for 3/8" Replacement Flat File (0814 252 3001) Replacement Round File (7010 871 0404)	13/64	5605 750 4305	\$49.99
2 in 1 Filing Guide for 1/4" STIHL PICCO™ Replacement Flat File (0814 252 3001) Replacement Round File (7010 871 0400)	1/8	5605 750 4306	\$49.99

2 IN 1 FILE GUIDE REPLACEMENT FLAT FILE



Description	Replacement File Size	Part Number	SRP
Flat File for 2 in 1 Filing System	N/A	0814 252 3001	\$14.99

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.

**FG4 ROLLING FILE GUIDE**

Description	Part Number	SRP
FG4 Roller Guide for 3/8" (use 13/64" File). For sharpening all cylindrically ground OILOMATIC® chains, as well as check and lower depth gauges.	5612 000 7500	\$49.99
FG4 Roller Guide for .325" (use 3/16" File). For sharpening all cylindrically ground STIHL OILOMATIC® chains, as well as check and lower depth gauges.	5612 000 7501	\$49.99
FG4 Roller Guide for 3/8" STIHL PICCO™ (use 5/32" File). For sharpening all cylindrically ground STIHL OILOMATIC® chains, as well as check and lower depth gauges.	5612 000 7502	\$49.99
FG4 Roller Guide for .043" PICCO™ MINI (use 5/32" File). For sharpening all cylindrically ground STIHL OILOMATIC® chains, as well as check and lower depth gauges.	5612 000 7503	\$49.99

FF1 FILE GUIDE HOLDER

Description	Part Number	SRP
Aides in accurately maintaining filing angles. Great for less experienced users.		
FF 1 File Guide Holder for 3/8" (use 5605 750 4329).	5614 000 7500	\$14.99
FF 1 File Guide Holder for .325" (use 5605 750 4328).	5614 000 7501	\$14.99
FF 1 File Guide Holder for 3/8" STIHL PICCO™ (use 5605 750 4327).	5614 000 7502	\$14.99
FF 1 File Guide Holder for 3/8" STIHL PICCO™ MINI (use 5605 750 4327).	5614 000 7503	\$14.99
FF 1 File Guide Holder for 1/4" STIHL PICCO™(use 5605 750 4300).	5614 000 7504	\$14.99
FF 1 File Guide Holder for .404" STIHL PICCO™(use 5605 750 4330).	5614 000 7505	\$14.99

FILE GUIDE KITS

Description	Part Number	SRP
1/4" STIHL PICCO™ Mini. Use File Size 1/8" For MSA Chain Saws	5605 750 4300	\$21.99
3/8" STIHL PICCO™ Mini. Use File Size 5/32"	5605 750 4327	\$21.99
.325" STIHL PICCO™, Use File Size 3/16"	5605 750 4328	\$21.99
3/8", Use File Size 13/64"	5605 750 4329	\$21.99
.404", Use File Size 7/32"	5605 750 4330	\$21.99

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



COMPLETE FILING KIT



To File These STIHL Saw Chains	Part Number	SRP
3/8" STIHL RAPID™ HEXA™, Includes: Special six-sided HEXA File, Depth Gauge, Flat File, 2 File Handles and Tool Pouch	5607 007 1000	\$36.99
STIHL PICCO™ 1/4", Use File Size 1/8". Includes: File Guide, Round File, Depth Gauge, Flat File, 2 File Handles and Tool Pouch	5605 007 1000	\$36.99
1/4" and 3/8" STIHL PICCO™, Use File Size 5/32". Includes: File Guide, Round File, Depth Gauge, Flat File, 2 File Handles and Tool Pouch	5605 007 1027	\$36.99
.325", Use File Size 3/16"	5605 007 1028	\$36.99
3/8", Use File Size 13/64". Includes: File Guide, Round File, Depth Gauge, Flat File, 2 File Handles and Tool Pouch	5605 007 1029	\$36.99
.404", Use File Size 7/32". Includes: File Guide, Round File, Depth Gauge, Flat File, 2 File Handles and Tool Pouch	5605 007 1030	\$36.99



Chain Saws

STIHL RAPID™ HEXA™ SAW CHAIN FILES



Description	Part Number	SRP
Sleeve of one special six-sided HEXA™ file. Note: Minimum order quantity = 12	5607 772 5201	\$7.99
HEXA™ Basic Filing Kit	7010 881 9406	\$14.99

CHAIN SAW MULTI-FUNCTION TOOL



Description	Part Number	SRP
19 mm & 13 mm Socket (Multi-Function Tool for Most STIHL chain saws)	0000 881 5501	\$42.99
19 mm & 16 mm Socket (Multi-Function Tool for MS 171, MS 181, MS 192 & MS 211 STIHL chain saws)	0000 881 5502	\$42.99

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



PORTABLE 12 VOLT CHAIN GRINDER & ACCESSORIES



Description	Part Number	SRP
12 Volt Chain Grinder	0000 882 4001	\$64.99
Mandrel - Direct Drive	0000 882 4021	\$21.99
1/4" Grinding Stone (3/pack)	0000 882 4100	\$7.99
1/8" Grinding Stone (3/pack)	7010 881 4800	\$6.99
3/16" Grinding Stone (3/pack)	0000 882 4101	\$7.99
5/32" Grinding Stone (3/pack)	0000 882 4102	\$7.99
7/32" Grinding Stone (3/pack)	0000 882 4103	\$7.99
9/64" Grinding Stone (3/pack)	0000 882 4104	\$7.99
13/64" Grinding Stone (3/pack)	0000 882 4105	\$7.99
'Kool Grind' - Grinding Compound	0787 940 1751	\$4.99
Replacement Drive Belt	0891 065 1991	\$13.99

Chain Saws

USG CHAIN GRINDER



Description	Part Number	SRP
USG - Universal Sharpener (For Carbide Chain, Brushcutter Blades, Hedge Trimmer Blades - Attachments sold separately)	5203 200 0009 US	\$705.99

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.




USG ATTACHMENTS

Description	Part Number	SRP
Hedge Trimmer Attachment	5203 750 1400	\$186.49
Circular Blade Attachment	5203 750 2800	\$126.49
Wheel Dressing Attachment	5203 890 4400	\$144.49

HOS, USG ACCESSORIES


Description	Part Number	SRP
.404 Grinding Wheel	5202 750 7010	\$8.99
.325 & 3/8" Grinding Wheel	5203 750 7010	\$8.49
PM & 1/4" Grinding Wheel	5203 750 7013	\$8.49
Depth Gauge Wheel	5203 750 7015	\$10.49
PM3 & 1/4" Grinding Wheel	5203 750 7017	\$8.49
Diamond Wheel for Carbide (RD)	5203 757 0901	\$136.49
Diamond Wheel for PD3	5203 757 0906	\$149.49
Sharpening Stone	5203 893 6200	\$2.99
Stone Shaping Guide	5203 893 6308	\$2.49
Oregon, Foley EFCO Sharpening Wheel 7/8" Arbor	5203 757 0908	\$147.49
Foot Controlled Chain Clamp	5203 007 1003	\$51.49
Shaped Grinding Wheel- Hexa™ 3/8"	5203 750 7018	\$10.99



WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



OTHER SHARPENING ACCESSORIES



Description	Part Number	SRP
Stump Vise, Heavy Duty	0000 881 0403	\$34.99
Chain Gauge Checker	0000 893 4105	\$7.99

BENCH RIVET SPINNER



Description	Part Number	SRP
1/4" STIHL PICCO™ Update Kit. Includes Punch, Die, Tension Handle and Anvil	5805 007 1000	\$29.99
Bench Rivet Spinner (NG-5)	5805 012 7510	\$213.99
Anvil "C" 1/4", .325" and 3/8" STIHL PICCO™	5805 750 3400	\$3.49
Anvil "A" (3/8", .404")	5805 750 3402	\$2.99
Tension Handle "C" 1/4", .325" and STIHL PICCO™	5805 754 3800	\$9.54
Tension Handle "AB" (3/8", .404")	5805 754 3801	\$8.82

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



BENCH BREAKER



Description	Part Number	SRP
Punch 1/4" STIHL PICCO™	5804 757 9302	\$5.99
Bench Chain Breaker (NG-4)	5805 012 7500	\$213.99
Punch Replacement (1/4")	5805 757 9303	\$2.49
Punch (.325" - 1/2" pitch)	5805 757 9302	\$2.99
Anvil Replacement (1/4" - 1/2" pitch)	5805 757 7105	\$10.49

Chain Saws

BENCH RIVET SPINNER & BREAKER COMBINATION



Description	Part Number	SRP
Rivet Spinner & Breaker (NG-7)	5805 012 7520	\$320.99

TACHOMETER



Description	Part Number	SRP
Tachometer EDT 9	5910 850 1100	\$49.99

NOTE: Multi-pole ignition systems require these tachometers.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW SCRENCH



Description	Part Number	SRP
Chain Saw Srench in Clamshell Package	7010 871 0389	\$4.99

BAR WRENCHES



Description	Part Number	SRP
19mm wrench for Wrap Handle Versions: 038, 044, 046, 064, 066, 084, MS 361, 362, 441, 460, 461, 660, 661	1124 890 3400	\$8.99



13mm & 19mm Chain Saw Combination Wrench	1129 890 3401	\$4.99
--	---------------	--------



16mm & 19mm Chain Saw Combination Wrench	0000 890 3400	\$10.49
--	---------------	---------



Works on all model chain saws w/14mm spark plug nut and 19mm bar nuts	1142 890 3400	\$16.49
---	---------------	---------



17mm & 19mm Chain Saw Combination Wrench	1111 890 3400	\$9.49
--	---------------	--------

Chain Saws

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.

**HIGH IMPACT FELLING WEDGES**

Description	Part Number	SRP
Not for splitting wood!		
5 1/2" Wedge (Skin Packed)	0000 893 6880	\$7.99
7 1/2" Felling Wedge	0000 893 6802	\$8.99
7 1/2" Wedge (Skin Packed)	0000 893 6881	\$10.99
10" Felling Wedge	0000 893 6882	\$13.99
10" Tri Taper Felling Wedge	0000 893 6883	\$14.99
12" Felling Wedge	0000 893 6884	\$16.99

TWISTED SPLITTING WEDGE

Description	Part Number	SRP
Aluminum Twisted Splitting Wedge 9" x 2.4"	0000 881 2221	\$82.99

BULK BOX OF VALUE WEDGES

Description	Case	Part Number	SRP
Value Wedge 5 1/2"	12	7010 871 3971	\$4.99
Value Wedge 8"	12	7010 871 3968	\$6.99
Value Wedge 10"	12	7010 871 3969	\$8.99
Value Wedge 12"	12	7010 871 3970	\$10.99

NOTE: Value Wedges are a different style than the High Impact Felling Wedges
 Value Wedges are not blister packed
 Value Wedges will not hang on your STIHL display

DEBRIS SHIELD

Description	Part Number	SRP
Debris Shield for MS 201 T-CM	1145 084 1200	\$16.99

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.

**WARNING LABELS**

Description	Part Number	SRP
Power Tool Warning Label (Yellow)	0000 967 3541	\$0.00

GUIDE BAR DRESSING TOOL

Description	Part Number	SRP
Replacement File	5605 773 4200	\$13.99
Guide Bar Dressing Tool	5605 773 4400	\$36.99

Chain Saws

STIHL GUIDE BARS FOR COMPETITIVE UNITS

Description	Part Number	SRP
Guide bar L04 30cm/12" 1,3mm/0.050" 3/8" P	3050 008 0305	\$26.99
Guide bar L04 35cm/14" 1,3mm/0.050" 3/8" P	3050 008 0309	\$32.99
Guide bar L04 40cm/16" 1,3mm/0.050" 3/8" P	3050 008 0313	\$37.99

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



STIHL LIGHT 04 SLIM COLOR CODED: GREEN



Pitch/Gauge	Bar Length*	Part Number	SRP
.3/8" Pitch, .063" Gauge 9 Tooth	16"	3003 000 7713	\$56.99
	18"	3003 008 7717	\$58.99
	20"	3003 008 7721	\$64.99
.325" Pitch, .050" Gauge 10 Tooth	16"	3003 000 3313	\$56.99
	18"	3003 008 3317	\$58.99
	20"	3003 008 3321	\$64.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

STIHL LIGHT P01 AND LIGHT P04 COLOR CODED: GREEN



Pitch/Gauge	Bar Length*	Part Number	SRP
3/8" Pitch, .043" Gauge 7 Tooth	12"	3005 000 7605	\$90.99
	14"	3005 000 7609	\$98.99
3/8" Pitch, .050" Gauge 9 Tooth	12"	3005 000 7405	\$90.99
	14"	3005 000 7409	\$98.99
	16"	3005 000 7413	\$105.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

STIHL LIGHT 04 (STANDARD, LAMINATED) SPECIAL VERSIONS- STIHL WOOD BOSS® COLOR CODED: GREEN



Pitch/Gauge	Bar Length*	Part Number	SRP
.325" Pitch, .050" Gauge 11 Tooth	18"	3005 810 7017	\$56.99
.325" Pitch, .063" Gauge 11 Tooth	18"	3005 810 4717	\$56.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

Chain Saws



STIHL LIGHT 04 (STANDARD, LAMINATED) SPECIAL VERSIONS- STIHL FARM BOSS® COLOR CODED: GREEN



Pitch/Gauge	Bar Length*	Part Number	SRP
.325" Pitch, .050 Gauge 10 Tooth	18"	3003 812 3317	\$58.99
	20"	3003 812 3321	\$64.99
.325" Pitch, .063 Gauge 11 Tooth	18"	3003 812 6817	\$56.99
	20"	3003 812 6821	\$59.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



STIHL LIGHT 06 PROFESSIONAL LAMINATED BAR COLOR CODED: YELLOW



Pitch/Gauge	Bar Length*	Part Number	SRP
3/8" Pitch, .063" Gauge 11 Tooth	20"	3003 000 5221	\$68.99
	25"	3003 000 5231	\$79.99
3/8" Pitch, .050" Gauge 11 Tooth	25"	3003 000 7831	\$79.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

STIHL ROLLOMATIC® SUPER ES LIGHT COLOR CODED: YELLOW



Pitch/Gauge	Bar Length*	Part Number	SRP
3/8" Pitch, .050" Gauge 11 Tooth	20"	3003 000 2221	\$158.99
	25"	3003 000 2231	\$174.99
	28"	3003 000 2238	\$190.99
	32"	3003 000 2246	\$205.99
	36"	3003 000 2253	\$210.99
3/8" Pitch, .063 Gauge 11 Tooth	20"	3003 000 2021	\$158.99
	25"	3003 000 2031	\$174.99
	28"	3003 000 2038	\$190.99
	32"	3003 000 2046	\$205.99
	36"	3003 000 2053	\$210.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



STIHL LIGHT 01 AND LIGHT 04 (STANDARD, LAMINATED) COLOR CODED: GREEN



Pitch/Gauge	Bar Length*	Part Number	MSRP
1/4" Pitch, .043" Gauge 8 Tooth	10"	3005 008 3403	\$38.99
	12"	3005 008 3405	\$40.99
	14"	3005 008 3409	\$44.99
3/8" Pitch, .043" Gauge 7 Tooth	10"	3005 008 3903	\$39.99
	12"	3005 008 3905	\$41.99
	14"	3005 008 3909	\$45.99
3/8" Pitch, .043" Gauge 9 Tooth	16"	3005 008 3913	\$48.99
	12"	3005 000 4405	\$44.99
	14"	3005 000 4409	\$47.99
3/8" Pitch, .050" Gauge 9 Tooth	16"	3005 000 4413	\$52.99
	18"	3005 000 4417	\$55.99
	12"	3005 000 4805	\$45.99
3/8" Pitch, .050" Gauge 9 Tooth	14"	3005 000 4809	\$48.99
	16"	3005 000 4813	\$53.99
	18"	3005 000 4817	\$58.99
.325" Pitch, .063" Gauge 11 Tooth	16"	3005 000 4713	\$53.99
	18"	3005 008 4717	\$56.99
.325" Pitch, .050" Gauge 11 Tooth	16"	3005 000 7013	\$53.99
	18"	3005 008 7017	\$56.99
.325" Pitch, .063" Gauge 11 Tooth	16"	3003 008 6813	\$53.99
	18"	3003 008 6817	\$56.99
	20"	3003 008 6821	\$59.99
3/8" Pitch, .050" Gauge 9 Tooth	16"	3003 000 6313	\$58.99
3/8" Pitch, .050" Gauge 10 Tooth	16"	3003 008 8913	\$53.99
	18"	3003 008 8917	\$56.99
	20"	3003 008 8921	\$59.99
.325" Pitch, .050" Gauge 11 Tooth	16"	3003 008 6613	\$53.99
	18"	3003 008 6617	\$56.99
	20"	3003 008 6621	\$59.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

Chain Saws



STIHL ROLLOMATIC® E SUPER COLOR CODED: YELLOW



Pitch/Gauge	Bar Length*	Part Number	SRP
3/8" Pitch, .050" Gauge 11 Tooth	16"	3003 000 8813	\$75.99
	18"	3003 000 8817	\$79.99
	20"	3003 000 8822	\$88.99
	25"	3003 000 8830	\$101.99
	28"	3003 000 8838	\$106.99
	32"	3003 000 8846	\$115.99
	36"	3003 000 8853	\$121.99
3/8" Pitch, .063" Gauge 11 Tooth	16"	3003 001 9413	\$75.99
	18"	3003 000 9417	\$83.99
	20"	3003 001 9421	\$88.99
	25"	3003 001 9431	\$101.99
	28"	3003 000 6038	\$106.99
	30"	3003 000 6041	\$111.99
	32"	3003 000 6046	\$115.99
.404" Pitch, .063" Gauge 12 Tooth	36"	3003 000 6053	\$121.99
	25"	3002 000 9731	\$106.99
	30"	3002 000 9741	\$117.99
	36"	3002 000 9753	\$134.99
	41"	3002 000 9757	\$145.99
.404" Pitch .063" Gauge	59"	3002 000 9576	\$514.99
	20"	3003 000 9721	\$88.99
.404" Pitch, .063" Gauge 10 Tooth Narrow Nose	25"	3003 000 9731	\$101.99
	32"	3003 000 7346	\$115.99
	36"	3003 000 7353	\$121.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

**STIHL ROLLOMATIC® E SUPER** COLOR CODED: GREEN

Pitch/Gauge	Bar Length*	Part Number	SRP
3/8" Pitch, .050" Gauge 10 Tooth	25"	3003 000 4030	\$101.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

STIHL ROLLOMATIC® E SUPER RESCUE COLOR CODED: YELLOW

Pitch/Gauge	Bar Length*	Part Number	SRP
3/8" Pitch, .063" Gauge 11 Tooth	20"	3003 002 9421	\$102.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

STIHL CARVING (REQUIRES 1/4 PITCH SAW CHAIN) COLOR CODED: GREEN

Pitch/Gauge	Bar Length*	Part Number	SRP
1/4" Pitch .043" Gauge Preferred chain 71PM3 64 (3670 005 0064)	12"	3005 000 3105	\$109.99
1/4" Pitch .050" Gauge Preferred chain is 13RMS 64 (3661 005 0064)	12"	3005 000 3205	\$109.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



STIHL DUROMATIC® COLOR CODED: YELLOW



Gauge	Bar Length*	Part Number	SRP
.050"	25"	3003 000 5531	\$135.99
	16"	3003 000 8613	\$105.99
	20"	3003 000 8621	\$115.99
.063"	16"	3003 001 9213	\$105.99
	18"	3003 000 9217	\$110.99
	20"	3003 001 9221	\$115.99
	25"	3003 001 5631	\$135.99
	30"	3002 000 8041 3002 001 8041	\$143.99
	36"	3002 000 8052	\$155.99
	41"	3002 000 8058	\$235.99
47"	3002 000 8064	\$538.99	

Chain Saws

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

STIHL ROLLOMATIC® (STANDARD, LAMINATED) SPECIAL VERSIONS- STIHL ROCK BOSS®



Description	Bar Length*	Part Number	SRP
STIHL ROLLOMATIC® G 3/8" Pitch, .063 Gauge	16"	3006 000 1513	\$256.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

STIHL ROLLOMATIC® (STANDARD, LAMINATED) SPECIAL VERSIONS- DUCTILE IRON PIPE



Description	Bar Length*	Part Number	SRP
STIHL ROLLOMATIC® G Guide Bar for 36 GGM chain	18"	3006 000 1417	\$267.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

**STIHL RAPID™ MICRO™ SPECIAL- RMS (SEMI CHISEL CARVING)** COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
1/4" / .050"	13RMS 56	3661 005 0056	\$44.99
	13RMS 64	3661 005 0064	\$51.99

STIHL RAPID™ MICRO™ - RM (SEMI CHISEL) COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
.325" / .050"	23RM 62	3693 005 0062	\$31.99
	23RM 66	3693 005 0066	\$33.99
	23RM 67	3693 005 0067	\$33.99
	23RM 68	3693 005 0068	\$33.99
	23RM 72	3693 005 0072	\$35.99
	23RM 74	3693 005 0074	\$36.99
	23RM 78	3693 005 0078	\$38.99
	23RM 80	3693 005 0080	\$39.99
	23RM 81	3693 005 0081	\$40.99

STIHL RAPID™ MICRO™ 3- RM3 (SEMI CHISEL) COLOR CODED: GREEN

Pitch / Gauge	Marketing Number	Part Number	SRP
.325" / .050"	23RM3 62	3695 005 0062	\$31.99
	23RM3 66	3695 005 0066	\$33.99
	23RM3 67	3695 005 0067	\$33.99
	23RM3 68	3695 005 0068	\$33.99
	23RM3 72	3695 005 0072	\$35.99
	23RM3 74	3695 005 0074	\$36.99
	23RM3 78	3695 005 0078	\$38.99
	23RM3 80	3695 005 0080	\$39.99
	23RM3 81	3695 005 0081	\$40.99

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.

**STIHL RAPID™ SUPER- RS (FULL CHISEL) COLOR CODED: YELLOW**

Pitch / Gauge	Marketing Number	Part Number	SRP
.325" / .050"	23RS 62	3690 005 0062	\$31.99
	23RS 66	3690 005 0066	\$33.99
	23RS 67	3690 005 0067	\$33.99
	23RS 68	3690 005 0068	\$33.99
	23RS 72	3690 005 0072	\$35.99
	23RS 74	3690 005 0074	\$36.99
	23RS 78	3690 005 0078	\$38.99
	23RS 80	3690 005 0080	\$39.99
	23RS 81	3690 005 0081	\$40.99

STIHL RAPID™ SUPER 3 - RS3 (FULL CHISEL) COLOR CODED: GREEN

Pitch / Gauge	Marketing Number	Part Number	SRP
.325" / .050"	23 RS3 62	3694 005 0062	\$31.99
	23 RS3 66	3694 005 0066	\$33.99
	23 RS3 67	3694 005 0067	\$33.99
	23 RS3 68	3694 005 0068	\$33.99
	23 RS3 72	3694 005 0072	\$35.99
	23 RS3 74	3694 005 0074	\$36.99
	23 RS3 78	3694 005 0078	\$38.99
	23RS3 80	3694 005 0080	\$39.99
	23 RS3 81	3694 005 0081	\$40.99

STIHL RAPID™ SUPER- RS (FULL CHISEL) COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
.325" / .058"	25RS 56	3638 005 0056	\$27.99
	25RS 66	3638 005 0066	\$33.99
	25RS 72	3638 005 0072	\$35.99
	25RS 78	3638 005 0078	\$38.99

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.

**STIHL RAPID™ MICRO™- RM (SEMI CHISEL)** COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
.325" / .063"	26RM 62	3686 005 0062	\$31.99
	26RM 67	3686 005 0067	\$33.99
	26RM 68	3686 005 0068	\$33.99
	26RM 72	3686 005 0072	\$35.99
	26RM 74	3686 005 0074	\$36.99
	26RM 80	3686 005 0080	\$39.99
	26RM 81	3686 005 0081	\$40.99

STIHL RAPID™ MICRO™ 3- RM3 (SEMI CHISEL) COLOR CODED: GREEN

Pitch / Gauge	Marketing Number	Part Number	SRP
.325" / .063"	26RM3 62	3689 005 0062	\$31.99
	26RM3 67	3689 005 0067	\$33.99
	26RM3 68	3689 005 0068	\$33.99
	26RM3 72	3689 005 0072	\$35.99
	26RM3 74	3689 005 0074	\$36.99
	26RM3 80	3689 005 0080	\$39.99
	26RM3 81	3689 005 0081	\$40.99
	26RM3 84	3689 005 0084	\$41.99

STIHL RAPID™ SUPER- RS (FULL CHISEL) COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
.325" / .063"	26RS 62	3639 005 0062	\$31.99
	26RS 67	3639 005 0067	\$33.99
	26RS 68	3639 005 0068	\$33.99
	26RS 72	3639 005 0072	\$35.99
	26RS 74	3639 005 0074	\$36.99
	26RS 80	3639 005 0080	\$39.99
	26RS 81	3639 005 0081	\$40.99
	26RS 84	3639 005 0084	\$41.99

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.

**STIHL RAPID™ HEXA™ - RH (FULL CHISEL)** COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / 0.050"	33RH 60	3133 005 0060	\$38.99
	33RH 66	3133 005 0066	\$42.99
	33RH 72	3133 005 0072	\$45.99
	33RH 84	3133 005 0084	\$53.99
	33RH 91	3133 005 0091	\$57.99
	33RH 105	3133 005 0105	\$66.99
	33RH 114	3133 005 0114	\$71.99

STIHL RAPID™ HEXA™ - RH3 (FULL CHISEL) COLOR CODED: GREEN

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / 0.050"	33RH3 60	3135 005 0060	\$38.99
	33RH3 66	3135 005 0066	\$42.99
	33RH3 72	3135 005 0072	\$45.99
	33RH3 84	3135 005 0084	\$53.99
	33RH3 91	3135 005 0091	\$57.99
	33RH3 105	3135 005 0105	\$66.99
	33RH3 114	3135 005 0114	\$71.99

STIHL RAPID™ HEXA™ - RHF (FULL CHISEL FULL SKIP) COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / 0.050"	33RHF 72	3137 005 0072	\$45.99
	33RHF 84	3137 005 0084	\$53.99
	33RHF 91	3137 005 0091	\$57.99
	33RHF 105	3137 005 0105	\$66.99
	33RHF 114	3137 005 0114	\$71.99

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.

**STIHL RAPID™ MICRO™- RM (SEMI CHISEL)** COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / .050"	33RM 66	3650 005 0066	\$37.99
	33RM 60	3650 005 0060	\$34.99
	33RM 70	3650 005 0070	\$40.99
	33RM 72	3650 005 0072	\$41.99
	33RM 84	3650 005 0084	\$48.99
	33RM 91	3650 005 0091	\$52.99
	33RM 105	3650 005 0105	\$60.99
	33RM 114	3650 005 0114	\$66.99

STIHL RAPID™ MICRO™ 3- RM3 (SEMI CHISEL) COLOR CODED: GREEN

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / .050"	33RM3 60	3662 005 0060	\$34.99
	33RM3 66	3662 005 0066	\$37.99
	33RM3 70	3662 005 0070	\$40.99
	33RM3 72	3662 005 0072	\$41.99
	33RM3 81	3662 005 0081	\$45.99
	33RM3 84	3662 005 0084	\$48.99
	33RM3 91	3662 005 0091	\$52.99

STIHL RAPID™ MICRO™- RMF (SEMI CHISEL FULL SKIP) COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / .050"	33RMF 72	3654 005 0072	\$41.99
	33RMF 84	3654 005 0084	\$48.99
	33RMF 91	3654 005 0091	\$52.99

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.

**STIHL RAPID™ SUPER- RS (FULL CHISEL) COLOR CODED: YELLOW**

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / .050"	33RS 60	3623 005 0060	\$34.99
	33RS 64	3623 005 0064	\$37.99
	33RS 66	3623 005 0066	\$37.99
	33RS 68	3623 005 0068	\$39.99
	33RS 69	3623 005 0069	\$39.99
	33RS 70	3623 005 0070	\$40.99
	33RS 71	3623 005 0071	\$41.99
	33RS 72	3623 005 0072	\$41.99
	33RS 81	3623 005 0081	\$45.99
	33RS 84	3623 005 0084	\$48.99
	33RS 85	3623 005 0085	\$49.99
	33RS 91	3623 005 0091	\$52.99
	33RS 92	3623 005 0092	\$53.99
	33RS 105	3623 005 0105	\$60.99
	33RS 114	3623 005 0114	\$66.99
33RS 115	3623 005 0115	\$66.99	

Chain Saws

STIHL RAPID™ SUPER 3- RS3 (FULL CHISEL) COLOR CODED: GREEN

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / .050"	33RS3 60	3624 005 0060	\$34.99
	33RS3 66	3624 005 0066	\$37.99
	33RS3 68	3624 005 0068	\$39.99
	33RS3 70	3624 005 0070	\$40.99
	33RS3 72	3624 005 0072	\$41.99
	33RS3 81	3624 005 0081	\$45.99
	33RS3 84	3624 005 0084	\$48.99
	33RS3 91	3624 005 0091	\$52.99
	33RS3 105	3624 005 0105	\$60.99
	33RS3 114	3624 005 0114	\$66.99

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.

**STIHL RAPID™ SUPER FULL SKIP- RSF (FULL CHISEL FULL SKIP)** COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / .050"	33RSF 60	3676 005 0060	\$34.99
	33RSF 66	3676 005 0066	\$37.99
	33RSF 72	3676 005 0072	\$41.99
	33RSF 84	3676 005 0084	\$48.99
	33RSF 91	3676 005 0091	\$52.99
	33RSF 93	3676 005 0093	\$53.99
	33RSF 105	3676 005 0105	\$60.99
	33RSF 114	3676 005 0114	\$66.99
	33RSF 115	3676 005 0115	\$66.99

STIHL RAPID™ SUPER SQUARE GROUND- RSLF (FULL CHISEL FULL SKIP) COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" /Square Ground .050"	33RSLF 72	3672 005 0072	\$41.99
	33RSLF 84	3672 005 0084	\$48.99
	33RSLF 91	3672 005 0091	\$52.99
	33RSLF 93	3672 005 0093	\$53.99
	33RSLF 105	3672 005 0105	\$60.99
	33RSLF 114	3672 005 0114	\$66.99
	33RSLF 115	3672 005 0115	\$66.99

STIHL RAPID™ SUPER SQUARE GROUND- RSLH (FULL CHISEL HALF SKIP) COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / .050"	33RSLH 72	3674 005 0072	\$41.99
	33RSLH 84	3674 005 0084	\$48.99
	33RSLH 91	3674 005 0091	\$52.99

STIHL RAPID™ MICRO™- RM (SEMI CHISEL) COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / .058"	35RM 72	3651 005 0072	\$41.99

STIHL RAPID™ MICRO™- RM (SEMI CHISEL)

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / .058"	36RM 66	3652 005 0066	\$37.99

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.

**STIHL RAPID™ SUPER- RS (FULL CHISEL)** COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / .058"	35RS 60	3622 005 0060	\$34.99
	35RS 68	3622 005 0068	\$39.99
	35RS 72	3622 005 0072	\$41.99
	35RS 84	3622 005 0084	\$48.99
	35RS 93	3622 005 0093	\$53.99
	36RM 114	3652 005 0114	\$66.99

STIHL RAPID™ HEXA™ - RH (FULL CHISEL) COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / 0.063"	36RH 60	3132 005 0060	\$38.99
	36RH 66	3132 005 0066	\$42.99
	36RH 72	3132 005 0072	\$45.99
	36RH 84	3132 005 0084	\$53.99
	36RH 91	3132 005 0091	\$57.99
	36RH 105	3132 005 0105	\$66.99
	33RH 114	3132 005 0114	\$71.99

STIHL RAPID™ HEXA™ - RH3 (FULL CHISEL) COLOR CODED: GREEN

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / 0.063"	36RH3 66	3134 005 0066	\$42.99
	36RH3 72	3134 005 0072	\$45.99
	36RH3 84	3134 005 0084	\$53.99

STIHL RAPID™ HEXA™ - RHF (FULL CHISEL FULL SKIP) COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / 0.063"	36RHF 72	3136 005 0072	\$45.99
	36RHF 84	3136 005 0084	\$53.99
	36RHF 91	3136 005 0091	\$57.99
	36RHF 105	3136 005 0105	\$66.99
	36RHF 114	3136 005 0114	\$71.99

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.

**STIHL RAPID™ MICRO™- RM (SEMI CHISEL)** COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / .063"	36RM 60	3652 005 0060	\$34.99
	36RM 72	3652 005 0072	\$41.99
	36RM 84	3652 005 0084	\$48.99
	36RM 91	3652 005 0091	\$52.99
	36RM 98	3652 005 0098	\$56.99
	36RM 105	3652 005 0105	\$60.99
	36RM 114	3652 005 0114	\$66.99

STIHL RAPID™ MICRO™ 3- RM3 (SEMI CHISEL) COLOR CODED: GREEN

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / .063"	36RM3 60	3664 005 0060	\$34.99
	36RM3 66	3664 005 0066	\$37.99
	36RM3 72	3664 005 0072	\$41.99
	36RM3 84	3664 005 0084	\$48.99
	36RM3 98	3664 005 0098	\$56.99
	36RM3 114	3664 005 0114	\$66.99

STIHL RAPID™ SUPER- RS (FULL CHISEL) COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / .063"	36RS 60	3621 005 0060	\$34.99
	36RS 66	3621 005 0066	\$37.99
	36RS 72	3621 005 0072	\$41.99
	36RS 84	3621 005 0084	\$48.99
	36RS 91	3621 005 0091	\$52.99
	36RS 98	3621 005 0098	\$56.99
	36RS 105	3621 005 0105	\$60.99
	36RS 114	3621 005 0114	\$66.99

STIHL RAPID™ SUPER 3- RS3 (FULL CHISEL) COLOR CODED: GREEN

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / .063"	36RS3 60	3626 005 0060	\$18.00
	36RS3 66	3626 005 0066	\$37.99
	36RS3 72	3626 005 0072	\$41.99
	36RS3 84	3626 005 0084	\$48.99

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.

**STIHL RAPID™ SUPER SQUARE GROUND- RSLF (FULL CHISEL FULL SKIP)** COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / .063"	36RSLF 72	3673 005 0072	\$41.99
	36RSLF 84	3673 005 0084	\$48.99
	36RSLF 91	3673 005 0091	\$52.99
	36RSLF 105	3673 005 0105	\$60.99
	36RSLF 114	3673 005 0114	\$66.99
	36RSLF 115	3673 005 0115	\$66.99

STIHL RAPID™ SUPER- RS (FULL CHISEL) COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
.404" / .063"	46RS 66	3946 005 0066	\$44.99
	46RS 77	3946 005 0077	\$51.99
	46RS 80	3946 005 0080	\$53.99
	46RS 91	3946 005 0091	\$60.99
	46RS 108	3946 005 0108	\$72.99
	46RS 123	3946 005 0123	\$83.99
	46RS 138	3946 005 0138	\$93.99

STIHL RAPID™ SUPER SQUARE GROUND- RSLF (FULL CHISEL FULL SKIP) COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
.404" / .063"	46RSLF 95	3851 005 0095	\$60.99
	46RSLF 108	3851 005 0108	\$72.99
	46RSLF 123	3851 005 0123	\$83.99
	46RSLF 173	3851 005 0173	\$116.99

STIHL PICCO™ MICRO™ MINI 3- PMM3 (SEMI CHISEL) COLOR CODED: GREEN

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" STIHL PICCO™ .043"	61PMM3 39	3610 005 0039	\$18.99
	61PMM3 40	3610 005 0040	\$19.99
	61PMM3 44	3610 005 0044	\$21.99
	61PMM3 45	3610 005 0045	\$21.99
	61PMM3 50	3610 005 0050	\$24.99
	61PMM3 52	3610 005 0052	\$25.99
	61PMM3 55	3610 005 0055	\$26.99
	61PMM3 56	3610 005 0056	\$26.99
	61PMM3 61	3610 005 0061	\$29.99
61PMM3 64	3610 005 0064	\$31.99	

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.

**STIHL PICCO™ SUPER 3- PS3 (FULL CHISEL)** COLOR CODED: GREEN

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" STIHL PICCO™ .043"	61PS3 44	3699 005 0044	\$21.99
	61PS3 50	3699 005 0050	\$24.99
	61PS3 55	3699 005 0055	\$26.99
	61PS3 61	3699 005 0061	\$29.99

STIHL PICCO™ MICRO™ - PM (SEMI CHISEL) COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" STIHL PICCO™ / .050"	63PM 39	3613 005 0039	\$20.99
	63PM 40	3613 005 0040	\$20.99
	63PM 44	3613 005 0044	\$22.99
	63PM 45	3613 005 0045	\$23.99
	63PM 50	3613 005 0050	\$26.99
	63PM 52	3613 005 0052	\$27.99
	63PM 55	3613 005 0055	\$28.99
	63PM 56	3613 005 0056	\$28.99
	63PM 57	3613 005 0057	\$29.99
	63PM 60	3613 005 0060	\$31.99
	63PM 61	3613 005 0061	\$31.99
	63PM 62	3613 005 0062	\$32.99

STIHL PICCO™ MICRO™ 3- PM3 (SEMI CHISEL) COLOR CODED: GREEN

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" STIHL PICCO™ / .050"	63PM3 39	3636 005 0039	\$20.99
	63PM3 40	3636 005 0040	\$20.99
	63PM3 44	3636 005 0044	\$22.99
	63PM3 45	3636 005 0045	\$23.99
	63PM3 50	3636 005 0050	\$26.99
	63PM3 51	3636 005 0051	\$26.99
	63PM3 52	3636 005 0052	\$27.99
	63PM3 55	3636 005 0055	\$28.99
	63PM3 56	3636 005 0056	\$28.99
	63PM3 57	3636 005 0057	\$29.99
	63PM3 61	3636 005 0061	\$31.99
	63PM3 62	3636 005 0062	\$32.99

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.

**STIHL PICCO™ SUPER- PS (FULL CHISEL) COLOR CODED: YELLOW**

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" STIHL PICCO™ / .050"	63PS 44	3617 005 0044	\$22.99
	63PS 45	3617 005 0045	\$23.99
	63PS 50	3617 005 0050	\$26.99
	63PS 52	3617 005 0052	\$27.99
	63PS 55	3617 005 0055	\$28.99
	63PS 56	3617 005 0056	\$28.99
	63PS 61	3617 005 0061	\$31.99
	63PS 62	3617 005 0062	\$32.99

STIHL PICCO™ SUPER 3- PS3 (FULL CHISEL) COLOR CODED: GREEN COLOR CODED: GREEN

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" STIHL PICCO™ / .050"	63PS3 44	3616 005 0044	\$22.99
	63PS3 45	3616 005 0045	\$23.99
	63PS3 50	3616 005 0050	\$26.99
	63PS3 52	3616 005 0052	\$27.99
	63PS3 55	3616 005 0055	\$28.99
	63PS3 56	3616 005 0056	\$28.99
	63PS3 57	3616 005 0057	\$29.99
	63PS3 62	3616 005 0062	\$32.99
	63PS3 61	3616 005 0061	\$31.99

STIHL PICCO™ MICRO™ 3- PM3 (SEMI CHISEL) COLOR CODED: GREEN

Pitch / Gauge	Marketing Number	Part Number	SRP
1/4" STIHL PICCO™ / .043"	71PM3 28	3670 005 0028	\$17.99
	71PM3 56	3670 005 0056	\$25.99
	71PM3 64	3670 005 0064	\$28.99
	71PM3 65	3670 005 0065	\$28.99
	71PM3 72	3670 005 0072	\$32.99

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.

**OILOMATIC® CARBIDE SAW CHAIN LOOPS** COLOR CODED: GREEN

Pitch / Gauge	Marketing Number	Part Number	SRP
.325" / .050"	23RD3 62	3696 005 0062	\$72.99
	23RD3 66	3696 005 0066	\$79.99
	23RD3 67	3696 005 0067	\$79.99
	23RD3 68	3696 005 0068	\$79.99
	23RD3 72	3696 005 0072	\$86.99
	23RD3 74	3696 005 0074	\$86.99
	23RD3 81	3696 005 0081	\$96.99
.325" / .063"	26RD3 62	3667 005 0062	\$72.99
	26RD3 67	3667 005 0067	\$73.99
	26RD3 68	3667 005 0068	\$79.99
	26RD3 74	3667 005 0074	\$86.99
	26RD3 81	3667 005 0081	\$89.99
3/8" / .050"	33RD3 60	3681 005 0060	\$89.99
	33RD3 66	3681 005 0066	\$98.99
	33RD3 72	3681 005 0072	\$108.99
	33RD3 84	3681 005 0084	\$125.99
	33RD3 91	3681 005 0091	\$134.99
3/8" / .063"	36RD3 72	3683 005 0072	\$108.99
	36RD3 60	3683 005 0060	\$88.99
	36RM3 66	3683 005 0066	\$98.99
	36RD3 84	3683 005 0084	\$125.99
3/8" / .050"	63PD3 44	3612 005 0044	\$63.99
	63PD3 50	3612 005 0050	\$71.99
	63 PD3 52	3612 005 0052	\$74.99
	63PD3 55	3612 005 0055	\$79.99
	63PD3 56	3612 005 0056	\$80.99
	63PD3 61	3612 005 0061	\$87.99

Chain Saws

OILOMATIC® CARBIDE SAW CHAIN FOR MS 460/461/462 RESCUE ONLY! COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / .063"	36RDR 72	3944 005 0072	\$391.99

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.

**STIHL RAPID™ MICRO™ - RMX (SEMI CHISEL RIPPING)**

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / .050"	33RMX 72	3691 005 0072	\$41.99
	33RMX 84	3691 005 0084	\$48.99
	33RMX 91	3691 005 0091	\$52.99
	33RMX 105	3691 005 0105	\$60.99
	33RMX 114	3691 005 0114	\$66.99
3/8" / .063"	36RMX 72	3653 005 0072	\$41.99
	36RMX 84	3653 005 0084	\$48.99
	36RMX 105	3653 005 0105	\$60.99
	36RMX 114	3653 005 0114	\$66.99
.404" / .063"	46RMX 108	3838 005 0108	\$72.99

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.



GS 461 ROCK BOSS® CHAINS

	Description	Bar	Part Number	SRP
	36 GBM - General Purpose Diamond Chain & Rim Sprocket	16"	3213 005 0064	\$630.99
	36 GBE - Economy/Rental Diamond Chain & Rim Sprocket	16"	3214 005 0064	\$401.99

Chain Saws

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.



OILOMATIC® 100 FOOT SAW CHAIN REELS

Pitch / Gauge	Marketing Number	Part Number	SRP
1/4" / .043"	71PM3 100R*	3670 005 2400	\$802.99
	13RM 100R	3660 005 2400	\$1,283.99
1/4" / .050"	13RMS 100R	3661 005 2400	\$1,283.99
	23RM 100R	3693 005 1840	\$652.99
	23RM3 100R*	3695 005 1840	\$652.99
.325" / .050"	23RS 100R	3690 005 1840	\$652.99
	23RS3 100R	3694 005 1840	\$652.99
	25RS 100R	3638 005 1840	\$652.99
.325" / .058"	25RM 100R	3685 005 1840	\$652.99
	25RM3 100R*	3688 005 1840	\$652.99
	26RM 100R	3686 005 1840	\$652.99
.325" / .063"	26RM3 100R*	3689 005 1840	\$652.99
	26RS 100R	3639 005 1840	\$652.99
	61PMM3 100R*	3610 005 1640	\$567.99
3/8" STIHL PICCO™ / .043"	61PS3 100R*	3699 005 1640	\$567.99
	63PM 100R	3613 005 1640	\$577.99
3/8" STIHL PICCO™ / .050"	63PM3 100*	3636 005 1640	\$577.99
	63PS 100R	3617 005 1640	\$620.99
	33RH 100R	3133 005 1640	\$748.99
3/8" / .050"	33RH3 100R	3135 005 1640	\$748.99
	33RHF 100R	3137 005 1640	\$748.99
	33RM 100R	3650 005 1640	\$674.99
	33RM3 100R*	3662 005 1640	\$674.99
	33RMF 100R	3654 005 1640	\$674.99
	33RS 100R	3623 005 1640	\$674.99
	33RS3 100R*	3624 005 1640	\$674.99
	33RSF 100R	3676 005 1640	\$674.99
	33RSK 100R	3874 005 1640	\$674.99
	33RSLH 100R	3674 005 1640	\$674.99
	33RSLF 100R	3672 005 1640	\$674.99
	33RSL 100R	3679 005 1640	\$674.99
	35RS 100R	3622 005 1640	\$674.99

*Denotes Color Coded Green

Chain Saws

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.



Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / .063"	36RH 100R	3132 005 1640	\$748.99
	36RH3 100R	3134 005 1640	\$748.99
	36RHF 100R	3136 005 1640	\$748.99
	36RM3 100R*	3664 005 1640	\$674.99
	36RSLF 100R	3673 005 1640	\$674.99
	36RS 100R	3621 005 1640	\$674.99
	36RSLH 100R	3675 005 1640	\$674.99
	36RSL 100R	3680 005 1640	\$674.99
	36RS3 100R*	3626 005 1640	\$674.99
	.404" / .063"	46RM 100R	3668 005 1480
46RMF 100 R		3671 005 1480	\$781.99
46RS 100R		3946 005 1480	\$781.99
46RSLF 100R		3851 005 1480	\$781.99

*Denotes Color Coded Green

OILOMATIC® 50 FOOT SAW CHAIN REELS COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
.404" / .080"	40RMHS 50R	3620 000 0740	\$470.99

OILOMATIC® 25 FOOT SAW CHAIN REELS

Pitch / Gauge	Marketing Number	Part Number	SRP
1/4" / .043"	71PM3 25R*	3670 005 0600	\$203.99
1/4-050 SEMI	13RM 25R	3660 005 0600	\$374.99
.325" / .050"	23RM3 25R*	3695 005 0460	\$181.99
	23RM 25R	3693 005 0460	\$181.99
.325" / .058"	25RM 25R	3685 005 0460	\$181.99
	25RM3 25R*	3688 005 0460	\$181.99
	25RS 25R	3638 005 0460	\$181.99
.325" / .063"	26RM 25R	3686 005 0460	\$181.99
	26RM3 25R*	3689 005 0460	\$181.99
	26RS 25R	3639 005 0460	\$181.99
3/8" STIHL PICCO™ / .043"	61PMM3 25R*	3610 005 0410	\$160.99
	61PS3 25R*	3699 005 0410	\$160.99
3/8" STIHL PICCO™ / .050"	63PM 25R	3613 005 0410	\$160.99
	63PM3 25R*	3636 005 0410	\$160.99
	63PS 25R	3617 005 0410	\$160.99
	63PS3 25R*	3616 005 0410	\$160.99

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.



Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / .050"	23RS	3690 005 0460	\$181.99
	33RH 25R	3133 005 0410	\$203.99
	33RH3 25R	3135 005 0410	\$203.99
	33RHF 25R	3137 005 0410	\$203.99
	33RM 25R	3650 005 0410	\$181.99
	33RM3 25R*	3662 005 0410	\$181.99
	33RMF 25R	3654 005 0410	\$181.99
	33RS 25R	3623 005 0410	\$181.99
	33RS3 25R*	3624 005 0410	\$181.99
	33RSF 25R	3676 005 0410	\$181.99
	33RSK 25R	3874 005 0410	\$181.99
	33RSLF 25R	3672 005 0410	\$181.99
	33RSLH 25R	3674 005 0410	\$181.99
	3/8" / .058"	35RS 25R	3622 005 0410
3/8" / .063"	36RH 25R	3132 005 0410	\$203.99
	36RHF 25R	3136 005 0410	\$203.99
	36RM 25R	3652 005 0410	\$181.99
	36RS 25R	3621 005 0410	\$181.99
	36RSLF 25R	3673 005 0410	\$181.99
.404" / .063"	46RM 25R	3668 005 0370	\$192.99
	46RMF 25R	3671 005 0370	\$192.99
	46RS 25R	3946 005 0370	\$192.99
	46RSLF 25R	3851 005 0370	\$192.99

*Denotes Color Coded Green

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.



OILOMATIC® CARBIDE SAW CHAIN REEL COLOR CODED: GREEN

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / .050" STIHL PICCO™ Duro	63PD3 100R*	3612 005 1640	\$1,851.99
	63PD3 25R*	3612 005 0410	\$460.99
.325" / .050"	23RD3 100R*	3696 005 1840	\$1,958.99
.325" / .058"	25RD3 100R*	3666 005 1840	\$1,295.00
.325" / .063"	26RD3 100R*	3667 005 1840	\$1,958.99
3/8" / .050"	33RD3 100R*	3681 005 1640	\$2,268.99
	33RD3 25R*	3681 005 0410	\$567.99
3/8" / .063"	36RD3 100R*	3683 005 1640	\$2,268.99
	36RD3 25R*	3683 005 0410	\$567.99

* Green Color-Coded Chain

OILOMATIC® CARBIDE SAW CHAIN FOR MS 460/461/462 RESCUE ONLY!

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / .063" 25' Reel	36RDR 25R	3944 005 0410	\$2,032.99

OILOMATIC® 50 FOOT SAW CHAIN REELS COLOR CODED: YELLOW

Pitch / Gauge	Marketing Number	Part Number	SRP
.404" / .080"	40RMHS 50R	3620 000 0740	\$470.99

STIHL RAPID™ MICRO™- RMX (SEMI CHISEL RIPPING) COLOR CODED: YELLOW 100 FOOT REELS

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / .050"	33RMX 100R	3691 005 1640	\$674.99
3/8" / .063" <small>Notes: Color Coded Green</small>	36RMX 100R	3653 005 1640	\$674.99
.404" / .063"	46RMX 100R	3838 005 1480	\$781.99

STIHL RAPID™ MICRO™- RMX (SEMI CHISEL RIPPING) COLOR CODED: YELLOW 25 FOOT REELS

Pitch / Gauge	Marketing Number	Part Number	SRP
3/8" / .050"	33RMX 25R	3691 005 0410	\$181.99
3/8" / .063"	36RMX 25R	3653 005 0410	\$181.99

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.

**1/4" SPUR SPROCKET KITS FOR USE WITH CARVING BARS**

Description	Part Number	SRP
Spur Sprockets Kit Includes: Sprocket and Oil Pump Drive		
Spur Kit - MS 200 T / MS 200	1129 007 1002	\$35.49

MS 150 C-E, MS 150 T C-E

Description	Part Number	SRP
Spur Sprockets		
1/4" STIHL PICCO™, 8T	1146 640 2004	\$32.49

MS 170, MS 171, MS 180 C, MS 181, MS 191 T, MS 210, MS 211, 017, 018 C, 019 T, 021, 023 L, 025, MS 250

Description	Part Number	SRP
Rim Sprocket Kit Includes: Clutch Drum, Rim Sprocket, Clutch Washer and E-Clip		
3/8" STIHL PICCO™, 7 Tooth Rim Kit	1123 007 1030	\$49.49
3/8" STIHL PICCO™, 7 Tooth Spur	1123 640 2002	\$30.49
3/8" STIHL PICCO™, 6 Tooth Spu	1123 640 2003	\$30.49

MS 192 C-E, MS 192 T C-E, MS 193, MS 193 T

Description	Part Number	SRP
Spur Sprockets		
3/8" STIHL PICCO™, 7 Tooth Spur	1137 640 2007	\$35.49
Spur Kit - MS 192 T	1137 640 2009	\$31.49
3/8" STIHL PICCO™, 6 Tooth Spur	1137 640 2005	\$35.49

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.

**MS 200, MS 200 T, MS 020 T**


Description	Part Number	SRP
Spur Sprockets Kit Includes: Sprocket and Oil Pump Drive		
3/8" STIHL PICCO™, 7 Tooth Spur	1129 640 2050	\$35.49

MS 201, MS 201 T

Description	Part Number	SRP
Spur Sprockets Kit Includes: Sprocket and Oil Pump Drive		
3/8" STIHL STIHL PICCO™ 6T	1145 640 2010	\$30.49
3/8" STIHL STIHL PICCO™ 7T	1145 640 2050	\$35.49


MS 230, MS 241, MS 250, 023, 025

Description	Part Number	SRP
Rim Sprocket Kit Includes: Clutch Drum, Rim Sprocket, Clutch Washer and E-Clip		
.325" Pitch, 8 Tooth Rim Kit	1123 007 1031	\$49.49
.325" Pitch, 7 Tooth Rim Kit	1123 007 1032	\$49.49

MS 230, MS 241, MS 250, 023, 027


Description	Part Number	SRP
Spur Sprockets		
.325" Pitch, 7 Tooth Spur	1123 640 2074	\$30.49

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.

**MS 251**

Description	Part Number	SRP
Rim Sprocket Kit Includes: Clutch Drum, Rim Sprocket, Clutch Washer and E-Clip		
.3/8" STIHL PICCO™, 7 Tooth	1143 007 1002	\$49.49
.325" Pitch, 7 Tooth Rim Kit	1143 007 1003	\$49.49
.3/8" STIHL PICCO™, 6 Tooth Spur	1143 640 2000	\$30.49
.325" Pitch, 7 Tooth Spur	1143 640 2002	\$30.49

Chain Saws

MS 260, MS 270, MS 280, O24, O26

Description	Part Number	SRP
Rim Sprocket Kit Includes: Clutch Drum, Rim Sprocket, Clutch Washer and E-Clip		
.325" Pitch, 8 Tooth Rim Kit	1121 007 1038	\$50.99
3/8" Pitch, 7 Tooth Rim Kit	1121 007 1041	\$50.99
.325" Pitch, 7 Tooth - MS 270/280	1121 640 2004	\$31.99

MS 260, MS 270, MS 280, O24, O26

Description	Part Number	SRP
Spur Sprockets		
.325" Pitch, 8 Tooth Spur	1121 640 2005	\$31.99

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.

**MS 260, MS 270, MS 280, MS 024, MS 026, MS 261, MS 271**

Description	Part Number	SRP
Rim Sprocket Kit Includes: Clutch Drum, Rim Sprocket, Clutch Washer and E-Clip		
.325" Pitch, 7 Tooth Kit - MS 260	1121 007 1037	\$50.99

MS 261, MS 271, MS 291

Description	Part Number	SRP
Rim Sprocket Kit Includes: Clutch Drum, Rim Sprocket, Clutch Washer and E-Clip		
.325" Pitch, 7 Tooth Rim Kit - MS 261	1141 007 1002	\$50.99
.325" Pitch, 7 Tooth Spur - MS 271	1141 640 2001	\$31.99
3/8" Pitch, 7 Tooth Spur	1141 640 2003	\$31.99

MS 290, MS 310, MS 390, 034, 036, 029, 039

Description	Part Number	SRP
Spur Sprockets		
.325" Pitch, 8 Tooth Spur - MS 290	1125 640 2008	\$35.49

MS 311, MS 391

Description	Part Number	SRP
Spur Sprockets		
3/8" Pitch, 7 Tooth Spur - MS 311/391	1140 640 2000	\$35.49

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.

**MS 360**

Description	Part Number	SRP
Rim Sprocket Kit Includes: Clutch Drum, Rim Sprocket, Clutch Washer and E-Clip		
3/8" Pitch, 7 Tooth Rim Kit	1125 007 1041	\$54.49

MS 361 C-Q, MS 362 C-Q

Description	Part Number	SRP
Rim Sprocket Kit Includes: Clutch Drum, Rim Sprocket, Clutch Washer and E-Clip		
3/8" Pitch, 7 Tooth Rim Kit	1135 007 1002	\$54.49

MS 361, MS 362, MS 440, MS 441, MS 460, 044, 046

Description	Part Number	SRP
Rim Sprocket Kit Includes: Clutch Drum, Rim Sprocket, Clutch Washer and E-Clip		
.325" Pitch 9 Tooth Rim Kit	1128 007 1011	\$54.49
3/8" Pitch, 7 Tooth Spur Sprocket	1128 640 2000	\$35.49

**MS 361, MS 362, MS 440, MS 441, MS 460, 044, 048**

Description	Part Number	SRP
Rim Sprocket Kit Includes: Clutch Drum, Rim Sprocket, Clutch Washer and E-Clip		
3/8" Pitch, 7 Tooth Rim Kit	1128 007 1000	\$54.49
3/8" Pitch, 8 Tooth Rim Kit	1128 007 1001	\$54.49

Chain Saws

MS 461

Description	Part Number	SRP
Rim Sprocket Kit Includes: Clutch Drum, Rim Sprocket, Clutch Washer and E-Clip		
3/8" Pitch, 7 Tooth Rim Kit	1128 007 1017	\$54.49
3/8" Pitch, 7 Tooth Spur Sprockets	1128 640 2003	\$35.49

**MS 650, MS 660, MS 661, 064, 066**

Description	Part Number	SRP
Rim Sprocket Kit Includes: Clutch Drum, Rim Sprocket, Clutch Washer and E-Clip		
3/8" Pitch 7 Tooth Rim Kit	1122 007 1000	\$57.99
3/8" Pitch, 8 Tooth Rim Kit	1122 007 1001	\$57.99
.404" Pitch, 7 Tooth Rim Kit	1122 007 1002	\$57.99
3/8" Pitch, 8 Tooth Spur Sprocket	1122 640 2000	\$38.49
3/8" Pitch, 7 Tooth Spur Sprocket	1122 640 2002	\$38.49

MS 880, 084, 088

Description	Part Number	SRP
Rim Sprocket Kit Includes: Clutch Drum, Rim Sprocket, Clutch Washer and E-Clip		
.404" Pitch, 7 Tooth Rim Kit	1124 007 1024	\$60.49
3/8" Pitch 8 Tooth Rim Kit	1124 007 1025	\$60.49
3/8" Pitch, 8 Tooth Spur Sprocket	1124 640 2004	\$40.99
.404" Pitch, 7 Tooth Spur Sprocket	1124 640 2005	\$40.99

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.



REPLACEMENT RIM SPROCKETS



Description	Part Number	SRP
3/8" Pitch, 7 Tooth Spur	1125 640 2004	\$35.49
.404" Pitch, 7 Tooth Rim Sprocket. For use with MS 650, MS 660, MS 661, 064, 066, MS 880, 084, 088	0000 642 1207	\$10.49
3/8" Pitch, 7 Tooth Rim Sprocket. For use with MS 360, MS 361 C-Q, MS 362 C-Q, MS 361, MS 362, MS 440, MS 441, MS 460, 044, 046, MS 461, MS 650, MS 660, MS 661, 064, 066	0000 642 1223	\$10.49
3/8" Pitch, 7 Tooth Rim Sprocket. For use with MS 260, MS 270, MS 280, 024, 026, MS 261, MS 271, MS 291, MS 290, MS 310, MS 390, 034, 036, 0229, 039, MS 290, MS 210, MS 390, 034, 036, 029, 039	0000 642 1231	\$10.49
.325" Pitch, 8 Tooth Rim Sprocket. For use with MS 230, MS 241, MS 250, 023, 025, MS 251, MS 260, MS 270, MS 280, 024, 026, MS 261, MS 271, MS 291, MS 290, MS 310, MS 390, 034, 036, 029, 039, MS 311, MS 391	0000 642 1234	\$10.49
.325" Pitch, 7 Tooth Rim Sprocket. For use with MS 230, MS 241, MS 250, 023, 025, MS 251, MS 260, MS 270, MS 280, 024, 026, MS 261, MS 271, MS 291, MS 290, MS 310, MS 390, 034, 036, 029, 039, MS 311, MS 391	0000 642 1236	\$10.49
.325" Pitch, 9 Tooth Rim Sprocket. For use with MS 360, MS 361 C-Q, MS 362 C-Q, MS 361, MS 362, MS 440, MS 441, MS 460, 044, 046, MS 461	0000 642 1239	\$10.49
3/8" STIHL PICCO™, 7 Tooth Rim. For use with MS 170, MS 171, MS 180 C, MS 191 T, MS 210, MS 211, 017, 018 C, 019 T, 021, 023 L, MS 251	0000 642 1240	\$10.49

RIM SPROCKET KIT INCLUDES: CLUTCH DRUM, RIM SPROCKET, CLUTCH WASHER AND E-CLIP



Description	Part Number	SRP
.325" Pitch, 7 Tooth Rim Kit. For use with MS 290, MS 310, MS 390, 034, 036, 029, 039, MS 311, MS 391, MS 360, MS 361, MS 362, MS 440, MS 441, MS 460, 044, 046, MS 650, MS 660, MS 661, 064, 066	1125 007 1001	\$54.49
3/8" Pitch, 7 Tooth Rim Kit. For use with MS 251, MS 261, MS 271, MS 291, MS 290, MS 310, MS 390, 034, 036, 029, 039, MS 311, MS 391, MS 650, MS 660, MS 661, 064, 066	1125 007 1002	\$54.49
.325" Pitch, 8 Tooth Rim Kit. For use with MS 290, MS 310, MS 390, 034, 036, 029, 039, MS 311, MS 391, MS 361, MS 362, MS 440, MS 441, MS 460, 044, 046, MS 650, MS 660, MS 661, 064, 066	1125 007 1000	\$54.49

SPUR SPROCKETS

Description	Part Number	SRP
.325" Pitch, 8 Tooth Spur	1123 640 2006	\$30.49

IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.



IMPORTANT: STIHL recommends the use of STIHL green labeled, low kickback saw chain and reduced kickback guide bars for all chain saw powerheads. Read and follow all warnings and instructions that are included with STIHL chain saws, saw chain and guide bars.

CUT-OFF MACHINES & ROCK BOSS®

TS 410

TS 420

TS 440

TS 500i

TS 700

TS 710.0i

TS 800

TS 910.0i

GS 461 ROCK BOSS®

ACCESSORIES

GS 461 ROCK BOSS® ACCESSORIES

GS 461 ROCK BOSS® CHAINS

GS 461 ROCK BOSS® CHAIN REPAIR

DRY CUTTING ABRASIVE WHEELS

ASPHALT DIAMOND WHEELS

CONCRETE DIAMOND WHEELS

MULTI-PURPOSE DIAMOND WHEELS

DUCTILE IRON WHEELS

**D-SB90 FAST CUTTING PREMIUM CONCRETE DIAMOND
WHEELS**

D-SB90N REDUCED NOISE WHEEL

FW 20 STIHL CUTQUIK® CART

WATER ATTACHMENT

PRESSURIZED WATER TANK FOR HANDHELD USE

WATER HOSE ADAPTER

WHEEL KIT FOR HANDHELD USE

RENTAL KIT - TOOL HOLDER

ARBOR ADAPTER

AIR FILTER KITS- BLISTER PACKED





TS 410

Series 4238



Displacement: 66.7 cc (4.07 cu. in.)
 Engine Power: 3.2 kW (4.4 bhp)
 Weight: 9.4 kg (20.7 lbs.)*
 Fuel Capacity: 710 cc (24 oz.)
 Engine Speed: 9,000 rpm (Elec. Gov.)
 Max. Spindle Speed: 5,350 rpm
 Arbor Size: 20 mm
 Max. Wheel Size: 300 mm (12")

Shown with optional diamond wheel.

Description	Guard	Part Number	SRP
Semi-Automatic Belt Tensioner; X2 Long Term Filtration System	12"	4238 011 2823 US	\$1,339.99

*Dry weight includes water attachment and guard.

TS 420

Series 4238



Displacement: 66.7 cc (4.07 cu. in.)
 Engine Power: 3.2 kW (4.4 bhp)
 Weight: 9.6 kg (21.2 lbs.)*
 Fuel Capacity: 710 cc (24 oz.)
 Engine Speed: 9,000 rpm (Elec. Gov.)
 Max. Spindle Speed: 5,350 rpm
 Arbor Size: 20 mm
 Max. Wheel Size: 350 mm (14")

Shown with optional diamond wheel.

Description	Guard	Part Number	SRP
Semi-Automatic Belt Tensioner; X2 Long Term Filtration System	14"	4238 011 2821 US	\$1,399.99

*Dry weight includes water attachment and guard.

TS 440



Displacement: 66.7 cc (4.07 in.)
 Engine Power: 3.2 kW (4.4 bhp)
 Weight: 11.1 kg (24.7 lbs.)*
 Fuel Capacity: 710 cc (24.0 oz.)
 Engine Speed: 9,000 rpm (Elec. Gov.)
 Max Spindle Speed: 2525 rpm
 Arbor Size: 20 mm
 Max Wheel Size: 350 mm (14")

NOTE: Not for use with cart systems.

Shown with optional diamond wheel

Description	Guard	Part Number	SRP
TS 440 STIHL Cutquik® features expanded guard adjustability made possible due to sensor-activated wheel brake technology.	14"	4238 011 2828 US	\$1,699.99

*Dry weight includes water attachment and guard.



TS 500i

Series 4250



Displacement: 72.2 cc (4.41 cu. in.)
 Engine Power: 3.9 kW (5.2 bhp)
 Weight: 10.2 kg (22.5 lbs.)*
 Fuel Capacity: 725 cc (24.5 oz.)
 Engine Speed: 9,000 rpm (Elec. Gov.)
 Max. Spindle Speed: 5,350 rpm
 Arbor Size: 20 mm
 Max. Wheel Size: 350 mm (14")

NOTE: Water Attachment Included

*Weight includes water attachment and guard. Shown with optional STIHL diamond wheel.

Description	Part Number	SRP
Electronic Fuel Injection; Automatic Water Control; X2 Long Term Filtration System; Semi-Automatic Belt Tensioner	4250 011 2811 US	\$1,899.99

*Dry weight includes water attachment and guard.

TS 700

Series 4224



Displacement: 98.5 cc (6.0 cu. in.),
 Engine Power: 5.0 kW (6.7 bhp),
 Weight: 11.6 kg (25.6 lbs.)*
 Fuel Capacity: 1200 cc (40.6 oz.)
 Engine Speed: 9,300 rpm (Elec. Gov.)
 Max. Spindle Speed: 5,350 rpm
 Arbor Size: 20 mm
 Max. Wheel Size: 350 mm (14")

NOTE: Water Attachment Included

*Weight includes water attachment and guard. Shown with optional STIHL diamond wheel.

Description	Part Number	SRP
X2 Long Term Filtration System; Semi Automatic Belt Tensioner	4224 011 2801 US	\$1,929.99

*Dry weight includes water attachment and guard.

TS 710.0i



Shown with optional diamond wheel

Displacement: 92 cc (5.6 cu. in.),
 Engine Power: 5.2 kW (7.0 bhp)
 Weight: 12.2 kg (26.9 lbs.)*
 Fuel Capacity: 1250 cc (42.3 oz.)
 Engine Speed: 9,800 rpm (Elec. Gov.)
 Max Spindle Speed: 5,350 rpm
 Arbor Size: 20 mm (0.8")
 Max. Wheel Size: 350 mm (14")

Description	Part Number	SRP
X2 Low Maintenance air filtration system, performance increase up to 4% of the TS 700	TB01 011 2801	\$2,039.99

*Dry weight includes water attachment and guard.



TS 800

Series 4224



Displacement: 98.5 cc (6.0 cu. in.)
 Engine Power: 5.0 kW (6.7 bhp)
 Weight: 12.7 kg (28.0 lbs.)*
 Fuel Capacity: 1200 cc (40.6 oz.)
 Engine Speed: 9,300 rpm (Elec. Gov.)
 Max. Spindle Speed: 4,600 rpm
 Arbor Size: 20 mm
 Max. Wheel Size: 400 mm (16")

NOTE: Water Attachment Included

*Weight includes water attachment and guard. Shown with optional STIHL diamond wheel.

Description	Part Number	SRP
X2 Long Term Filtration System; Semi Automatic Belt Tensioner	4224 011 2821 US	\$1,899.99

*Dry weight includes water attachment and guard.

TS 910.0i



Shown with optional diamond wheel

Displacement: 102 cc (6.2 cu. in.)
 Engine Power: 6.2 kW (8.3 bhp)
 Weight: 12.8 kg (28.2 lbs.)*
 Fuel Capacity: 1250 cc (42.3 oz.)
 Engine Speed: 9800 rpm (Elec. Gov.)
 Max Spindle Speed: 4,600 rpm
 Arbor Size: 20 mm
 Max. Wheel Size: 400 mm (16")

Description	Part Number	SRP
X2 Low Maintenance air filtration system, performance increase up to 24% of the TS 800	TB01 011 2821	\$2,249.99

*Dry weight includes water attachment and guard.

REINFORCEMENT BELT COVER

Description	Part Number	SRP
Metal Reinforcement Belt Cover for TS 910i	TB01 700 8107	\$99.99



GS 461 ROCK BOSS®

Series 4252



Displacement: 76.5 cc (4.67 cu. in.)
 Engine Power: 4.3 kW (5.8 bhp)
 Weight*: 7.6 kg (16.8 lbs.)*
 Fuel Capacity: 781 cc (26.4 oz.)
 Diamond Abrasive Chain: 3/8" 36 GMB
 Guide Bar Lengths (Recommended Ranges)**: 40cm (16") STIHL ROLLO-MATIC® G

Description	Bar Length**	Guide Bar	Chain	Scabbard	Part Number	SRP
36 GBM- general purpose diamond chain & rim sprocket	16"	3006 000 1513	3213 005 0064	0000 792 9175	4252 200 0050	\$2,629.99
36 GGM- diamond chain for ductile iron	18"	3006 000 1417	3212 005 0070	0000 792 9175	4252 200 0035	\$2,659.99
36 GBE- economy/ rental diamond chain & rim sprocket	16"	3006 000 1513	3214 005 0064	0000 792 9175	4252 200 0065	\$2,529.99

NOTE: The GS 461 must be used with water. Dry use will quickly damage the bar and chain.
 *Dry weight and powerhead only
 **The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

**GS 461 ROCK BOSS® ACCESSORIES**

Description	Part Number	SRP
Rim Sprocket & Cap Kit	7010 871 0245	\$12.99
Cut Guide	4252 660 0900	\$44.99

GS 461 ROCK BOSS® CHAINS

Description	Bar	Part Number	SRP
36 GBM - General Purpose Diamond Chain & Rim Sprocket	16"	3213 005 0064	\$630.99
36 GBE - Economy/Rental Diamond Chain & Rim Sprocket	16"	3214 005 0064	\$401.99

CHAIN FOR DUCTILE IRON

Description	Drive Links	Part Number	SRP
36 GGM Diamond Chain for Ductile iron	70	3212 005 0070	\$652.99

STIHL ROLLOMATIC® (STANDARD, LAMINATED) SPECIAL VERSIONS- DUCTILE IRON PIPE

Description	Bar	Part Number	SRP
STIHL ROLLOMATIC® G Guide Bar for 36 GGM chain	17.7"	3006 000 1417	\$267.99

STIHL ROLLOMATIC® (STANDARD, LAMINATED) SPECIAL VERSIONS- STIHL ROCK BOSS®

Description	Bar	Part Number	SRP
STIHL ROLLOMATIC® G 3/8" Pitch, .063 Gauge	16"	3006 000 1513	\$256.99

GS 461 ROCK BOSS® CHAIN REPAIR

Description	Part Number	SRP
Drive link 3/8" G	3210 662 1150	\$6.99
Short drive link 3/8" G	3210 662 1151	\$7.99
Contains 5 tie straps and 5 present tie straps	3210 007 1000	\$7.49
Set of tools 3/8" G	5805 007 1002	\$28.99



DRY CUTTING ABRASIVE WHEELS



General Purpose Metal



General Purpose Masonry



Asphalt & Ductile Iron

Description	Arbor	Part Number	SRP
9" (230mm) K-ME Wheel; General Purpose Metal	7/8"	0835 012 8000	\$8.99
12" (300mm) K-ME Wheel; General Purpose Metal	20 mm	0835 010 8000	\$8.99
12" (300mm) Wheel; General Purpose Masonry	1"	0835 020 8003	\$8.99
12" (300mm) K-DG Wheel; Asphalt & Ductile Iron	20 mm	0835 030 8000	\$8.99
14" (350mm) K-ME Wheel; General Purpose Metal	20 mm	0835 010 8001	\$11.99
14" (350mm) K-ME Wheel; General Purpose Metal (for TS 440 ONLY)	20 mm	0835 012 8001	\$11.99
14" (350mm) K-BA Wheel; General Purpose Masonry	20 mm	0835 020 8001	\$11.99
14" (350mm) K-DG Wheel; Asphalt/Ductile Iron	20 mm	0835 030 8001	\$11.99
14" (350MM) Wheel; General Purpose Metal	1"	0835 010 8004	\$11.99
16" (400mm) K-ME Wheel; General Purpose Metal	20 mm	0835 010 8006	\$14.99
16" (400mm) K-DG Wheel; Asphalt & Ductile Iron	20 mm	0835 030 8002	\$14.99

**D-BA10 ECONOMY ASPHALT DIAMOND WHEELS**

Size	Part Number	SRP
12" (300 mm)	0835 094 8006	\$125.99
14" (350 mm)	0835 094 8007	\$182.99
16" (400 mm)	0835 094 8008	\$239.99

D-BA60 QUALITY ASPHALT DIAMOND WHEELS

Size	Part Number	SRP
12" (300 mm)	0835 094 8009	\$194.99
14" (350 mm)	0835 094 8010	\$239.99
16" (400 mm)	0835 094 8011	\$250.99

D-B10 ECONOMY CONCRETE DIAMOND WHEELS FORMERLY B 10 WHEELS

Size	Part Number	SRP
9" (230 mm)	0835 090 8050	\$68.99
12" (300 mm)	0835 090 8051	\$114.99
14" (350 mm)	0835 090 8052	\$125.99
16" (400 mm)	0835 090 8053	\$205.99

D-B20 QUALITY CONCRETE DIAMOND WHEELS FORMERLY B 20 WHEELS

Size	Part Number	SRP
14" (350 mm)	0835 090 8054	\$239.99
16" (400 mm)	0835 090 8055	\$273.99

D-B80 PREMIUM CONCRETE DIAMOND WHEELS FORMERLY B 80 WHEELS

Size	Part Number	SRP
14" (350 mm)	0835 090 8056	\$319.99
16" (400 mm)	0835 090 8057	\$388.99

D-BA90 PREMIUM MULTI-PURPOSE DIAMOND WHEELS FORMERLY BA 80 WHEELS

Size	Part Number	SRP
12" (300 mm)	0835 094 8012	\$263.99
14" (350 mm) (350 mm)	0835 094 8013	\$297.99
16" (400 mm)	0835 094 8014	\$342.99




D-G80 WHEELS PREMIUM DUCTILE IRON WHEELS



Size	Part Number	SRP
Premium Grade		
14" (350 mm)	0835 070 8000	\$320.99
9" (230 mm)	0835 070 8001	\$139.99
12" (300 mm)	0835 070 8002	\$235.99

D-SB90 FAST CUTTING PREMIUM CONCRETE DIAMOND WHEELS



Size	Part Number	SRP
12" (300 mm)	0835 096 8004	\$217.99
14" (350 mm)	0835 096 8005	\$354.99
16" (400 mm)	0835 096 8006	\$422.99

Once stock is depleted new part numbers: 0835 096 8008 (Cutting wheel D-SB90 Ø 300mm/12") 0835 096 8009 (Cutting wheel D-SB90 Ø 350mm/14")

D-SB90N REDUCED NOISE WHEEL



Size	Part Number	SRP
12" (300 mm)	0835 097 8001	\$267.99



D-R80 RESCUE CUTTING WHEEL

Size	Part Number	SRP
------	-------------	-----

For use by specially trained Fire & Rescue personnel ONLY!



9" (230 mm)	0835 095 8000	\$139.99
12" (300 mm)	0835 095 8001	\$235.99
14" (350 mm)	0835 095 8002	\$320.99

D-SB80 CUTTING WHEELS

Size	Part Number	SRP
------	-------------	-----



9" (230 mm)	0835 096 8007	\$160.99
14" (350 mm)	0835 096 8002	\$331.99
16" (400 mm)	0835 096 8003	\$422.99

Cut-Off
Machines

**FW 20 STIHL CUTQUIK® CART (NOT FOR USE WITH TS 440)**

Description	Part Number	SRP
FW 20 Cart - Mounting kit, water tank and guide NOT included.		
FW 20 Cart for TS 400, 410, 420, 480i, 500i, 700, 800, 710i & 910i Cart ONLY Mounting kit, water tank and guide NOT included.	4224 710 1403	\$435.99

FW 20 STIHL CUTQUIK® CART

Description	Part Number	SRP
Adapter/Mounting Kit for TS 710i and TS 910i	TB01 790 0702	\$176.99
TS 700 / 800 Mounting Kit	4224 790 0705	\$176.99
TS 400 Kit	4223 790 0702	\$164.99
TS 410 / 420 / 480i / 500i Mounting Kit	4250 790 0702	\$164.99
Cutting Guide Arm	4205 007 1009	\$57.99

FW 20 STIHL CUTQUIK® CART

Description	Part Number	SRP
Water tank with mounting kit	4224 007 1009	\$184.99

WATER ATTACHMENT FOR TS 350, TS 360, TS 400, AND TS 460

Description	Part Number	SRP
Water Attachment Kit	4201 007 1014	\$44.99

PRESSURIZED WATER TANK FOR HANDHELD USE

Description	Part Number	SRP
Portable pressurized water tank		
Key Product Features: 10 Liter / 2.6 Gallon pressurized up to 43 PSI Recessed grip for easy carrying Cleanable filter Standard quick connect fitting 13' of transparent tube Large pedestal for stability Funnel	0000 670 6000	\$119.99



WHEEL KIT FOR HANDHELD USE



Description	Part Number	SRP
Roller Wheel Kit for TS 410, TS 420, TS 400 TS 480i, TS 500i TS 700 & TS 800 TS 710i & TS 910i	4224 007 1014	\$44.99

RENTAL KIT - TOOL HOLDER



Fits Model	Part Number	SRP
TS 410, TS 420, TS 700, TS 800 and GS 461	4238 670 3603	\$38.99

ARBOR ADAPTER



Description	Part Number	SRP
Reducing Ring: 1" to 20MM For abrasive wheels only.	0000 708 4200	\$10.49

NOTE: 25 Arbor Adaptors Per Case. Order Individually; 25 Arbor Adaptors = 1 Case.

AIR FILTER KITS- BLISTER PACKED

Description	Part Number	SRP
TS 460, TS 510, TS 760 Filter Kit	4221 007 1002	\$34.99
TS 400 Filter Kit	4223 007 1010	\$39.99
TS 700, TS 800	4224 007 1013	\$23.99
TS 410, TS 420, TS 500i Filter Kit	4238 140 4404	\$31.99

NOTE: 10 Filters Per Case - Order Individually; 10 filters = 1 case.

CORDED ELECTRIC

BGE 61

BGE 71

MSE 141 C

MSE 170 C-B

MSE 210 C-B

MSE 250 C

HSE 52 Electric Double-Sided

HSE 70 Electric Double-Sided

RE 80

RE 90 Plus

RE 100 Plus

RE 110 Plus

FSE 60

SE 33

SE 62

SE 122

ACCESSORIES

BGE 71 Vacuum Kit

SE 33 Accessories

SE 62 Accessories

SE 122 Accessories

Wet/ Dry Vacuum Accessories

RE Accessories





BGE 61



120 V (60 hz), 1.1 kW (9.2 amps), 3.1 kg (6.8 lbs.)
Blowing Force*: 9 Newtons
Avg. Air Velocity: 58 m/sec. (130 mph)
Air Volume at Nozzle: 485 m³/h (285 cfm)
Sound Pressure Rating**: 64 dB(A)

Description	Part Number	SRP
A lightweight, powerful, quiet, easy-to-use handheld blower	4811 011 1513 US	\$169.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec². ** The sound pressure rating is measured at 50 ft.

BGE 71



120 V (60 hz), 1.1 kW (9.2 amps), 3.1 kg (6.8 lbs.)
Blowing Force*: Low speed: 6 Newtons; High speed: 9 Newtons
Avg. Air Velocity: Low speed: 47 m/sec. (105 mph); High speed: 58 m/sec. (130 mph)
Air Volume at Nozzle: Low speed: 394 m³/h (232 cfm); High speed: 485 m³/h (285 cfm)
Sound Pressure Rating**: Low speed: 58 dB(A); High speed: 64 dB(A)

Description	Part Number	SRP
A versatile, two-speed electric handheld blower for high or low speed and noise control	4811 011 1540 US	\$189.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec². ** The sound pressure rating is measured at 50 ft.

**MSE 170 C-B**

Displacement: 120 volt (60 Hz)
 Engine Power: 1.6 kW (13.1 amps)
 Weight**: 3.8 kg (8.4 lbs.)
 Chain Oil Capacity: 200 cc (6.8 oz.)
 Guide Bar Lengths*: 30 to 40 cm (12" to 16")
 STIHL ROLLOMATIC® E

Powerhead Part Number: 1209 011 4006

Discontinued, available while supplies last

Description	Bar Length*	Guide Bar	Scabbard	Chain Loop	Chain Loop PN	Part Number	SRP
MSE 170 C-B 12"	12"	3005 000 4805	0000 792 9172	63PM3 45	3636 005 0045	1209 222 4500	\$469.99
MSE 170 C-B 14"	14"	3005 000 4809	0000 792 9172	63PM3 51	3636 005 0051	1209 222 4501	\$479.99
MSE 170 C-B 16"	16"	3005 008 4813	0000 792 9173	63PM3 56	3636 005 0056	1209 200 0060	#N/A

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

**Dry Weight and Powerhead Only

MSE 210 C-B

Displacement: 120 Volt, (60 Hz)
 Engine Power: 1.8 kW (15.0 amps)
 Weight**: 4.2 kg (9.4 lbs.)
 Chain Oil Capacity: 200 cc (6.8 oz.)
 Guide Bar Lengths*: 30 to 40 cm (12" to 16")
 STIHL ROLLOMATIC® E

Powerhead Part Number: 1209 011 4024

Discontinued, available while supplies last

Description	Bar Length*	Guide Bar	Scabbard	Chain Loop	Chain Loop PN	Part Number	SRP
MSE 210 C-B	12"	3005 000 4805	0000 792 9172	63PM3 45	3636 005 0045	1209 222 4503	\$549.99
MSE 210 C-B	14"	3005 000 4809	0000 792 9172	63PM3 51	3636 005 0051	1209 222 4504	\$559.99
MSE 210 C-B	16"	3005 008 4813	0000 792 9173	63PM3 56	3636 005 0056	1209 222 4505	\$569.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

**Dry Weight and Powerhead Only



MSE 250 C



Displacement: 120 Volt, (60 Hz)
 Engine Power: 1.8 kW (15.0 amps)
 Weight**: 5.2 kg (11.5 lbs.)
 Chain Oil Capacity: 200 cc (6.8 oz.)
 Guide Bar Lengths*: 40 or 45 cm (16" to 20") STIHL LIGHT O4

Powerhead Part Number: 1210 011 4002

Discontinued, available while supplies last

Description	Bar Length*	Guide Bar	Scabbard	Chain Loop	Chain Loop PN	Part Number	SRP
MSE 250 C	16"	3003 008 8913	0000 792 9175	33RS3 60	3624 005 0060	1210 200 0031	\$699.99
MSE 250 C	18"	3003 008 8917	0000 792 9175	33RS3 66	3624 005 0066	1210 200 0020	\$709.99
MSE 250 C	20"	3003 008 8921	0000 792 9176	33RS3 72	3624 005 0072	1210 200 0021	\$719.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only

HSE 52 ELECTRIC DOUBLE-SIDED



Displacement: 120 volt (60 Hz)
 Engine Power: 460 w (3.8 amps)
 Weight: 3.1 kg (6.8 lbs.)
 Blade Length: 50.8 cm (20")
 Strokes per Minute: 3,400

Discontinued, available while supplies last

Description	Part Number	SRP
20" Double Sided Blades Maximum Cutting Diameter: .71"	4818 011 3535 US	\$199.99



HSE 70 ELECTRIC DOUBLE-SIDED



Displacement: 120 volt (60 Hz),
Engine Power: 500 w (4.5 amps)
Weight: 4.2 kg (9.3 lbs.)
Blade Length: 61.0 cm (24")
Strokes per Minute: 3,200

Description	Part Number	SRP
24" Double Sided Blades Maximum Cutting Diameter: .71"	4812 011 3541 US	\$219.99



ELECTRIC | PRESSURE WASHERS

RE 80



Weight: 7.0 kg(16.5 lbs.), Water Pressure: 1,600 psi, Water Flow: 1.2 GPM
 Cleaning Units: 1,920
 Power: 1.5 kW
 Hose Length: 16.4 ft.
 Lance Length: 33 inches
 Cord Length: 35 ft.

Description	Part Number	SRP
RE 80 Electric Pressure Washer	RE02 011 4511 US	\$179.99

RE 90 PLUS



Weight: 19.8 lbs., Water Pressure: 1,800 psi, Water Flow: 1.2 GPM
 Cleaning Units: 2,160
 Power: 1.5 kW
 Lance Length: 33 inches
 Hose Length: 19'
 Power Cord Length: 35 ft.

Description	Part Number	SRP
RE 90 Plus High Pressure Washer	RE02 011 4523 US	\$239.99

RE 100 PLUS



Weight: 19.8 lbs., Water Pressure: 1,800 psi, Water Flow: 1.2 GPM
 Cleaning Units: 2,160
 Power: 1.5 kW
 Hose Length: 19.68 ft.
 Lance Length: 33 in.
 Power Cord Length: 35 ft.

Description	Part Number	SRP
RE 100 Plus High Pressure Washer	RE02 011 4555 US	\$329.99



RE 110 PLUS



Weight : 42 lbs., Water Pressure: 2,000 psi, Water Flow: 1.2 GPM
Cleaning Units: 2,400
Power: 1.5 kW
Hose Length: 23 ft.
Lance Length: 42"
Power Cord Length: 35 ft.

Description	Part Number	SRP
RE 110 Plus Electric Pressure Washer	4950 011 4537 US	\$399.99



FSE 60



Displacement: 120 volt (60 Hz),
Engine Power: 0.6 kW (5.3 amps),
Weight*: 4.0 kg (8.8 lbs.)*
Cutting Swath: 35.5 cm (14")

Description	Part Number	SRP
60 dB(A), Curved Shaft, Loop Handle Includes: AutoCut® C 6-2 Head, Deflector and Protective Glasses	4809 011 4130 US	\$189.99

*Weight without cutting attachment or deflector.

**SE 33**

120 V (60 Hz), 1.0 kW (8.3 amps), 11.7 lbs
 Suction: 210 mbar (84 in H₂O)
 Air Flow: 127 cfm
 Container Capacity: 3.2 gal
 Suction Hose Length: 6.6 ft
 Power Cord Length: 13.1 ft

Description	Part Number	SRP
3.2 Gal Container Capacity; Includes: Wet foam filter; Crevice nozzle, Floor nozzle, 6.6 ft. Suction hose, two 19.3 in. extension tubes, washable PET filter, Paper filter bag (package of 5)	SE01 012 4410 US	\$109.99

SE 62

120 V (60 Hz), 1.0 kW (8.3 amps), 7.5 kg (16.5 lbs.)
 Suction: 210 mbar (84 in H₂O)
 Air Flow: 3600 L/min (127 cfm)
 Container Capacity: 20.0 L (5.2 gal.)
 Suction Hose Length: 2.5 m (8.2 ft.)
 Power Cord Length: 5.0 m (16.4 ft.)

Description	Part Number	SRP
5.2 Gal Container Capacity; Aluminum tubes; Built in filter cleaning system Includes: Floor Tool, Crevice Tool, Universal Tool	4784 012 4406 US	\$219.99

SE 122

120 V (60 Hz), 1.2 kW (10.0 amps), 12.1 kg (26.7 lbs.)
 Suction: 250 mbar (100 in H₂O)
 Air Flow: 3700 L/min (130 cfm)
 Container Capacity: 30.0 L (7.9 gal.)
 Suction Hose Length: 3.0 m (9.8 ft.)
 Power Cord Length: 7.5 m (24.6 ft.)

Description	Part Number	SRP
7.9 Gal Container Capacity; Stainless Steel Tubes; Counterflow Cleaning of PET Pleated Filter; Removable Accessories Box Includes: Deluxe Adjustable Floor Tool, Extended Reach Crevice Tool, Upholstery Tool	4774 012 4407 US	\$429.99

**BGE 71 VACUUM KIT**

Description	Part Number	SRP
Vacuum Kit for BGE 71	4811 700 2201	\$58.99

NOTE: Fits all current handheld blowers and shredder vacs.

SE 33 ACCESSORIES

Description	Part Number	SRP
Filter Bags- Pack of 5	SE01 500 9000	\$14.99
Replacement PET Filter	SE01 703 5900	\$24.99

SE 62 ACCESSORIES

Description	Part Number	SRP
SE 61/62 Paper Pleated Filter	4709 703 5900	\$49.49
SE 61/62 Vacuum Hose	4901 500 0514	\$59.99
Standard SE 61/62 - Floor Tool	4901 500 2701	\$35.99
SE 61/62 Vacuum Bags - Set of Five	4901 500 9004	\$30.49
SE 61/62 Extension Tube	4901 503 1610	\$28.49

SE 122 ACCESSORIES

Description	Part Number	SRP
SE 122 PET Pleated Filter	4742 703 5900	\$77.99
SE 122 Vacuum Hose	4901 500 0504	\$72.99
SE 122 Floor Tool	4901 500 2503	\$76.49
SE 122 Vacuum Bags - Set of Five	4901 500 9007	\$36.99
SE 122 Hose Coupler - For Joining Two Hoses	4901 503 1200	\$16.49

**WET/ DRY VACUUM ACCESSORIES**

	Description	Part Number	SRP
	Optional SE 33, SE 61, SE 62, and SE 122 Accessories		
	Standard Plastic Crevice Tool - SE 122	4901 502 2200	\$9.49
	Universal Suction Nozzle	4901 502 2300	\$12.49
	Round Rubber Nozzle - Non Marring	4901 502 2400	\$16.49
	Long Brush Tool	4901 502 2600	\$18.49
	Squeegee Floor Tool for Wet Floors	4901 500 7200	\$25.99
	Wide Floor Tool	4901 502 2700	\$64.99
	Long Metal Crevice Tool	4901 502 2201	\$68.99
	Car Cleaning Kit: 300mm Crevice Nozzle; Brush Nozzle; Suction Brush; Rubber Nozzle	4901 500 9500	\$74.99
	Heavy Dirt & Debris Kit: 5.7 ft. Vacuum hose; 2 Extension Pipes; Coarse Dirt Nozzle	4901 500 9300	\$87.99
	Wet Suction Kit: Stainless Steel Filter; Slanted Rubber Nozzle; Wet Vacuum Nozzle (Not recommended for SE 33)	4901 500 9400	\$101.99
	Solid Aluminum Floor Tool For Dry Floors - Heavy Duty	4901 500 2700	\$156.49
	Squeegee Floor Tool with Wheels For Wet Floors - Heavy Duty	4901 500 2705	\$161.99
	Wide Floor Tool with Wheels For Dry Floors - Heavy Duty	4901 500 2710	\$191.49



RE ACCESSORIES



Hose Cassette with Quick Connects
Note: Requires (4950 790 5400) bracket to mount on the RE 110 only.

4910 500 8601


\$49.99



Cleaning Kit- bayonet style for RE 80, RE 90 Plus and new RE 110 Plus

4910 500 6111

\$32.99



RE 110 Hose cassette bracket

4950 790 5400

\$11.99

Curved Spray Lance

4910 500 1910

\$58.99



Surface Cleaner

4910 500 3911

\$59.99



Rotary Washing Brush

4910 500 5910

\$35.99



Cleaning Kit- click style for RE 90 and older RE 110 Plus.

4910 500 6110

\$32.99



Foam Nozzle

4910 500 9600

\$29.99



Spray Lance Extension

4910 500 0900

\$24.99



23' Extension Hose

4910 500 0801

\$38.99

WARNING! Improper use of any power tool may cause serious or fatal injury. Read, understand and follow carefully the operating and safety instructions in your instruction manual before using such products.

HAND TOOLS, AXES & LOGGING TOOLS

Cant Hook

Peavey

Log Stand for Peavey or Cant Hook

Cant Hook, Peavey and Log Carrier Parts

Hookaroon

Hookaroon Parts

Log Carrier

Hand Pruners

PP Sheath

Hand Pruners Replacement Blade Set

Hedge Shears

Hedge Shears Replacement Blade

Pruning Saws

Sharpening File For Pruning Saws

PS Sheath

Pruning Saws Replacement Blades

PS & PP Telescoping Pole Pruners

PP Telescoping Pole Pruner Accessories

PP 900 Arborist Pole Set

PP 900 Accessories

PP Telescoping Pole Pruner Accessories

Hand Tool Sharpener

Loppers

STIHL Precision Series™ Axes

Replacement Handles for Axes

Twisted Splitting Wedge





CANT HOOK

	Description	Part Number	SRP
	Cant Hook 42" Orange	7010 881 2600	\$132.99
	Cant Hook 48" Orange	7010 881 2602	\$139.99
	Cant Hook 60" Orange	7010 881 2604	\$150.99

PEAVEY

	Description	Part Number	SRP
	Peavey 42" Orange	7010 881 2601	\$132.99
	Peavey 48" Orange	7010 881 2603	\$139.99
	Peavey 58" Orange	7010 881 2605	\$150.99

LOG STAND FOR PEAVEY OR CANT HOOK



	Description	Part Number	SRP
	Log Stand	7010 881 2606	\$49.99

**CANT HOOK, PEAVEY AND LOG CARRIER PARTS**

Description	Part Number	SRP
Handle Grip	7010 871 0215	\$19.99
Side Hook for Log Carrier 42" & 48" Cant Hook or Peavey	7010 871 0217	\$96.49
Side Hook for 60" Cant Hook & Peavey	7010 871 0218	\$120.49
Toe Hook for Cant Hooks 3/4" Shank	7010 871 0219	\$40.49
Toe Hook for Cant Hooks	7010 871 0220	\$46.99
End Point for Peavey	7010 871 0221	\$52.99

HOKAROON

Description	Part Number	SRP
Hookaroon 30"	7010 881 2800	\$78.99

HOKAROON PARTS

Description	Part Number	SRP
Hookaroon Point	7010 871 0216	\$41.49
Handle Grip	7010 881 2500	\$19.49

LOG CARRIER

Description	Part Number	SRP
Log Carrier	7010 881 3100	\$180.99



HAND PRUNERS



Description	Cutting Capacity	Part Number	SRP
Model PP 10 Pruner	.80"	0000 882 0704	\$20.99



Model PP 30 Pruner Small Handle	.75"	0000 882 0705	\$37.99
---------------------------------	------	---------------	---------



Model PP 40 Pruner Medium Handle	.80"	0000 882 0706	\$37.99
----------------------------------	------	---------------	---------



Model PP 70 Pruner	.80"	0000 882 0707	\$60.99
--------------------	------	---------------	---------



Model PP 60 Pruner Small Handle	.75"	7010 881 3603	\$60.99
---------------------------------	------	---------------	---------



Model PP 80 Pruner Large 9" Handle	1.0"	7010 882 0702	\$60.99
------------------------------------	------	---------------	---------

PP SHEATH



Description	Part Number	SRP
Leather Sheath for all PP Models	0000 882 0710	\$14.99



HAND PRUNERS REPLACEMENT BLADE SET

Description	Part Number	SRP
Saw Blade for PP 60	7010 881 3605	\$29.99
Blade for PP 70	7010 881 3606	\$29.99
Model PP 80 Pruner Replacement Blade Set	7010 881 3607	\$29.99

HEDGE SHEARS



Description	Model	Part Number	SRP
Aluminum Handle Hedge Shear	STIHL Precision	7010 881 3608	\$119.99
	STIHL Adjustable	7010 881 3609	\$96.99
Oak Handle Hedge Shear	STIHL Heavy Duty	7010 881 3610	\$66.99

HEDGE SHEARS REPLACEMENT BLADE

Description	Model	Part Number	SRP
Precision Replacement Blade	STIHL Precision	7010 881 3611	\$48.99



PRUNING SAWS



Description	Part Number	SRP
PS 10 - 5 3/4" Blade (folding)	0000 882 0901	\$27.99



PS 30 - 6 1/2" Blade (folding)	0000 882 0902	\$42.99
--------------------------------	---------------	---------



PS 40 - 7" Blade (w/scabbard)	7010 882 0900	\$48.99
-------------------------------	---------------	---------



PS 60 - 9 1/2" Blade (w/scabbard)	7010 882 0901	\$60.99
-----------------------------------	---------------	---------



PS 70 - 11 3/4" Blade (Arborist Saw)	0000 882 0905	\$42.99
--------------------------------------	---------------	---------



PS 75 12" Curved Blade	7010 881 4101	\$66.99
---------------------------	---------------	---------



PS 80 16" Curved Blade with Bark Cutter	0000 882 0906	\$96.99
--	---------------	---------

SHARPENING FILE FOR PRUNING SAWS



Description	Part Number	SRP
Precision Saw File	0000 882 0907	\$19.99



PS SHEATH



Description	Part Number	SRP
Leather Sheath for PS 70	0000 882 0908	\$48.99
Plastic Sheath for PS 80	0000 882 2900	\$20.99

PRUNING SAWS REPLACEMENT BLADES



Description	Part Number	SRP
Replacement Saw Blade for PS 10	0000 882 0909	\$16.99
Replacement Saw Blade for PS 30	0000 882 0910	\$24.99
Replacement Saw Blade for PS 40	7010 881 9002	\$24.99
Replacement Saw Blade for PS 60	7010 881 9003	\$29.99
Replacement Blade for PS 75	7010 881 9005	\$37.99
Replacement Blade for PS 80	0000 882 3000	\$60.99
Replacement Saw Blade for PS 90	7010 881 3612	\$60.99
Replacement Blade for PS 70 or PP 900	0000 882 0913	\$24.99
Replacement Blade for PP 900 or PS 70	7010 881 9000	\$24.99
Hook Saw Blade for PP 900	7010 881 9001	\$24.99



PS & PP TELESCOPING POLE PRUNERS



Description	Cutting Capacity	Cutting Capacity w/ Saw Blade	Part Number	SRP
PP 101 Long Reach Pruner			7010 871 0407	\$132.99



PP 600 4.5'-Collapsed; 10.8' Extended*	0.75"	4.0"	7010 881 4102	\$157.99
---	-------	------	---------------	----------



PP 675 PP 600 Telescoping (7010 881 4102) with PS 75 Saw head (7010 881 4101)			7010 871 1373	
PP 800 7' collapsed; 18.5' extended*	1.25"	4.0"	7010 881 4103	\$193.99
PP 880 PP 800 telescoping (7010 881 4103) with PS 80 curved Saw Blade (0000 882 0906)			7010 871 1372	\$214.99

PP TELESCOPING POLE PRUNER ACCESSORIES



Description	Part Number	SRP
Complete Pruner Head Assembly for Cutting Up to 1.25" Limbs Fits PP 600 / 800 (rectangle pole)	7010 881 3604	\$119.99



Pruner Head Adapter (Converts circle head to fit on rectangle pole)	7010 882 0704	\$24.99
---	---------------	---------

PP 900 ARBORIST POLE SET



Description	Part Number	SRP
Pruner Set with Saw Blade Includes Pruner Attachment and Saw Blade Attachment	7010 882 0700	\$193.99



PP 900 ACCESSORIES



Description	Part Number	SRP
Pruner Head Adapter for PP 900	0000 882 0711	\$20.99

Saw Head Adapter for PP 900	0000 882 0915	\$19.99
-----------------------------	---------------	---------



6' Fiberglass Base Pole for PP 900 <i>(First pole pictured on the left)</i>	0000 882 3100	\$37.99
--	---------------	---------

14' Polyester Rope for PP 900	0000 882 3200	\$12.99
-------------------------------	---------------	---------

6' Fiberglass Mid Pole for PP 900 <i>(Second pole pictured on the right)</i>	0000 882 3900	\$37.99
---	---------------	---------

Pruner Head Fits PP 900 (Circle Pole) Will fit PP 600/ 800 with Pruner Head Adapter (7010 882 0704)	0000 882 4300	\$78.99
---	---------------	---------



Saw Head Assembly for PP 900	0000 882 4400	\$19.99
------------------------------	---------------	---------



Pruner Head Cover	7010 882 0701	\$16.99
-------------------	---------------	---------

PP TELESCOPING POLE PRUNER ACCESSORIES



Description	Part Number	SRP
Bark Cutter for PS 80	0000 882 2700	\$24.99



HAND TOOL SHARPENER



Description	Part Number	SRP
Hand Tool Sharpener	7010 881 6000	\$19.99

LOPPERS



Description	Model	Part Number	SRP
24" Handle 1" Capacity Weight: 2.1 lbs.	PL 10	0000 882 0701	\$102.99
28" Handle 2" Capacity Weight 2.75 lbs.	PL 5	7010 882 0705	\$59.99
28" Handle 2" Capacity Weight: 2.5 lbs.	PL 30	0000 882 0702	\$119.99
32" Handle 2" Capacity Weight: 2.7 lbs.	PL 40	0000 882 0703	\$132.99



STIHL PRECISION SERIES™ AXES

	Description	Part Number	SRP
	Pro Splitting Hatchet	0000 882 1005	\$66.99
	PRO Splitting Maul	7010 881 1903	\$119.99
	PRO Splitting Axe	7010 881 1904	\$119.99
	PRO Universal Forestry Axe	7010 881 1905	\$119.99
	Woodcutter Splitting Maul	7010 881 1909	\$60.99
	Woodcutter Universal Forestry Axe	7010 881 1907	\$48.99
	Woodcutter Hatchet	7010 881 1908	\$37.99



REPLACEMENT HANDLES FOR STIHL WOODCUTTER AND STIHL PRECISION SERIES™ AXES

Description	Part Number	SRP
PA 50 Handle Replacement Kit	7010 882 4701	\$17.99
PA 80 Handle Replacement Kit	7010 882 4702	\$27.99
Woodcutter Hatchet Replacement Handle Kit	7010 881 2100	\$12.99
Woodcutter Forestry Axe Replacement Handle Kit	7010 881 2101	\$24.99
Woodcutter Splitting Maul Replacement Handle Kit (For Gedore splitting heads)	7010 881 2102	\$29.99
Pro Forestry Axe Replacement Handle Kit	7010 881 2103	\$42.99
Pro Splitting Axe Replacement Handle Kit	7010 881 2104	\$42.99
Pro Splitting Maul Replacement Handle Kit	7010 881 2105	\$42.99
Pro Splitting Hatchet / PA 20 Replacement Handle Kit	7010 882 4700	\$12.99



TWISTED SPLITTING WEDGE

Description	Part Number	SRP
Aluminum Twisted Splitting Wedge 9" x 2.4"	0000 881 2221	\$82.99



POLE PRUNERS & HEDGE TRIMMERS



HL 56 K

HL 91 K (0°)

HL 94 (0°-145°)

HL 94 K 0°

HL 94 K (0°-145°)

HS 45

HS 46 C-E

HS 56

HS 82

HS 87

HT 56 C-E

HT 105

HT 134

HT 135

HT 250

ACCESSORIES

RTS Carrier Style Harness

HT Accessories

Mounting Clamp



EXTENDED & HEDGE TRIMMERS

HL 56 K

Series 4236
K - Short Shaft



Displacement: 27.2 cc (1.66 cu. in.),
Engine Power: 0.8 kW (1.07 bhp),
Weight: 5.7 kg (12.6 lbs.)
Fuel Capacity: 340 cc (1.5 oz.)
Blade Length: 50.0 cm (20.0")
Shaft Length: 65.0 cm (26.0")

Description	Part Number	SRP
Overall Length: 64" 20" Blades Fixed 0° Gearbox Includes: Basic Harness (4130 710 9000)	4236 200 0000 US	\$449.99

HL 91 K (0°)

Series 4243
K - Short Shaft



Displacement: 24.1 cc (1.5 cu. in.),
Engine Power: 0.9 kW (1.2 bhp),
Weight: 5.4 kg (11.9 lbs.)
Fuel Capacity: 540 cc (18.3 oz.)
Blade Length: 60.0 cm (24.0 in.)
Shaft Length: 65.0 cm (26.0 in.)

Description	Part Number	SRP
Overall Length: 66" 24" Blades Fixed 0° Gearbox Includes: Basic Harness (4130 710 9000)	4243 200 0020 US	\$569.99



EXTENDED & HEDGE TRIMMERS

HL 94 (0°-145°)

Series 4243



Displacement: 24.1 cc (1.5 cu. in.),
 Engine Power: 0.9 kW (1.2 bhp),
 Weight: 6.2 kg (13.7 lbs.)
 Fuel Capacity: 540 cc (18.3 oz.)
 Blade Length: 60.0 cm (24.0 in.)
 Shaft Length: 139.7 cm (55.0 in.)

Description	Part Number	SRP
Overall Length: 95.3" 24" Blades Articulating 0°-145° Gearbox Includes: Basic Harness (4130 710 9000)	4243 200 0025 US	\$679.99

HL 94 K 0°

Series 4243

K = Short Shaft



Displacement: 24.1 cc (1.5 cu. in.),
 Engine Power: 0.9 kW (1.2 bhp),
 Weight: 5.5 kg (12.1 lbs.)
 Fuel Capacity: 540 cc (18.3 oz.)
 Blade Length: 60.0 cm (24.0 in.)
 Shaft Length: 101.6 cm (40.0 in.)

Description	Part Number	SRP
Overall Length: 80" 24" Blades Fixed 0° Gearbox Includes: Basic Harness (4130 710 9000)	4243 200 0018 US	\$599.99

HL 94 K (0°-145°)

Series 4243

K = Short Shaft



Displacement: 24.1 cc (1.5 cu. in.),
 Engine Power: 0.9 kW (1.2 bhp),
 Weight: 5.8 kg (12.8 lbs.)
 Fuel Capacity: 540 cc (18.3 oz.)
 Blade Length: 60.0 cm (24.0 in.)
 Shaft Length: 96.5 cm (38.0 in.)

Description	Part Number	SRP
Overall Length: 78" 24" Blades Articulating 0°-145° Gearbox Includes: Basic Harness (4130 710 9000)	4243 200 0017 US	\$649.99

WARNING! Improper use of any power tool may cause serious or fatal injury. Read, understand and follow carefully the operating and safety instructions in your instruction manual before using such products.



EXTENDED & HEDGE TRIMMERS

HS 45

Series 4228



Packaged 2 per box
 Displacement: 27.2 cc (1.66 cu. in.),
 Engine Power: 0.75 kW (1.01 bhp),
 Weight: 4.7 kg (10.4 lbs.)
 Fuel Capacity: 230 cc (7.8 oz.)
 Blade Length: 18"
 Strokes per Minute: 3,700

Prior Part Number: 4228 011 2928

Description	Part Number	SRP
18" Double-Sided Blades	4228 011 2944 US	\$329.99

HS 46 C-E

Series 4242

E = Easy2Start™



Displacement: 21.4 cc (1.31 cu. in.),
 Engine Power: 0.65 kW (0.87 bhp),
 Weight: 4.3 kg (9.5 lbs.)
 Fuel Capacity: 280 cc (9.5 oz.)
 Blade Length: 22"
 Strokes per Minute: 3,640

Description	Part Number	SRP
22" Double Sided Blades Similar to HS 45 Easy2Start™ Starting System 1.18" Tooth Spacing	4242 011 2906 US	\$469.99

HS 56

Series 4242



Displacement: 21.4 cc (1.31 cu. in.),
 Engine Power: 0.65 kW (0.87 bhp),
 Weight: 4.5 kg (9.9 lbs.)
 Fuel Capacity: 280 cc (9.5 oz.)
 Blade Length: 24"
 Strokes per Minute: 3,640

Description	Part Number	SRP
24" Double Sided & Double Ground Blades Similar to HS 81 Blades 1.34" Tooth Spacing	4242 011 2908 US	\$489.99



EXTENDED & HEDGE TRIMMERS

HS 82

Series 4237
 R = Rejuvenating
 Swivel Handle
 Low Vibration



Displacement: 22.7 cc (1.4 cu. in.),
 Engine Power: 0.7 kW (0.94 bhp),
 Weight for HS 82 T with 24" blade: 5.1 kg (11.2 lbs.)
 Fuel Capacity: 460 cc (15.6 oz.)
 Strokes per Minute: R = 3,100 / T = 5,100

Description	Blade Length	Part Number	SRP
HS 82 R: For Rejuvenation and Heavy Pruning High Torque Gearing	24"	4237 011 2980 US	\$669.99
HS 82 R: For Rejuvenation and Heavy Pruning High Torque Gearing	30"	4237 011 2981 US	\$679.99
HS 82 T: Increased Blade Speed Designed for Trimming Applications	24"	4237 011 2987 US	\$669.99
HS 82 T: Increased Blade Speed Designed for Trimming Applications	30"	4237 011 2988 US	\$719.99

HS 87

Series 4237
 R = Rejuvenating
 Low Vibration



Displacement: 22.7 cc (1.4 cu. in.),
 Engine Power: 0.7 kW (0.94 bhp),
 Weight for HS 87 R with 30" blade: 5.5 kg (12.1 lbs.)
 Fuel Capacity: 460 cc (15.6 oz.)
 Strokes per Minute: R = 3,100 / T = 5,000

Description	Blade Length	Part Number	SRP
HS 87 R: For Rejuvenation and Heavy Pruning High Torque Gearing	30"	4237 011 2992 US	\$719.99
HS 87 T: Increased Blade Speed Designed for Trimming Applications	30"	4237 011 2997 US	\$719.99
HS 87 T Version Only: Increased Blade Speed Designed for Trimming Applications	40"	4237 011 2998 US	\$729.99



HT 56 C-E

Series 4139



Displacement: 27.2 cc (1.66 cu. in.),
 Engine Power: 0.8 kW (1.1 bhp),
 Weight**: 6.4 kg (14.1 lbs.)
 Fuel Capacity: 340 cc (11.5 oz.)
 Chain Oil Capacity: 120 cc (4.1 oz.)

Description	Bar Length*	Guide Bar	Scabbard	Chain	Chain Loop PN	Part Number	SRP
Split Shaft Fixed Length Pole Pruner (Overall Shaft Length 9' 2")	10"	3005 008 3403	0000 792 9170	71 PM3 56	3670 005 0056	4139 200 0011 US	\$449.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only

HT 105

Series 4182



Displacement: 31.4 cc (1.9 cu. in.),
 Engine Power: 1.05 kW (1.4 bhp),
 Weight**: 7.9 kg (17.4 lbs.)
 Fuel Capacity: 530 cc (17.9 oz.)
 Chain Oil Capacity: 220 cc (7.4 oz.)

Description	Bar Length*	Guide Bar	Scabbard	Chain	Chain Loop PN	Part Number	SRP
Telescoping Pole Pruner (Shaft Length 7' 6" to 11'6")	12"	3005 008 3405	0000 792 9171	71PM3 64	3670 005 0064	4182 200 0195 US	\$779.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only



HT 134

Series 4182



Displacement: 36.3 cc (2.2 cu. in.),
 Engine Power: 1.4 kW (1.9 bhp),
 Weight**: 6.35 kg (14.0 lbs.)
 Fuel Capacity: 530 cc (17.9 oz.)
 Chain Oil Capacity: 220 cc (7.4 oz.)

Description	Bar Length*	Guide Bar	Scabbard	Chain	Chain Loop PN	Part Number	SRP
Fixed Length Pole Pruner (Overall Shaft Length 5' 7") Includes: Basic Harness (4130 710 9000)	14"	3005 008 3909	0000 792 9171	61 PMM3 50	3610 005 0050	4182 200 0196 US	\$679.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only

HT 135

Series 4182



Displacement: 36.3 cc (2.2 cu. in.),
 Engine Power: 1.4 kW (1.9 bhp),
 Weight**: 7.85 kg (17.3 lbs.)
 Fuel Capacity: 530 cc (17.9 oz.)
 Chain Oil Capacity: 220 cc (7.4 oz.)

Description	Bar Length*	Guide Bar	Scabbard	Chain	Chain Loop PN	Part Number	SRP
Telescoping Pole Pruner (Shaft Length 7' 6" to 11' 6") Includes: Basic Harness (4130 710 9000)	14"	3005 008 3909	0000 792 9171	61 PMM3 50	3610 005 0050	4182 200 0201 US	\$799.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only

HT 250

Series 4134



Displacement: 40.2 cc (2.45 cu. in.),
 Engine Power: 1.6 kW (2.1 bhp),
 Weight**: 6.3 kg (13.9 lbs.)
 Fuel Capacity: 640 cc (21.6 oz.)
 Chain Oil Capacity: 220 cc (7.4 oz.)

Description	Bar Length*	Guide Bar	Scabbard	Chain	Chain Loop PN	Part Number	SRP
Fixed Length Pole Pruner (Overall Shaft Length 7') Includes: Basic Harness (4130 710 9000)	14"	3005 008 3909	0000 792 9171	61 PMM3 50	3610 005 0050	4134 200 0457 US	\$809.99

*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.
 **Dry Weight and Powerhead Only



RTS CARRIER STYLE HARNESS- COMPATIBLE WITH ALL MODELS



Description	Part Number	SRP
RTS Carrier System	0000 790 4400	\$128.99

HT ACCESSORIES



Description	Part Number	SRP
30° Gearbox for HT & HL Fixed Length (Round Shaft)	4138 640 0201	\$129.99
30° Gearbox for HT 103/ HT 105/ HT 133/ HT 135 (square shaft)	4182 640 0200	\$129.99

MOUNTING CLAMP



Description	Part Number	SRP
Mounting Clamp Use with all straps and harnesses	0000 790 8600	\$10.99

LEAF RAKE



Description	Part Number	SRP
Leaf Rake For HS 86 T or HS 87 T Only		
24" Leaf Rake- for HS 86 T	4237 740 3305	\$23.99
30" Leaf Rake- for HS 86 T and HS 87	4237 740 3300	\$25.99
40" Leaf Rake- for HS 86 and HS 87	4237 740 3301	\$25.99
30" Leaf Rake- for HS 86 & HS 87	4237 740 3302	\$25.99

iMOW®

iMow® 5 Evo

iMow® 6 Evo 4"

iMow® 7 Evo 4"

ACCESSORIES

Accessories for iMow® EVO 5, 6, 7

iMow® Kits for EVO 5, 6, 7

Adapter

Care & Clean Kit

ADV 010 Perimeter Wire Repair Connectors

AKM 100 Dock Signal Muffler

ARB 151 Perimeter Wire

ART 220 Traction Wheels for RMI 4 Series & 5 Series

ART 240 Traction Wheels for RMI 6 Series

Replacement Blades

Small Installation Kit 164yds. 2.3mm Perimeter Wire

Large Installation Kit 437yds. 2.3mm Perimeter Wire





IMOW® 5 EVO



Weight: 15 kg (33.1 lbs)
 Max Mowing Time: Up to 65 minutes
 Max. Slope: 24.2 Degrees
 Max. Mowing Area: 0.37 acres
 Cutting Height: 2.0-6.0 cm (0.8"-2.4")
 Cutting Width: 28 cm (11")

Description	Part Number	SRP
iMow® 5 EVO	IA01 011 1413 US	\$2,359.99

IMOW® 6 EVO 4"



Weight: 16 kg (35.3 lbs)
 Max. Slope: 24.2 Degrees
 Max. Mowing Area: 0.60 acres
 Cutting Height: 6.1- 10.2 cm (2.4"-4.0")
 Cutting Width: 28 cm (11")
 Max Mowing Time: Up to 150 minutes

Description	Part Number	SRP
iMow® 6 EVO 4"	IA01 011 1447 US	\$2,889.99

IMOW® 7 EVO 4"



Weight: 17 kg (37.5 lbs)
 Max. Slope: 24.2 Degrees
 Max. Mowing Area: 1.0 acre
 Cutting Height: 6.1- 10.2 cm (2.4"-4.0")
 Cutting Width: 28 cm (11")
 Max Mowing Time: Up to 240 minutes

Description	Part Number	SRP
iMow® 7 EVO 4"	IA01 011 1477 US	\$3,749.99



ACCESSORIES FOR IMOW® EVO 5, 6, 7



Description	Part Number	SRP
iMOW® Wire connector 10 pieces	IA00 007 1002	\$26.99



Basic Blades 9 pieces	IA00 007 4201	\$32.99
-----------------------	---------------	---------



iMOW® Fixing pins 3.4 mm/ 75 pieces	IA00 007 1000	\$32.99
-------------------------------------	---------------	---------



iMOW® Fixing pins BIO 3.4 mm/ 100 pieces	IA00 007 1001	\$58.99
--	---------------	---------



Basic Blades 18 pieces	IA00 007 4202	\$64.99
------------------------	---------------	---------



iMOW® Wall Mount	IA00 500 2300	\$128.99
------------------	---------------	----------



iMOW® Perimeter wire 3.4/ 150	IA00 400 8600	\$128.99
-------------------------------	---------------	----------



iMOW® Wire connector 50 pieces	IA00 007 1003	\$139.99
--------------------------------	---------------	----------



iMOW® Sunroof Canopy	IA01 780 4300	\$299.99
----------------------	---------------	----------



iMOW® Perimeter wire 3.4/ 500	IA00 400 8601	\$385.99
-------------------------------	---------------	----------

**iMOW® KITS FOR EVO 5, 6, 7**

	Description	Part Number	SRP
	Fix Kit 1 iMOW® Perimeter wire	IA00 007 1007	\$42.99
	Upgrade Kit 10, iMOW® Traction wheels	IA01 007 4710	\$117.99
	Install KIT 1 iMOW®	IA00 007 1004	\$197.99
	Install KIT 3 BIO iMOW®	IA00 007 1006	\$385.99
	Install KIT 2 PLUS iMOW®	IA00 007 1005	\$454.99

ADAPTER

	Description	Part Number	SRP
	Charge adapter iMOW®	IA00 400 5500	\$96.99



CARE & CLEAN KIT



Description	Part Number	SRP
Care & Clean Kit iMOW® 1	0782 516 8600	\$21.99
Care & Clean Kit iMOW® Plus 2	0782 516 8605	\$32.99



ONLY IMOW® RMI 422 & 632 ACCESSORIES BELOW

ADV 010 PERIMETER WIRE REPAIR CONNECTORS



Description	Case Qty	Part Number	SRP
Perimeter wire waterproof repair connectors for 2.3 mm and 3.4 mm wire	10	6909 007 1090	\$14.99

Note: Part number (6909 007 1090) will supersede to (6909 007 1091)

AKM 100 DOCK SIGNAL MUFFLER



Description	Part Number	SRP
Dock Signal Muffler	6909 007 1089	\$21.99

ARB 151 PERIMETER WIRE



Description	Part Number	SRP
2.3 mm bulk wire 164 yards	0000 400 8630	\$74.99

Note: (0000 400 8630) will supersede to (0000 400 8633)

ART 220 TRACTION WHEELS FOR RMI 4 SERIES & 5 SERIES



Description	Part Number	SRP
Traction wheels for RMI 422 & 522 series	6909 700 0425	\$32.99

ART 240 TRACTION WHEELS FOR RMI 6 SERIES



Description	Part Number	SRP
Traction wheels for RMI 632	6909 700 0412	\$37.99

**REPLACEMENT BLADES**

Description	Part Number	SRP
Replacement Blade for RMI 422 & RMI 522	6301 702 0101	\$16.99
Replacement Blade for RMI 632	6309 702 0102	\$16.99

SMALL INSTALLATION KIT 164YDS. 2.3MM PERIMETER WIRE

Description	Part Number	SRP
Installation kit includes: 164 yards of 2.3 mm diameter perimeter wire, 150 stakes, 2 press-fit docking station connectors, 3 wire connectors	6909 007 1018	\$74.99

LARGE INSTALLATION KIT 437YDS. 2.3MM PERIMETER WIRE

Description	Part Number	SRP
Installation kit includes: 437 yards of 2.3 mm diameter perimeter wire (2 x 219 yd coils), 375 stakes, 2 press-fit docking station connectors, 7 wire connectors	6909 007 1019	\$174.99



KOMBI

KM 56 R C-E

KM 91 R

KM 94 R

KM 111 R

KM 131 R

ACCESSORIES

Attachments



KM 56 R C-E

Series 4144



Packaged 2 per box
Displacement: 27.2 cc (1.7 cu. in.)
Engine Power: 0.8 kW (1.1 bhp)
Weight*: 4.3 kg (9.5 lbs.)
Fuel Capacity: 340 cc (11.5 oz.)

Description	Part Number	SRP
Includes: Loop Handle with Barrier Bars and Basic Harness (4130 710 9000)	4144 200 0017 US	\$269.99
Service Kit for KM 56 R C-E	4144 007 1800	\$19.99

*Dry Weight and Powerhead Only

KM 91 R

Series 4180



Packaged 2 per box
Displacement: 28.4 cc (1.7 cu. in.)
Engine Power: 0.1 kW (1.3 bhp)
Weight*: 4.4 kg (9.7 lbs.)
Fuel Capacity: 710 cc (24.0 oz.)

Description	Part Number	SRP
Includes: Loop Handle with Barrier Bars and Deluxe Harness (4119 710 9011)	4180 200 0503 US	\$429.99

*Dry Weight and Powerhead Only

KM 94 R

Series 4149



Packaged 2 per box
Displacement: 24.1 cc (1.75 cu. in.)
Engine Power: 0.9 kW (1.2 bhp)
Weight*: 4.0 kg (8.8 lbs.)
Fuel Capacity: 540 cc (18.3 oz.)

Description	Part Number	SRP
Includes: Loop Handle with Barrier Bars and Deluxe Harness (4119 710 9011)	4149 200 0062 US	\$469.99

*Dry Weight and Powerhead Only



KM 111 R

Series 4180



Packaged 2 per box
Displacement: 31.4 cc (1.9 cu. in.)
Engine Power: 1.1 kW (1.4 bhp)
Weight*: 4.4 kg (9.7 lbs.)
Fuel Capacity: 710 cc (24.0 oz.)

Description	Part Number	SRP
Includes: Loop Handle with Barrier Bars and Deluxe Harness (4119 710 9011)	4180 200 0504 US	\$489.99

*Dry Weight and Powerhead Only

KM 131 R

Series 4180



Packaged 2 per box
Displacement: 36.3 cc (2.2 cu. in.)
Engine Power: 1.4 kW (1.9 bhp)
Weight*: 4.4 kg (9.7 lbs.)
Fuel Capacity: 710 cc (24.0 oz.)

Description	Part Number	SRP
Includes: Loop Handle with Barrier Bars and Deluxe Harness (4119 710 9011)	4180 200 0505 US	\$539.99

*Dry Weight and Powerhead Only



FBD-KM BED REDEFINER



Description	Part Number	SRP
Bed Reformer	4180 740 5000 US	\$289.99

FBD-KM BED REDEFINER BLADE

Description	Part Number	SRP
Replacement Blade	4180 710 6001	\$36.49

BF-KM MINI CULTIVATOR



Description	Part Number	SRP
Mini Cultivator	4601 740 5001 US	\$224.99

BG-KM BLOWER ATTACHMENT



Description	Part Number	SRP
Blower Attachment w/ Straight Nozzle	4606 740 5001 US	\$159.99

FCB-KM - CURVED LAWN EDGER



Description	Part Number	SRP
Curved Lawn Edger	4180 740 5003 US	\$117.99

FCS-KM - STRAIGHT LAWN EDGER



Description	Part Number	SRP
Straight Lawn Edger	4180 740 5009 US	\$214.99

**HL-KM 0° - STRAIGHT HEDGE TRIMMER**

Description	Part Number	SRP
Straight Hedge Trimmer 0° with 20" blade	4243 740 5001 US	\$204.99
Straight Hedge Trimmer 0° with 24" blade	4243 740 5010 US	\$215.99

HL-KM 145°- ADJUSTABLE HEDGE TRIMMER- W/ 20" BLADE

Description	Part Number	SRP
Adjustable Hedge Trimmer, 0° -145°, with 20" blade	4243 740 5004 US	\$299.99

HL-KM 145° ADJUSTABLE HEDGE TRIMMER- W/ 24" BLADE

Description	Part Number	SRP
Adjustable Hedge Trimmer, 0° -145° with 24" blade	4243 740 5009 US	\$319.99

HT-KM POLE PRUNER

Description	Part Number	SRP
10" Bar (3005 008 3403) Chain (3670 005 0056) 71PM3 56 Scabbard (0000 792 9170)	4182 200 0219 US	\$204.99
12" Bar (3005 008 3405) Chain (3670 005 0064) 71PM3 64 Scabbard (0000 792 9171)	4182 200 0210 US	\$214.99

**HT-KM EXTENSION, STEEL SHAFT**

Description	Part Number	SRP
Steel Shaft Extension HT KM	4140 710 7143	\$95.99

HT & HL-KM EXTENSION, CARBON FIBER SHAFT

Description	Part Number	SRP
Carbon Fiber Shaft Extension HT/HL KM	0000 710 7102	\$175.99

FH-KM - 145° ADJUSTABLE POWER SCYTHE

Description	Part Number	SRP
145° Adjustable Power Scythe	4243 740 5007 US	\$289.99

FSB-KM - CURVED SHAFT TRIMMER - AUTOCUT® C 6-2 LINE HEAD

Description	Part Number	SRP
FSB-KM AutoCut® C 6-2 Line Head	4137 740 5009 US	\$79.99

NOTE: Not for use with KMA 80 R, KMA 120 R, KM 131 R, KMA 135 R, KMA 200.0 R

FS-KM LINE HEAD TRIMMER STRAIGHT SHAFT AUTOCUT® 27-2

Description	Part Number	SRP
FS KM AutoCut® 27-2 Line Head MOQ = 2	4180 200 0471 US	\$117.99



FSS-KM



Description	Part Number	SRP
Only for KMA 200R & KM 131 R	FA03 200 0021	\$129.99

FS-KM BRUSHCUTTER WITH 4-TOOTH GRASS BLADE



Description	Part Number	SRP
FS- KM 4-Tooth Grass Blade MOQ =2	4180 200 0472 US	\$117.99

KB-KM - SWEEPER, BRISTLE BRUSH



Description	Part Number	SRP
Bristle Brush Sweeper (Includes Deflector Kit 4601 007 1009)	4601 740 4901 US	\$319.99

KW-KM SWEEPER, STIHL POWERSWEEP™



Description	Part Number	SRP
STIHL PowerSweep™ (Includes Deflector Kit 4601 007 1009)	4601 740 4900 US	\$379.99

RG-KM RECIPROCATOR



Description	Part Number	SRP
Reciprocator blades for cutting grass or weeds on difficult surfaces. Suitable for working on gravel or asphalt. This attachment can be used with all kombi units expect for KM 56 R C-E.	4180 740 5007 US	\$459.99
Dual Blades & Rider Plate Kit	4180 007 4100	\$149.99

OIL & LUBRICANTS

Contents

No Spill Containers

Pressure Washer Fluids

Chemicals

STIHL High Performance 2 Cycle Engine Oil

STIHL HP ULTRA- Full Synthetic Mix Oil

MotoMix® & Moto4™

Simple Plus Bar and Chain Oil

Bar and chain Oil

FS Trimmer Head Grease

Grease Gun and Grease

MM 55/HT Gear Box Grease

Multi-Lube Grease

Degreaser

Press Fluid

No-Spill® Gas Cans Parts & Accessories

STIHL MotoMix® Funnel



SHIPPING NOTE FROM OMNI:

Omni allows a 3-day notification period to report any discrepancies due to damage, overages/shortages, etc. Please examine your shipment upon arrival. Should there be any issues, they should be reported to STIHL within 3 business days.

DROP SHIP OIL PROGRAM

Purchase STIHL oil all year long with the DROP SHIP OIL PROGRAM and receive PREPAID FREIGHT (freight is prepaid to Seattle for Alaska Dealers). Order 35+ cases of any combination of qualifying items* (SG sprayers may also be added) and receive special pricing and terms. Truckload pricing and terms are also available if you order a full truckload of 22 pallets. Dealer price is per case. Order quantities are by the case (1 = 1 case) and must meet minimum case quantities. You must allow 3-4 weeks for delivery.

*Qualifying items include:

STIHL Two Cycle Engine Oil

STIHL Bar & Chain Oil

Pre-Mixed Fuel - MotoMix® & Moto4™

BioPlus™ Bar & Chain Oil

Chemicals/Cleaners

Pressure Washer Detergent and Oils

SG 11, SG 20 & SG 31 Sprayers (drop ship and warehouse orders will receive the same cost)

No-Spill® Fuel Containers

Case Quantity Breakdown:

1 Pail (5 Gal) = 5 Cases

1 Keg (16 Gal) = 8 Cases

1 Drum (55 Gal) = 19 Cases

2 Drums = 38 Cases

3 Drums = 57 Cases

4 Drums = 75 Cases

4 Pack of Gallon B & C oil = 1 Case

1 SG 20, 1 SG 51, 1 SG 71, 2 SG 31's or 6 SG 11's = 1 Case

4 Pack of Fuel Containers (5 gal) = 1 Case

6 Pack of Fuel Containers (1.25 or 2.5 gal) = 1 Case

[View all products](#) | [View all products](#) | [View all products](#)

Terms:

35-74 Cases = 2 Splits (ACE/DIB = Net 45)

75-174 Cases = 4 Splits (ACE/DIB = Net 75)

175+ Cases = 5 Splits (ACE/DIB = Net 75)

22 Pallets = 6 Splits (ACE/DIB = Net 75)

PLACE YOUR ORDERS VIA EBIZ
DSO = Drop Ship Only

OIL DROP SHIP PROGRAM



Note: Dealer price is per case. Minimum order for drop shipment is 35 cases of any mix oil. Order quantities are by case and must meet minimum quantities. *Minimum orders qualify for Prepaid Freight.

DROP SHIP OIL TERMS

35+ cases = 2 split payments (ACE/DIB= Net 45)

75+ cases = 4 split payments (ACE/DIB = Net 75)

175+ cases = 5 split payments (ACE/DIB = Net 75)

Truck load = 6 split payments (ACE/DIB = Net 75)



DEALERSHIP INFORMATION

Dealer Name

Dealer Number

Contact Name

Phone Number

Address

City

State

Zip/Postal Code

PO #

Month to Ship

*Please allow 2 - 3 weeks for delivery



DROP SHIP ELIGIBLE | NO SPILL CONTAINERS

NO SPILL CONTAINERS

No Spill Containers	Per Case	Part Number	Warehouse	35 Case	75 Case	175 Case	Truck Load	Case MSRP
1.25 Gallon	6	7010 881 0203	\$118.39	\$103.59	\$96.19	\$88.79	\$81.39	\$147.99
2.5 Gallon	6	7010 881 0204	\$143.99	\$125.99	\$116.99	\$107.99	\$98.99	\$179.99
5 Gallon Gas	4	7010 871 0186	\$147.99	\$129.49	\$120.24	\$110.99	\$101.74	\$184.99
5 Gallon Diesel	4	7010 871 0261	\$147.99	\$129.49	\$120.24	\$110.99	\$101.74	\$184.99
5 Gallon Kerosene	4	7010 871 0263	\$147.99	\$129.49	\$120.24	\$110.99	\$101.74	\$184.99

PRESSURE WASHER FLUIDS

Pressure Washer Fluids	Per Case	Part Number	Warehouse	35 Case	75 Case	175 Case	Truck Load	Case MSRP
30W Non-Detergent Pump Oil 16 oz.	6	7010 871 0277	\$34.39	\$30.09	\$27.94	\$25.79	\$23.64	\$42.99
10w30 Engine Oil 20 oz.	6	7010 319 0001		\$30.09	\$27.94	\$25.79	\$23.64	\$42.99
Winterization / Storage Kit 16 oz.	6	7010 871 0278	\$77.59	\$67.89	\$63.04	\$58.19	\$53.34	\$96.99
All Purpose Cleaner 1 Gal.	4	7010 871 0274	\$81.59	\$71.39	\$66.29	\$61.19	\$56.09	\$101.99
Deck & House Wash 1 Gal.	4	7010 871 0275	\$81.59	\$71.39	\$66.29	\$61.19	\$56.09	\$101.99
Heavy Duty Degreaser 1 Gal.	4	7010 871 0276	\$81.59	\$71.39	\$66.29	\$61.19	\$56.09	\$101.99

CHEMICALS

Chemicals	Per Case	Part Number	Warehouse	35 Case	75 Case	175 Case	Truck Load	Case MSRP
Carb & Choke Cleaner 11oz	6	7010 881 9400		\$26.59	\$24.69	\$22.79	\$20.89	\$37.99
All Purpose Lube Oil 4 oz	12	7010 871 0198		\$34.29	\$31.84	\$29.39	\$26.94	\$48.99
Penetrating Oil 10 oz	6	7010 881 9402		\$34.29	\$31.84	\$29.39	\$26.94	\$48.99
HS Blade Cleaner 9oz	6	7010 516 0003	\$47.19	\$41.29	\$38.34	\$35.39	\$32.44	\$58.99



STIHL HIGH PERFORMANCE 2 CYCLE ENGINE OIL

2 Cycle Engine Oil *Drop Ship Only	Per Case	Part Number	Ware-house	35 Case	75 Case	175 Case	Truck Load	Case MSRP
STIHL High Performance 2.6 oz.	48	0781 319 8008	\$97.59	\$85.39	\$79.29	\$73.19	\$67.09	\$121.99
STIHL High Performance 5.2 oz.	48	0781 319 8051	\$131.19	\$114.79	\$106.59	\$98.39	\$90.19	\$163.99
STIHL High Performance 6.4 oz.	48	0781 319 8009	\$146.39	\$128.09	\$118.94	\$109.79	\$100.64	\$182.99
STIHL High Performance 12.8 oz.	24	0781 319 8010	\$146.39	\$128.09	\$118.94	\$109.79	\$100.64	\$182.99
STIHL High Performance 1 Gal.	4	7010 871 0208	\$207.19	\$181.29	\$168.34	\$155.39	\$142.44	\$258.99
STIHL High Performance 5 Gal.	1	0781 319 8044		\$228.74	\$213.49	\$198.24	\$182.99	\$304.99
STIHL High Performance 55 Gal.	1	0781 319 8045		\$2,034.74	\$1,899.09	\$1,763.44	\$1,627.79	\$2,712.99





STIHL HP ULTRA- FULL SYNTHETIC MIX OIL

STIHL HP Ultra - Full Synthetic Mix Oil	Per Case	Part Number	Warehouse	35 Case	75 Case	175 Case	Truck Load	Case MSRP
STIHL HP Ultra 2.6 oz.	48	0781 313 8004	\$121.59	\$106.39	\$98.79	\$91.19	\$83.59	\$151.99
STIHL HP Ultra 5.2 oz.	48	0781 313 8007	\$193.59	\$169.39	\$157.29	\$145.19	\$133.09	\$241.99
STIHL HP Ultra 6.4 oz.	48	0781 313 8010	\$217.59	\$190.39	\$176.79	\$163.19	\$149.59	\$271.99
STIHL HP Ultra 12.8 oz.	24	0781 313 8013	\$213.59	\$186.89	\$173.54	\$160.19	\$146.84	\$266.99
STIHL HP Ultra 1 Gal.	4	7010 871 0210	\$309.59	\$270.89	\$251.54	\$232.19	\$212.84	\$386.99
STIHL HP Ultra 5 Gal.	1	0781 313 8016		\$362.99	\$338.79	\$314.59	\$290.39	\$483.99
STIHL HP Ultra 55 Gal.	1	0781-313-8017		\$3,434.99	\$3,205.99	\$2,976.99	\$2,747.99	\$4,579.99





MOTOMIX® & MOTO4™

MotoMix® & Moto4™	Per Case	Part Number	Ware-house	35 Case	75 Case	175 Case	Truck Load	Case MSRP
MotoMix® - 32 oz (Round Can 6 Pk)	6	7010 874 0101	\$47.19	\$44.24	\$41.29	\$38.34	\$35.39	\$58.99
MotoMix® - 1 Gal	4	7010 871 0249	-	\$112.49	\$104.99	\$97.49	\$89.99	\$149.99
MotoMix® - 5 Gal	1	7010 871 0234	-	\$145.59	\$136.49	\$127.39	\$118.29	\$181.99
MotoMix® - 55 Gal Drum	1	7010 871 0235	-	\$1,498.39	\$1,404.74	\$1,311.09	\$1,217.44	\$1,872.99
Moto4™ Plus - Gal	4	7010 319 0008	-	\$112.49	\$104.99	\$97.49	\$89.99	\$149.99
MotoMix® High Octane - 1 Gal	4	7010 319 0011	-	\$112.49	\$104.99	\$97.49	\$89.99	\$149.99
MotoMix® High Octane - 5 Gal	1	7010 319 0010	-	\$145.59	\$136.49	\$127.39	\$118.29	\$181.99

SIMPLE PLUS BAR AND CHAIN OIL

Simple Plus Bar and Chain Oil	Per Case	Part Number	Ware-house	35 Case	75 Case	175 Case	Truck Load	Case MSRP
Simple Plus Bar & Chain Oil 32 oz.	12	0781 516 5010	\$104.79	\$91.69	\$85.14	\$78.59	\$72.04	\$130.99
Simple Plus Bar & Chain Oil 1 Gal.	4	7010 871 0213	\$127.19	\$111.29	\$103.34	\$95.39	\$87.44	\$158.99
Simple Plus Bar & Chain Oil 5 Gal. Pail	1	0781 516 5014	-	\$143.99	\$134.39	\$124.79	\$115.19	\$191.99
Simple Plus Bar & Chain Oil 55 Gal.	1	0781 516 5011	-	\$1,394.24	\$1,301.29	\$1,208.34	\$1,115.39	\$1,858.99

BAR AND CHAIN OIL

Bar and Chain Oil	Per Case	Part Number	Ware-house	35 Case	75 Case	175 Case	Truck Load	Case MSRP
Platinum Bar & Chain 32 oz.	12	0781 516 5001	\$91.19	\$79.79	\$74.09	\$68.39	\$62.69	\$113.99
Platinum Bar & Chain 1 Gal.	4	7010 871 0211	\$91.19	\$79.79	\$74.09	\$68.39	\$62.69	\$113.99
Winter Grade Bar & Chain 1 Gal.	4	7010 871 0212		\$79.79	\$74.09	\$68.39	\$62.69	\$113.99
Platinum Bar & Chain 5 Gal. Pail	1	0781 516 5006	-	\$106.49	\$99.39	\$92.29	\$85.19	\$141.99
Platinum Bar & Chain 55 Gal.	1	0781 516 5007	-	\$971.99	\$907.19	\$842.39	\$777.59	\$1,295.99
Winter Grade Bar & Chain 55 Gal.	1	0781 516 4003	-	\$971.99	\$907.19	\$842.39	\$777.59	\$1,295.99
Woodcutter B&C Oil 32 oz.	12	7010 871 0279	\$82.44	\$72.74	\$67.89	\$63.04	\$58.19	\$96.99
Woodcutter B&C Oil 1 Gal.	4	7010 871 0240	\$82.44	\$72.74	\$67.89	\$63.04	\$58.19	\$96.99

***ALL ITEMS BELOW ARE EXCLUDED FROM DROP SHIP ORDERS*****FS TRIMMER HEAD GREASE**

Description	Case Qty	Part Number	SRP
FS Gearbox Grease (40 gm)	10	0781 120 1022	\$3.99
FS Gearbox Grease (80 gm) - Shown	10	0781 120 1117	\$6.99
FS Gearbox Grease (225 gm)	10	0781 120 1118	\$18.99

GREASE GUN AND GREASE

Description	Part Number	SRP
Guide Bar Grease Gun	1108 890 2580	\$13.99

MM 55/HT GEAR BOX GREASE

Description	Part Number	SRP
Gear Box Grease for MM & HT units Special High Temperature	0781 120 1004	\$30.99

MULTI-LUBE GREASE

Description	Case Qty	Part Number	SRP
Grease (80 gm)	10	0781 120 1109	\$6.99
Grease (225 gm)	25	0781 120 1110	\$18.99

DEGREASER

Description	Case Qty	Part Number	SRP
Heavy Duty Degreaser - 28 oz.	6	7010 881 9401	\$69.99

**PRESS FLUID**

Description	Case	Part Number	SRP
Aids in Assembly of Rubber Parts	54	0781 957 9000	\$3.99

NO-SPILL® GAS CANS PARTS & ACCESSORIES

Description	Part Number	SRP
Rear fill cap. Fits classic cans only	7010 871 1262	\$9.99
6"- Flexible Spout Extension	7010 871 0188	\$9.99
Nozzle Assembly	7010 871 0189	\$21.99
Viton Gasket for Nozzle	7010 871 0191	\$2.99

STIHL MOTOMIX® FUNNEL

Description	Case	Part Number	SRP
Display case of STIHL MotoMix® funnels	24	7010 881 0101	\$65.99

HIGH PRESSURE WASHERS

RB 200.0 High Pressure Washer

RB 400 DIRT BOSS® High Pressure Washer

RB 600 High Pressure Washer

RB 800 High Pressure Washer

RB Attachments

RB Nozzles

RB Replacement Hoses

RB Oils and Cleaning Solutions



PRESSURE WASHER DROP SHIP



DEALERSHIP INFORMATION

Dealer Name

Dealer Number

Contact Name

Phone Number

Address

City

State

Zip/Postal Code

PO #

*Please allow 2 - 3 weeks for delivery

ORDER INFORMATION

NOTE: \$2,500 MINIMUM FOR ALL DROP SHIP ORDERS OF PRESSURE WASHERS.

UNIT	PART NUMBER	SRP	ORDER QUANTITY

PLACE YOUR PRESSURE WASHER DROP SHIP ORDER USING ONE OF THE FOLLOWING METHODS:

- » Enter your drop ship order on eBiz
- » Fax this form to Customer Service at 1-888-784-8576
- » Scan & Email this form to Customer Service at sales.support@stihl.us

Pressure Washer Drop Ship Terms:

\$2,500 MINIMUM ORDER	OPEN ACCOUNT/ TRUE VALUE	ACF/DIB/ WELLS FARGO
	4 SPLITS	NET 75



PRESSURE WASHERS

RB 200.0



190 cc (11.59 cu. in.), 11.97 Nm, 1.4 L (1.5 qt.)

Water Pressure: 2,500 psi

Water Flow: 520 L/h (2.3 gpm)

Cleaning Units: 5,750

Hose Length: 25'

Weight: 57.32 lbs (26kg)

Includes: 25' hose; 3 Interchangeable nozzles; Handles fold for storage or transport; Spray gun with rubberized reverse pull trigger; Detergent injector system for cleaning jobs; 12" Plastic tires

Description	Part Number	SRP
RB 200 High Pressure Washer	4789 012 4606 US	\$699.99

RB 400 DIRT BOSS®



196 cc (12.0 cu. in.), 4.8 kW (6.5 hp), 3.6 L (3.8 qt.)

Water Pressure: 2,700 psi

Water Flow: 620 L/h (2.7 gpm)

Cleaning Units: 7,290

Hose Length: 25'

Includes: 25' hose; 4 Interchangeable nozzles; Handles fold for storage or transport; High-power, commercial-grade engine with durable cast iron liner; Detergent injector system; 10" Pneumatic tires

Description	Part Number	SRP
RB 400 High Pressure Washer	4790 012 4600 US	\$909.99

Note: Part number (4925 503 3200) is required for use with winterization solution.



PRESSURE WASHERS

RB 600



208 cc (12.7 cu. in.), 5.2 kW (7.0 hp), 4.0 L (4.2 qt.)

Water Pressure: 3,200 psi

Water Flow: 680 L/h (3.0 gpm)

Cleaning Units: 9,600

Hose Length: 40'

Includes: 40' high pressure steel-braided hose; 4 Interchangeable nozzles; High-power, commercial grade engine; Cage frame to protect motor and pump; Detergent injector system; Spray gun has dual handle design; Spray gun has rubberized reverse pull trigger

Description	Part Number	SRP
RB 600 High Pressure Washer	4791 012 4600 US	\$1,399.99

RB 800



429 cc (26.2 cu. in.), 10.5 kW (14.0 hp), 7.0 L (7.4 qt.)

Water Pressure: 4,200 psi

Water Flow: 910 L/h (4.0 gpm)

Cleaning Units: 16,800

Hose Length: 50'

Includes: 50' high pressure steel-braided hose; 5 Interchangeable nozzles; High-power, commercial grade engine; Cage frame to protect motor and pump; Detergent injector system; Spray gun has dual handle design; Spray gun has rubberized reverse pull trigger

Description	Part Number	SRP
RB 800 High Pressure Washer	4792 012 4600 US	\$1,979.99



PRESSURE WASHER ACCESSORIES

RB ATTACHMENTS

	Description	Case	Part Number	SRP
	Wand Coupler	5	4900 500 6704	\$11.99
	Gutter Cleaner	5	4789 007 1008	\$24.99
	Pivot Coupler	6	4789 500 6700	\$29.99
	Quick Connect Wand 19 3/4" RB 200 / 400 / 600	5	4915 500 0938	\$29.99
	Quick Connect Wand 34" Standard on RB 800, optional on RB 200 / 400 / 600	5	4915 500 0943	\$29.99
	Extension 48" Wand	5	4915 500 0300	\$35.99
	High Pressure Gun- RB 200 / 400	4	4789 500 1300	\$40.99
	High Pressure Gun with Grip RB 600 / 800		4791 500 1302	\$52.99
	Water Broom	10	4789 500 3900	\$69.99
	Rotary Surface Cleaner	5	4900 500 3904	\$152.99

Unless Noted, accessories are compatible with all models



RB NOZZLES



Description	Case	Part Number	SRP
Long Range Detergent Nozzle	5	4900 502 1023	\$11.99



RB 200 3-Pk Nozzles 15/25 Degree Spray Nozzle 65 Degree Detergent Nozzle	5	4789 007 1000	\$17.99
--	---	---------------	---------



RB 400 5-Pk Nozzles 0/15/25/40 Degree Spray Nozzle 65 Degree Detergent Nozzle	5	4790 007 1000	\$23.99
---	---	---------------	---------



RB 600 5-Pk Nozzles 0/15/25/40 Degree Spray Nozzle 65 Degree Detergent Nozzle	5	4791 007 1000	\$23.99
---	---	---------------	---------



RB 800 5-Pk Nozzles 0/15/25/40 Degree Spray Nozzles 65 Degree Detergent Nozzle	5	4792 007 1000	\$23.99
--	---	---------------	---------



Rotating Nozzle 3000 Max PSI RB 200 / 400	10	4900 500 1646	\$35.99
---	----	---------------	---------



Multi Function Nozzle 4000 Max PSI Quick Connect 6 Pattern Selector	10	4900 502 1022	\$35.99
---	----	---------------	---------



Rotating Nozzle 5100 Max PSI Brass RB 600 / 800	25	4900 500 1642	\$146.99
---	----	---------------	----------

Unless Noted, accessories are compatible with all models



RB REPLACEMENT HOSES



Description	Case	Part Number	SRP
HP Replacement Hose or Extension including Extra Connector RB 200 / 400	6	4925 500 8019	\$53.99



HP Replacement Hose or Extension RB 600	3	4925 500 0809	\$159.99
---	---	---------------	----------



50' Replacement/Extension Hose 6,000 psi RB 800	1	4925 500 0811	\$224.99
---	---	---------------	----------

Unless Noted, accessories are compatible with all models

PROTECTIVE



GLASSES

GOGGLES

STIHL ADVANCE PROCOM COMMUNICATION SYSTEM

STIHL HEARING PROTECTION

STIHL ADVANCE X-VENT HELMET SYSTEM

PARTS FOR ADVANCE X-VENT HELMET SYSTEM

STIHL PRO MARK™ HELMET SYSTEM

PARTS FOR STIHL PRO MARK™ HELMET SYSTEM

VISOR KITS

STIHL FUNCTION-BASIC HELMET SYSTEM

COMPLETE CONSTRUCTION HARD HAT SYSTEM

CHAIN SAW PROTECTIVE MITTS

GLOVES

FUNCTION WORK SHIRT

REFLECTIVE SAFETY VEST

ADVANCE ARBORIST PROTECTIVE JACKET

PRO MARK™ PROTECTIVE SHIRT

APRON CHAPS

WRAP CHAPS

HUNTER'S BIB & APRON STYLE CHAPS

STIHL HI-VIS CHAPS- DYNAMIC

STIHL HI-VIS CHAPS- PRO MARK™

ZIP CHAPS

CHAP ACCESSORIES

DYNAMIC CHAIN SAW PROTECTIVE PANTS

STIHL PRO MARK™ PERSONAL PROTECTIVE KITS

STIHL FORESTRY BOOTS

CHAPRON

DUFFEL AND EQUIPMENT BAGS WITH DUAL ZIPPERS

POCKET FIRST AID KIT



IMPORTANT INFORMATION FOR BOOTS CONTAINING CUT-RETARDANT PADS

WARNING!

These boots contain pads of cut and puncture-retardant material designed to reduce the risk or severity of injury to the parts of the foot covered by the pads in the event of contact with a rotating chain. In some contacts, the pads may stop the chain. In other contacts, the pads will resist the cutting process only for a fraction of a second. The actual degree of protection afforded will vary with the speed of the chain at the time of contact, the power of the saw and similar factors.

Severe personal injury can result from contact with the chain of your chain saw despite use of these boots. These boots are not intended to be a substitute for good safety procedures in the use of your chain saw. If the protective pads of these boots are damaged or cut, the cut-retardant qualities of the pads may be eliminated. Once the protective pads are cut or damaged, these boots should no longer be used as protective clothing.

WARNING!

Improper use of any chain saw can cause serious or fatal injury. Read and follow all safety precautions in current Instruction or Safety Manual. Your saw may be capable of severe kickback. To reduce the risk of kickback injury, use green labeled STIHL reduced kickback bar and low kickback chain and STIHL Quickstop® chain brake. Avoid contact of bar tip with any object. This can cause the bar to kick suddenly up and back which may result in serious or fatal injury.

Always use two hands to operate the saw.

WARNING!

Kickback may occur when the moving saw chain near the upper quadrant of the bar nose contacts a solid object or is pinched.

The reaction of the cutting force of the chain causes a rotational force on the chain saw in the direction opposite to the chain movement. This may fling the bar up and back in an uncontrolled arc mainly in the plane of the bar. Under some cutting circumstances the bar moves toward the operator, who may suffer severe or fatal injury.

Kickback may occur when the nose of the guide bar is pinched unexpectedly, unintentionally contacts solid material in the wood or is incorrectly used to begin a plunge or boring cut.



Protective Clothing

IMPORTANT INFORMATION FOR PROTECTIVE CLOTHING GARMENTS CONTAINING CUT-RETARDANT PADS

Leg protective garments have been certified to comply with the ASTM Standard for Leg Protection for Chain Saw Operators.

WARNING!

No one can guarantee that an injury will not occur or will be less severe because an operator wears this protective garment. It is not intended to substitute for good safety procedures in chain saw use. This garment is intended to, under limited conditions, assist the wearer in reducing the severity of injury from a running, gasoline powered chain saw which accidentally contacts the saw operator's leg. Even with this garment, severe personal injury can result from contact with the rotating chain. This garment contains pads of cut retardant material designed to reduce the risk or severity of injury to the body parts covered by the pads. In some contacts, the protective pads in this garment may resist the cutting process only for a fraction of a second. The actual degree of protection afforded will vary with the speed of the chain, the time and angle of contact, the power and torque of the saw, the design of the chain saw sprocket and similar factors. Follow all manufacturer's instructions with regard to the use and care of this garment. Failure to follow the manufacturer's instructions may result in the garment no longer having the capability of providing the minimum protection required by the ASTM standard.

WARNING FOR CORDED ELECTRIC AND BATTERY CHAIN SAW USERS!

The fibers in STIHL leg protective may not stop the sprocket on most battery and corded electric chain saws because of their constant high torque. However, STIHL recommends that leg protection be worn when operating these types of chain saws.

WARNING!

All buckles on this garment must be securely fastened. Damaged or broken buckles should be replaced immediately. Keep protective pads in garments properly positioned.

If this garment is CUT, DAMAGED OR REPAIRED it should not be used as protective clothing. The cut retardant pads in this garment are designed to rip apart when they come in contact with the moving chain and to clog the sprocket, thereby stopping the chain in some circumstances. Once out, damaged or repaired, the pads may no longer maintain this capability, and this garment may no longer be capable of providing the minimum protection required by the American Pulpwood Association, Inc. Standard.

The MATERIALS used in this garment ARE FLAMMABLE. This garment should not be used around open flames or other sources of ignition. It should be kept clean and free of volatile or combustible substances. If it becomes contaminated or soiled with gasoline, oil or other combustible substances, its use should be discontinued until laundered in accordance with the manufacturer's instructions.

Follow the manufacturer's WASHING INSTRUCTIONS carefully. Improper care may destroy the cut retardant material in this garment. If washed improperly this garment should no longer be used as protective clothing.



Everyone who operates a chain saw should wear all recommended Personal Protective Equipment, however, OSHA Reg. 1910.266 requires all employees using a chain saw to be in compliance. This means that anyone operating a chain saw while on the job must be wearing all of the PPE listed in OSHA 1910.266.

According to the U.S. Consumer Products Safety Commission, in 2020 there were an estimated 28,859 chain saw related accidents. The frequency and location of these accidents is illustrated in the chart shown.

OSHA Reg. 1910.266 requires any individual operating a chain saw while at work to wear the following items of Personal Protective Equipment (PPE):

- Head Protection
- Hearing Protection
- Face Protection
- Eye Protection
- Gloves
- Chain Saw Protective Leg Device
- Chain Saw Protective Boots

Accident Location and Frequency
as related to Chain Saw use
Total for 2023: 23,822




Chart developed by Grand Forest with 2023 statistics provided by the US Consumer Product Safety Commission

Table desarrollada por Grand Forest Inc. según las estadísticas de 2023 de la Comisión de Seguridad de Productos de Consumo de EE.UU.

How Does STIHL® ProMark™ Chain Saw Leg Protection Work?

All STIHL Chain Saw Leg Protective Apparel uses several internal layers of a patented saw jamming material called Avertic® Pro by Engtex®. Avertic® Pro by Engtex® is a fabric designed specifically for use in chain saw protective apparel. The multiple layers of Avertic® Pro by Engtex® are designed to break away from the protective apparel when snagged by a rotating saw chain and get pulled in to the sprocket of the chain saw, clogging it and stalling the saw, all within a fraction of a second.

Protective apparel containing Avertic® Pro by Engtex® have a number of unique and distinctive advantages over other cut-retardant garments:

- Avertic® Pro by Engtex® is a fiber that can be machine washed and dried before going in to service and whenever soiled during use.
- Avertic® Pro by Engtex® is an “open” weave or “breathable” material.
- Avertic® Pro by Engtex® was invented specifically to be a chain saw protective material.

All STIHL leg protection is classified by UL using ASTM Test Method F1414 in accordance with ASTM Standard F1897. All STIHL leg and foot protection meets current ASTM Standard and OSHA Reg. 1910.266.



BLACK WIDOW GLASSES



Description	Part Number	SRP
Smoke Mirror	7010 884 0301	\$19.99
Indoor/ Outdoor Lens	7010 884 0307	\$19.99

NOTE: All glasses comply with ANSI Z87.1

BLACK WORK GLASSES



Description	Part Number	SRP
Black Frame / Blue Mirror Lens	7010 884 0378	\$21.99
Black Frame / Gray Lens	7010 884 0379	\$21.99
Black Frame / Silver Mirror Lens	7010 884 0380	\$21.99

NOTE: All glasses comply with ANSI Z87.1

BLACK WRAP PROTECTIVE GLASSES



Description	Part Number	SRP
Silver Mirror Lens	7010 884 0370	\$21.99
Gold Mirror Lens	7010 884 0371	\$21.99
Smoke Lens	7010 884 0372	\$21.99

NOTE: All glasses comply with ANSI Z87.1

ADVANCE SUPER FIT



Description	Part Number	SRP
Advance Super Fit - Orange Lens	0000 884 0373	\$27.99
Advance Super Fit - Grey Lens	0000 884 0374	\$27.99
Advance Super Fit - Clear Lens	0000 884 0375	\$27.99

NOTE: All glasses comply with ANSI Z87.1

**DYNAMIC PLUS LIGHT**

Description	Part Number	SRP
Dynamic Plus Light - Clear Lens	0000 884 0370	\$22.99



Dynamic Plus Light - Grey Lens	0000 884 0371	\$22.99
--------------------------------	---------------	---------



Dynamic Plus Light - Yellow Lens	0000 884 0372	\$22.99
----------------------------------	---------------	---------

NOTE: All glasses comply with ANSI Z87.1

ADJUSTABLE PROTECTIVE GLASSES

Description	Case	Part Number	SRP
Adjustable Protective Glasses	12	7010 886 1201	\$14.99

NOTE: All glasses comply with ANSI Z87.1

BOWCUT GLASSES

Description	Case	Part Number	SRP
Bowcut Glasses	12	7010 886 1202	\$17.99

NOTE: All glasses comply with ANSI Z87.1



STIHL HELLFIRE GLASSES



Description	Part Number	SRP
Gold Mirror Lens	7010 884 0350	\$19.99
Smoke Lens	7010 884 0351	\$19.99
Silver Mirror Lens	7010 884 0352	\$19.99

NOTE: All glasses comply with ANSI Z87.1

STIHL GRIDIRON GLASSES



Description	Part Number	SRP
Clear Lens	7010 884 0355	\$19.99
Smoke Lens	7010 884 0356	\$19.99
Silver Mirror Lens	7010 884 0357	\$19.99

NOTE: All glasses comply with ANSI Z87.1

ULTRAFLEX GLASSES



Description	Part Number	SRP
Brown Lens	7010 884 0330	\$19.99
Smoke Lens	7010 884 0331	\$19.99
Mirror Lens	7010 884 0332	\$19.99

NOTE: All glasses comply with ANSI Z87.1

ULTRA LIGHT GLASSES



Description	Part Number	SRP
Ultra Light Glasses	7010 884 0391	\$7.99

Note: All glasses comply with ANSI Z87.1



WHITE ICE PROTECTIVE GLASSES



Description	Part Number	SRP
Silver Mirror Lens	7010 884 0365	\$20.99



Blue Mirror Lens	7010 884 0366	\$20.99
------------------	---------------	---------

Orange Mirror Lens	7010 884 0367	\$20.99
--------------------	---------------	---------

NOTE: All glasses comply with ANSI Z87.1

TWO-TONE SPORT PROTECTIVE GLASSES



Description	Part Number	SRP
Silver Mirror Lens	7010 884 0368	\$20.99

Smoke Lens	7010 884 0369	\$20.99
------------	---------------	---------

NOTE: All glasses comply with ANSI Z87.1

BLUE MIRROR GLASSES



Description	Part Number	SRP
Blue Frame	7010 884 0384	\$21.99



Red Frame	7010 884 0385	\$21.99
-----------	---------------	---------

NOTE: All glasses comply with ANSI Z87.1

CAMO GLASSES



Description	Part Number	SRP
Bronze Smoke Lens	7010 884 0320	\$17.99

Amber Yellow Lens	7010 884 0321	\$19.99
-------------------	---------------	---------

NOTE: All glasses comply with ANSI Z87.1

**COTTON CANDY GLASSES**

Description	Part Number	SRP
Smoke Lens	7010 884 0373	\$19.99

NOTE: All glasses comply with ANSI Z87.1

PATTERNED FRAME GLASSES

Description	Part Number	SRP
Smoke Lens	7010 884 0381	\$21.99
Green Mirror Lens	7010 884 0382	\$21.99
Silver Mirror Lens	7010 884 0383	\$21.99

Note: All glasses comply with ANSI Z87.1

SLEEK LINE GLASSES

Description	Part Number	SRP
Orange Lens	7010 884 0324	\$17.99
Smoke Lens	7010 884 0325	\$17.99
Mirror Lens	7010 884 0326	\$17.99
Yellow Lens	7010 884 0333	\$17.99

NOTE: All glasses comply with ANSI Z87.1

CLASSIC VISION POLARIZED GLASSES

Description	Case	Part Number	SRP
Classic Vision Polarized Glasses	12	7010 886 1200	\$50.99

NOTE: All glasses comply with ANSI Z87.1

SLEEK LINE II GLASSES

Description	Part Number	SRP
Black Frame/Blue Mirror Lens	7010 884 0392	\$15.99
Black Frame/Smoke Lens	7010 884 0393	\$17.99

NOTE: All glasses comply with ANSI Z87.1



STIHL TIMBERSPORTS® SERIES GLASSES



Description	Part Number	SRP
STIHL TIMBERSPORTS® Series Glasses	7010 884 0316	\$19.99

NOTE: All glasses comply with ANSI Z87.1

DEPUTY GLASSES



Description	Part Number	SRP
Black Frame / Blue Mirror Lens	7010 884 0375	\$21.99
Black Frame / Smoke Lens	7010 884 0376	\$21.99
Brown Frame / Brown Mirror	7010 884 0377	\$21.99

NOTE: All glasses comply with ANSI Z87.1

DEPUTY II GLASSES



Description	Part Number	SRP
Black Frame/Ice Blue Mirror Lens	7010 884 0395	\$25.99
Black Frame/Forest Gray Lens	7010 884 0396	\$25.99

NOTE: All glasses comply with ANSI Z87.1

HUNTER'S CAMO GLASSES



Description	Part Number	SRP
Camo frame, Gold mirror lenses	7010 884 0389	\$27.99

NOTE: All glasses comply with ANSI Z87.1

CLEAR VISTA GLASSES



Description	Case	Part Number	SRP
Blue Mirror Lens	12	7010 884 0397	\$27.99
Smoke Lens	12	7010 884 0398	\$27.99

NOTE: All glasses comply with ANSI Z87.1



STIHL PROPACK



Description	Part Number	SRP
STIHL ProPack (4 per blister pack)	7010 884 0315	\$23.99

NOTE: All glasses comply with ANSI Z87.1

PRO MARK™ GOGGLES



Description	Part Number	SRP
Clear Lens	7010 884 0362	\$21.99
Smoke Lens	7010 884 0363	\$21.99

NOTE: All goggles comply with ANSI Z87.1

ADJUSTABLE GOGGLES



Description	Part Number	SRP
Adjustable Goggles- smoke lens	7010 884 0394	\$25.99

NOTE: All glasses comply with ANSI Z87.1

STIHL ADVANCE PROCOM COMMUNICATION SYSTEM ACCESSORIES



Description	Part Number	SRP
ADVANCE ProCOM Hygiene Kit	0000 889 9047	\$22.99



ADVANCE ProCOM Microphone	0000 889 9048	\$33.99
---------------------------	---------------	---------



ADVANCE ProCOM Adapter set NOTE: This adapter set is required if the user wants to install the 0000 889 8011 Helmet Compatible Version on the STIHL ProMark™ helmet system (new version with wider 30mm ear muff slots), STIHL FUNCTION Basic helmet system and Construction Hard Hat.	0000 889 8013	\$27.99
---	---------------	---------



STIHL HEARING PROTECTION

	Description	Part Number	SRP
	NRR 27 - 50 Corded Pairs in Container	7010 884 0403	\$166.99
	Dynamic Bluetooth® Hearing Protection	0000 884 0519	\$155.99
	Camouflage Hearing Protectors; Noise Reduction Rating: 25	0000 884 0513	\$39.99
	Pro Mark™ HP 29 Premium Hearing Protectors; Noise Reduction Rating: 29	7010 884 0510	\$48.99
	Cotton Candy Hearing Protector; Noise Reduction Rating: 21	7010 884 0507	\$31.99
	STIHL TIMBERSPORTS® SPECIAL EDITION NRR 29 Hearing Protectors	7010 884 0513	\$48.99
	Dynamic NRR 26 Hearing Protectors; Noise Reduction Rating: 26	7010 884 0509	\$37.99
	Function NRR 23 Hearing Protectors; Noise Reduction Rating: 23	7010 884 0508	\$26.99
	Dynamic Bluetooth® Hearing Protection Hygiene Kit	0000 889 9005	\$17.99
	Orange Hearing Protectors Complete Hygiene Kit	0000 886 0408	\$16.99
	NRR 32 - 25 Ear Plugs Pairs in Plastic Re-closable Bottle	7010 884 0405	\$9.99
	NRR 27 - 1 Corded Pair with Case in Blister Pack	7010 884 0401	\$4.99

Note: Order from STIHL Inc.



STIHL ADVANCE X-VENT HELMET SYSTEM



Description	Part Number	SRP
ADVANCE X-VENT Bluetooth® HELMET SYSTEM with Steel Mesh Screen NRR 22; Type 1; Class C	7010 888 0801	\$199.99
Complete STIHL ADVANCE X-VENT Helmet System with Steel Mesh Screen NRR 25; Type 1; Class C	7010 884 0110	\$128.99

Note: Goggles or protective glasses meeting ANSI Z87.1 should be worn under face screen for primary eye protection.

PARTS FOR ADVANCE X-VENT HELMET SYSTEM



Description	Part Number	SRP
Rain Curtain	0000 889 8006	\$13.99
4-Point Chin Strap	0000 889 8007	\$19.99
Visor Extension	0000 889 8008	\$8.99
Helmet Sweatband	0000 889 9007	\$8.99
Complete Hygiene Kit	0000 889 9009	\$16.99
Short Peak Visor	0000 889 9011	\$12.99



	Description	Part Number	SRP
	Visor Carrier	0000 889 9013	\$21.99
	ADVANCE X-Vent Bluetooth® earmuff set	0000 889 9043	\$150.99
	Etched Stainless Steel Visor	7010 888 0600	\$50.99
	Hearing Protector Set	7010 888 0200	\$39.99
	STIHL ADVANCE X-VENT Hardhat with Suspension	7010 888 1902	\$57.99
	Ratchet Suspension	0000 889 9052	\$27.99

STIHL PRO MARK™ HELMET SYSTEM

	Description	Part Number	SRP
	Complete Pro Mark™ Helmet System with Etched Stainless Steel Mesh Screen, NRR 25+, Type 1, Class C	7010 871 0199	\$96.99
	STIHL Pro Mark™ Hardhat with Suspension	7004 884 0100	\$31.99

Note: Goggles or protective glasses meeting ANSI Z87.1 should be worn under face screen for primary eye protection. Noise Reduction Rating of 29 dB(A) or below required to meet ANSI S3.1974.



PARTS FOR STIHL PRO MARK™ HELMET SYSTEM

	Description	Part Number	SRP
	Steel Mesh Visor	7004 884 0201	\$17.99
	Visor Carrier	7004 884 0403	\$19.99
	Ratchet Suspension	7010 884 0108	\$21.99
	Helmet Sweatband	7010 871 0025	\$8.99
	Etched Stainless Steel Visor	7004 884 0202	\$50.99
	Universal Hygiene Kit For HP23, HP25, HP29, FUNCTION & Pro Mark™	7010 884 0506	\$17.99

Note: Order from Grand Forest

VISOR KITS

	Description	Case	Part Number	SRP
	<p>Polycarbonate Visor Kit- designed for maximum visibility Note: The following visors from the STIHL Pro Mark™ Helmet System work with this visor kit too: (7004 884 0201) Steel Mesh Visor (7004 884 0202) Etched Stainless Steel Visor Compatible with: (7010 884 0508) Function NRR 23 Hearing Protectors (7010 884 0509) Dynamic NRR 26 Hearing Protectors</p>	20	7010 884 0511	\$32.99
	<p>Mesh Visor Kit- designed for maximum ventilation Note: The following visors from the STIHL Pro Mark™ Helmet System work with this visor kit too: (7004 884 0201) Steel Mesh Visor (7004 884 0202) Etched Stainless Steel Visor Compatible with: (7010 884 0508) Function NRR 23 Hearing Protectors (7010 884 0509) Dynamic NRR 26 Hearing Protectors</p>		7010 884 0512	\$32.99

**VISOR KIT PARTS**

Description	Part Number	SRP
Brow Guard & Hinge System	0000 884 0478	\$1799
Replacement Polycarbonate Visor	0000 889 9025	\$1799

STIHL FUNCTION-BASIC HELMET SYSTEM

Description	Part Number	SRP
Helmet System w/ Nylon Mesh Screen NRR 22, Type 1, Class C	7010 888 0800	\$74.99

NOTE: Goggles or protective glasses meeting ANSI Z87.1 should be worn under face screen for primary eye protection. Noise Reduction Rating of 29 dB(A) required to meet ANSI S3.1974.

PARTS FOR FUNCTION-BASIC HELMET SYSTEM

Description	Part Number	SRP
Helmet w/Pinlock Suspension	7010 888 1901	\$24.99



Replaceable headband	0000 889 9044	\$8.99
----------------------	---------------	--------

Face Shield, Nylon Mesh	0000 889 9028	\$19.99
-------------------------	---------------	---------



Earmuff Function Basic (sold as a set)	7010 888 0201	\$12.99
--	---------------	---------

**STIHL ARBORIST HELMET BY KASK**

Description	Part Number	SRP
Arborist Helmet Includes: mounting adapter for hearing protection (7010 884 0204)	7010 883 9100	\$175.99

PARTS FOR STIHL ARBORIST HELMET

Description	Part Number	SRP
Clear visor	7010 884 0200	\$75.99
Mirror visor	7010 884 0201	\$102.99
Smoke visor	7010 884 0202	\$88.99
Padded Liner	7010 884 0203	\$26.99
Adaptor mount for hearing protection (NOT sold as a set)	7010 884 0204	\$16.99
Winter cap liner	7010 884 0205	\$45.99
Carry/storage bag	7010 884 0206	\$13.99

PARTS FOR STIHL PRO MARK™ & ARBORIST HELMET SYSTEM

Description	Part Number	SRP
Hearing Protector (NOT sold as a set) for STIHL Pro Mark™ & Arborist Helmets. Note: For use with Arborist helmet system, mounting adapter (7010 884 0204) is required.	7010 889 9000	\$13.99

Note: Order from Grand Forest



COMPLETE CONSTRUCTION HARD HAT SYSTEM



Description	Part Number	SRP
Construction Hard Hat System	0000 884 0175	\$95.99

Note: Goggles or protective glasses meeting ANSI Z87.1 should be worn under face screen for primary eye protection.

PARTS FOR CONSTRUCTION HARD HAT SYSTEM



Description	Part Number	SRP
Hearing Protectors (1 pair)	0000 884 0418	\$41.99



Ratchet Suspension System	0000 886 9901	\$20.99
---------------------------	---------------	---------



Visor Carrier	0000 888 0100	\$16.99
---------------	---------------	---------



Blade Mount Attachment	0000 888 0101	\$7.99
------------------------	---------------	--------



Construction Hard Hat	0000 888 0800	\$32.99
-----------------------	---------------	---------



Clear Lens Face Shield Item	0000 888 1100	\$7.99
-----------------------------	---------------	--------

Cool Guard Sweatband	0000 886 0300	\$6.99
----------------------	---------------	--------



COMPLETE HELMET SYSTEM



Description	Part Number	SRP
-------------	-------------	-----

Ratchet Suspension System	0000 886 9901	\$20.99
---------------------------	---------------	---------



Complete Helmet System; NRR 24 Type 1 Class G	0000 886 0100	\$95.99
---	---------------	---------

Helmet Only. No eye or ear protection.	0000 886 0102	\$32.99
--	---------------	---------

Note: Goggles or protective glasses meeting ANSI Z87.1 should be worn under face screen for primary eye protection
 Note: Order from OBBCO Safety

PARTS FOR HELMET SYSTEM



Description	Part Number	SRP
-------------	-------------	-----

Hearing Protectors (1 pair)	0000 886 0406	\$38.99
-----------------------------	---------------	---------



Ear Muff-Single	7010 886 0400	\$20.99
-----------------	---------------	---------



Black Visor Screen	0000 886 0203	\$17.99
--------------------	---------------	---------

BRUSH SHIELD PROTECTOR BRUSH SHIELD PROTECTOR PARTS



Description	Part Number	SRP
-------------	-------------	-----

Visor Carrier Item	0000 886 0201	\$13.99
--------------------	---------------	---------

Pin Set	0000 886 0109	\$5.99
---------	---------------	--------



CHAIN SAW PROTECTIVE MITTS



Description	Part Number	SRP
Small	0000 886 1100	\$52.99
Large	0000 886 1102	\$52.99
X-Large	0000 886 1103	\$52.99

COTTON CANDY GLOVES



Description	Part Number	SRP
Small	7010 884 1152	\$25.99
Medium	7010 884 1153	\$25.99

GENERAL PURPOSE GLOVES



Description	Part Number	SRP
Medium	7010 884 1146	\$21.99
Large	7010 884 1147	\$21.99
X-Large	7010 884 1148	\$21.99

VALUE WORK GLOVES



Description	Part Number	SRP
Medium	7010 884 1154	\$20.99
Large	7010 884 1155	\$20.99
X-Large	7010 884 1156	\$20.99

OUTDOOR PRO GLOVES



Description	Part Number	SRP
Medium	7010 884 1149	\$36.99
Large	7010 884 1150	\$36.99
X-Large	7010 884 1151	\$36.99

HIGH PERFORMANCE PRO GLOVES



Description	Case	Part Number	SRP
Medium	12	7010 883 8500	\$33.99
Large	12	7010 883 8501	\$33.99
X-Large	12	7010 883 8502	\$33.99



STIHL PROSCAPER SERIES GLOVES



Description	Case	Part Number	SRP
Medium	12	7010 884 1100	\$38.99
Large	12	7010 884 1101	\$38.99
X-Large	12	7010 884 1102	\$38.99

STIHL HOMESCAPER SERIES™ GLOVES



Description	Case	Part Number	SRP
Small	12	7010 884 1136	\$27.99
Medium	12	7010 884 1103	\$27.99
Large	12	7010 884 1104	\$27.99
X-Large	12	7010 884 1105	\$27.99



STIHL LANDSCAPER SERIES GLOVES



Description	Case	Part Number	SRP
Small	12	7010 884 1120	\$32.99
Medium	12	0000 886 1104	\$32.99
Large	12	0000 886 1105	\$32.99
X-Large	12	0000 886 1106	\$32.99

STIHL VALUE PRO GLOVES



Description	Case	Part Number	SRP
Medium	12	7010 884 1137	\$23.99
Large	12	7010 884 1138	\$23.99
X-Large	12	7010 884 1139	\$23.99

WORK GLOVES



Description	Case	Part Number	SRP
STIHL Work Gloves	12	7010 884 1126	\$25.99

**WORK GLOVES - HEAVY DUTY**

Description	Case	Part Number	SRP
Medium	12	7010 884 1110	\$25.99
Large	12	7010 884 1111	\$25.99
X-Large	12	7010 884 1112	\$25.99

PRUNING GLOVES

Description	Case	Part Number	SRP
Large	12	7010 884 1158	\$28.99
X-Large	12	7010 884 1159	\$31.99

HUNTER'S CAMO GLOVES- (SMART PHONE COMPATIBLE)

Description	Case	Part Number	SRP
Large	12	7010 884 1162	\$23.99
X-Large	12	7010 884 1163	\$25.99

STIHL TIMBERSPORTS® SERIES GLOVES

Description	Case	Part Number	SRP
Medium	12	7010 884 1133	\$25.99
Large	12	7010 884 1134	\$25.99
X-Large	12	7010 884 1135	\$25.99

MESHBACK GLOVES W/ GOATSKIN PALM

Description	Case	Part Number	SRP
Medium	12	7010 884 1157	\$27.99
Large	12	7010 884 1160	\$27.99
X-Large	12	7010 884 1161	\$27.99



FUNCTION WORK SHIRT (ORANGE & BLUE)



Description	Size	Part Number	SRP
Orange & Denim	Medium	0797 333 9101	\$85.99
	Large	0797 333 9102	\$85.99
	X-Large	0797 333 9103	\$85.99
	XX-Large	0797 333 9104	\$85.99

FUNCTION WORK SHIRT (ORANGE)



Description	Size	Part Number	SRP
Orange	Large	0797 333 9107	\$85.99
	X-Large	0797 333 9108	\$85.99
	XX-Large	0797 333 9109	\$85.99

FUNCTION WINTER SHIRT



Description	Size	Part Number	SRP
Black with Orange	Medium	0797 333 9116	\$116.99
	Large	0797 333 9117	\$116.99
	X-Large	0797 333 9118	\$116.99
	XX-Large	0797 333 9119	\$116.99

REFLECTIVE SAFETY VEST



Description	Part Number	SRP
Longer tail in the back provides maximum reflective exposure for users running backpack blowers. Two front pockets and one chest pocket for carrying necessary items. Mesh back and solid zippered front.		
Medium	7010 884 0600	\$22.99
Large	7010 884 0601	\$22.99
X-Large	7010 884 0602	\$22.99
2X-Large	7010 884 0603	\$22.99

This class II reflective vest meets the ANSI / ISEA 107-2020 standard required for working along highways.

**ADVANCE ARBORIST PROTECTIVE JACKET**

Description	Size	Part Number	SRP
Outer Shell: water resistant/ lightweight/ breathable design Protective Material: Avertic® Pro Lite by Engtex® for cut resistance & SuperFabric® for abrasion-resistance Machine Washable	Small	7010 883 3500	\$427.99
	Medium	7010 883 3501	\$427.99
	Large	7010 883 3502	\$427.99
	X- Large	7010 883 3503	\$427.99

PRO MARK™ PROTECTIVE SHIRT

Description	Size	Part Number	SRP
Outer Shell: breathable, moisture-wicking fabric consisting of mesh body with vented back Protective material: Avertic® Pro Lite by Engtex® Machine washable	Small	7010 883 7500	\$128.99
	Medium	7010 883 7501	\$128.99
	Large	7010 883 7502	\$128.99
	X-Large	7010 883 7503	\$128.99
	2X- Large	7010 883 7504	\$139.99
	3X-Large	7010 883 7505	\$139.99
4X-Large	7010 883 7506	\$139.99	

APRON CHAPS- FUNCTION (BLACK)

Description	Length	Part Number	SRP
6 Layer- Black Outer Shell: Cordura® Nylon Protective Material: Avertic® Pro (U.S. Patent No. 5,415,007)	32"	7010 884 0800	\$96.99
	36"	0797 333 9200	\$96.99

APRON CHAPS- DYNAMIC (BLUE)

Description	Length	Part Number	SRP
6 Layer- Blue Outer Shell: Cordura® Nylon Protective Material: Avertic® Pro (U.S. Patent No. 5,415,007)	32"	7010 871 0737	\$128.99
	36"	7010 871 0738	\$128.99
6 Layer - Blue Outer Shell: Cordura® Nylon Protective Material: Avertic® Pro (U.S. Patent No. 5,415,007)	40"	7010 871 0739	\$128.99

**APRON CHAPS- DYNAMIC**

Description	Length	Part Number	SRP
6 Layer- Orange Outer Shell: Cordura® Nylon Protective Material: Avertic® Pro (U.S. Patent No. 5,415,007)	32"	0000 886 3201	\$128.99
	36"	0000 886 3202	\$128.99
	40"	0000 886 3203	\$128.99
	44"	0000 886 3206	\$128.99

APRON CHAPS- PRO MARK™ (ORANGE)

Description	Length	Part Number	SRP
9 Layer- Orange & Black Outer Shell: Cordura® Nylon Protective Material: Avertic® Pro (U.S. Patent No. 5,415,007)	32"	0000 886 3904	\$165.99
	36"	0000 886 3905	\$165.99
	40"	0457 970 0108	\$165.99

APRON CHAPS- PRO MARK™ (NAVY BLUE)

Description	Length	Part Number	SRP
9 Layer- Navy Blue & Black Outer Shell: Cordura® Nylon Protective Material: Avertic® Pro (U.S. Patent No. 5,415,007)	32"	7010 885 0800	\$165.99
	36"	7010 871 1217	\$165.99
	40"	7010 885 0801	\$165.99

STIHL TIMBERSPORTS® APRON CHAPS

Description	Length	Part Number	SRP
9 Layer- Black Outer Shell: Heavy Duty Nylon Protective Material: Avertic® Pro (U.S. Patent No. 5,415,007)	32"	7010 885 0802	\$165.99
	36"	7010 885 0803	\$165.99
	40"	7010 885 0804	\$165.99
	44"	7010 885 0805	\$165.99

ADVANCE APRON CHAPS

Description	Length	Part Number	SRP
Outer Shell: water resistant/ lightweight/ breathable design that includes extended protective area, reflective trim & large zippered pocket for secure storage of personal items Protective Material: Avertic® Pro Lite by Engtex® for cut resistance & SuperFabric® for abrasion-resistance Machine Washable	32"	7010 885 2103	\$251.99
	36"	7010 885 2104	\$251.99
	40"	7010 885 2105	\$251.99
	44"	7010 885 2106	\$251.99



ADVANCE ARBORIST PROTECTIVE PANTS



Description	Size	Part Number	SRP
<p>Outer Shell: lightweight/ breathable design includes mesh venting for airflow, four-way stretch material for mobility, and zippered pockets to help keep personal items secure. Protective Material: Avertic® Pro Lite by Engtex® for cut resistance & SuperFabric® for abrasion-resistance Machine Washable Small: 30-32" Medium: 34-36" Large: 38-40" XLarge: 42-44"</p>	Men's S/32"	7010 883 4200	\$427.99
	Men's S/34"	7010 883 4201	\$427.99
	Men's M/32"	7010 883 4202	\$427.99
	Men's M/34"	7010 883 4203	\$427.99
	Men's L/32"	7010 883 4204	\$427.99
	Men's L/34"	7010 883 4205	\$427.99
	Men's XL/32"	7010 883 4206	\$427.99
	Men's XL/34"	7010 883 4207	\$427.99
	Women's S/R	7010 883 4208	\$427.99
	Women's M/R	7010 883 4209	\$427.99
	Women's L/R	7010 883 4210	\$427.99
	Made to order	7010 883 4299	\$470.99

WRAP CHAPS



Description	Length	Part Number	SRP
<p>Dynamic- 6 Layer- Orange Outer Shell: Cordura® Nylon Protective Material: Avertic® Pro (U.S. Patent No. 5,415,007)</p>	36"	0000 886 3204	\$149.99
	40"	0000 886 3205	\$149.99
<p>ProMark™- 9 Layer- Orange & Black Outer Shell: Cordura® Nylon Protective Material: Avertic® Pro (U.S. Patent No. 5,415,007)</p>	36"	0000 886 3907	\$213.99
	40"	7010 886 3900	\$213.99



HUNTER'S BIB & APRON STYLE CHAPS



Description	Length	Part Number	SRP
	32"	0463 092 0101	\$128.99
Apron- TrueTimber Camo 6 layer Outer Shell: 500D Polyester Protective Material: Avertic® Pro (U.S. Patent No. 5,415,007)	36"	0463 092 0201	\$128.99
	40"	0463 092 0301	\$128.99
Hunter Bib- 6 layer-TrueTimber Camo Outer Shell: 500D Polyester Protective Material: Avertic® Pro (U.S. Patent No. 5,415,007)	38"	0463 092 1101	\$144.99
	32"	0797 901 0012	\$160.99
Skidder- Orange 6 layer Outer Shell: Cordura® Nylon Protective Material: Avertic® Pro (U.S. Patent No. 5,415,007)	36"	0797 901 0013	\$160.99



**STIHL HI-VIS CHAPS- DYNAMIC**

Description	Length	Part Number	SRP
Apron; 6 Layer Avertic® Pro (U.S. Patent No. 5,415,007) Outer Shell: 500 Denier Polyester Reflective Ribbon - 3M™ Scotchlite™ Reflective Comfort Trim ANSI/ISEA 107-2020 Class E	32"	7010 884 0827	\$155.99
	36"	7010 884 0828	\$155.99
	40"	7010 884 0829	\$155.99
	44"	7010 884 0830	\$155.99

STIHL HI-VIS CHAPS- PRO MARK™

Description	Length	Part Number	SRP
Zip Chap; 9 layer Avertic® Pro (U.S. Patent No. 5,415,007) Outer Shell: 500 Denier Polyester Reflective Ribbon - 3M™ Scotchlite™ Reflective Comfort Trim ANSI/ISEA 107-2020 Class E	32"	7010 884 0819	\$192.99
	36"	7010 884 0820	\$192.99
	40"	7010 884 0821	\$192.99
	44"	7010 884 0822	\$192.99

ZIP CHAPS- DYNAMIC

Description	Length	Part Number	SRP
6 Layer- Orange Outer Shell: 500 Denier Nylon Protective Material:Avertic® Pro (U.S. Patent No. 5,415,007)	32"	7010 884 0815	\$149.99
	36"	7010 884 0816	\$149.99
	40"	7010 884 0817	\$149.99
	44"	7010 884 0818	\$149.99

ZIP CHAPS- FUNCTION

Description	Length	Part Number	SRP
6 Layer- Black Outer Shell: 500 Denier Nylon Protective Material:Avertic® Pro (U.S. Patent No. 5,415,007)	32"	7010 884 0823	\$147.99
	36"	7010 884 0824	\$147.99
	40"	7010 884 0825	\$147.99
	44"	7010 884 0826	\$147.99

CHAP ACCESSORIES

Description	Part Number	SRP
Waist Buckle	0000 886 5802	\$2.99
Leg Buckle	0000 886 5803	\$2.99
12" Waist Extender	0000 886 5901	\$7.99



DYNAMIC CHAIN SAW PROTECTIVE PANTS - WINTER



Description	Waist	Part Number	SRP
Winter: Outer front shell is made with tough, water and snow resistant, 520 Denier nylon; 6 Layers; Outer Shell: 520 Denier Nylon; Protective Material: Avertic® Pro (U.S. Patent No. 5,415,007)			
Winter - Small- Black	30-32"	0797 901 0001	\$181.99
Winter - Medium- Black	34-36"	0797 901 0002	\$181.99
Winter - Large- Black 6 Layers	38-40"	0797 901 0003	\$181.99
Winter - X-Large- Black 6 Layers	42-44"	0797 901 0004	\$181.99

DYNAMIC CHAIN SAW PROTECTIVE PANTS- BLACK



Description	Inseam	Waist	Part Number	SRP
Small; Waist: 30-32" Color: Black 6 - Layer - UL® Classified, Outer Shell:4-Way Stretch Nylon, Protective Material: Avertic® Pro by Engtex® Pro	30"	30-32"	7010 885 6100	\$314.99
	32"	30-32"	7010 885 6101	\$314.99
	34"	30-32"	7010 885 6102	\$314.99
	36"	30-32"	7010 885 6103	\$314.99
Medium; Waist: 34-36" Color: Black 6 - Layer - UL® Classified, Outer Shell:4-Way Stretch Nylon, Protective Material: Avertic® Pro by Engtex® Pro	30"	34-36"	7010 885 6104	\$314.99
	32"	34-36"	7010 885 6105	\$314.99
	34"	34-36"	7010 885 6106	\$314.99
	36"	34-36"	7010 885 6107	\$314.99
Large; Waist: 38-40" Color: Black 6 - Layer - UL® Classified, Outer Shell:4-Way Stretch Nylon, Protective Material: Avertic® Pro by Engtex® Pro	30"	38-40"	7010 885 6108	\$314.99
	32"	38-40"	7010 885 6109	\$314.99
	34"	38-40"	7010 885 6110	\$314.99
	36"	38-40"	7010 885 6111	\$314.99
Extra Large; Waist: 42-44" Color: Black 6 - Layer - UL® Classified, Outer Shell:4-Way Stretch Nylon, Protective Material: Avertic® Pro by Engtex® Pro	30"	42-44"	7010 885 6112	\$314.99
	32"	42-44"	7010 885 6113	\$314.99
	34"	42-44"	7010 885 6114	\$314.99
	36"	42-44"	7010 885 6115	\$314.99



DYNAMIC CHAIN SAW PROTECTIVE PANTS- COYOTE



Description	Length	Waist	Part Number	SRP
Small; Waist: 30-32" Color: Coyote 6 - Layer - UL® Classified, Outer Shell:4-Way Stretch Nylon, Protective Material: Avertic® Pro by Engtex® Pro	30"	30- 32"	7010 885 6116	\$314.99
	32"	30- 32"	7010 885 6117	\$314.99
	34"	30- 32"	7010 885 6118	\$314.99
	36"	30- 32"	7010 885 6119	\$314.99
Medium; Waist: 34-36" Color: Coyote 6 - Layer - UL® Classified, Outer Shell:4-Way Stretch Nylon, Protective Material: Avertic® Pro by Engtex® Pro	30"	34-36"	7010 885 6120	\$314.99
	32"	34-36"	7010 885 6121	\$314.99
	34"	34-36"	7010 885 6122	\$314.99
	36"	34-36"	7010 885 6123	\$314.99
Large; Waist: 38-40" Color: Coyote 6 - Layer - UL® Classified, Outer Shell:4-Way Stretch Nylon, Protective Material: Avertic® Pro by Engtex® Pro	30"	38- 40"	7010 885 6124	\$314.99
	32"	38- 40"	7010 885 6125	\$314.99
	34"	38- 40"	7010 885 6126	\$314.99
	36"	38- 40"	7010 885 6127	\$314.99
Extra Large; Waist: 42-44" Color: Coyote 6 - Layer - UL® Classified, Outer Shell:4-Way Stretch Nylon, Protective Material: Avertic® Pro by Engtex® Pro	30"	42-44"	7010 885 6128	\$314.99
	32"	42-44"	7010 885 6129	\$314.99
	34"	42-44"	7010 885 6130	\$314.99
	36"	42-44"	7010 885 6131	\$314.99



FUNCTION CHAIN SAW PROTECTIVE PANTS- DENIM



Description	Inseam	Waist	Part Number	SRP
Small (30-32") 6 Layer; Outer Shell: Heavy Weight Denim Protective Material: Avertic® Pro (U.S. Patent No. 5,415,007)	30"	30-32"	7010 888 6100	\$192.99
	32"		7010 888 6101	\$192.99
	34"		7010 888 6102	\$192.99
	36"		7010 888 6103	\$192.99
Medium (34-36") 6 Layer; Outer Shell: Heavy Weight Denim Protective Material: Avertic® Pro (U.S. Patent No. 5,415,007)	30"	34-36"	7010 888 6104	\$192.99
	32"		7010 888 6105	\$192.99
	34"		7010 888 6106	\$192.99
	36"		7010 888 6107	\$192.99
Large (38-40") 6 Layer; Outer Shell: Heavy Weight Denim Protective Material: Avertic® Pro (U.S. Patent No. 5,415,007)	30"	38-40"	7010 888 6108	\$192.99
	32"		7010 888 6109	\$192.99
	34"		7010 888 6110	\$192.99
	36"		7010 888 6111	\$192.99
X-Large (42-44") 6 Layer; Outer Shell: Heavy Weight Denim Protective Material: Avertic® Pro (U.S. Patent No. 5,415,007)	30"	42-44"	7010 888 6112	\$192.99
	32"		7010 888 6113	\$192.99
	36"		7010 888 6114	\$192.99
	36"		7010 888 6115	\$192.99

PERSONAL PROTECTIVE APPAREL KITS



Description		Part Number	SRP
Kit Includes: FUNCTION Basic helmet (7010 888 0800); Black apron chaps (36" 6-Layer); Protective glasses; Duffel bag; one-size-fits-most work gloves; Luggage tag.	32"	7010 871 0280	\$187.99

Note: Order from Grand Forest Inc.

STIHL PRO MARK™ PERSONAL PROTECTIVE KITS



Description	Length	Part Number	SRP
Kit Includes: Pro Mark™ Helmet system, a pair of orange 9-layer ProMark™ Apron Chaps, pair of STIHL Ultralight protective glasses, pair of STIHL one-size-fits-most work gloves and a duffel bag.	32"	7010 885 2100	\$299.99
	36"	7010 885 2101	\$299.99
	40"	7010 885 2102	\$299.99



STIHL FORESTRY BOOTS BY HAIX - MEDIUM



Features well-padded steel toe cap and puncture-resistant, stainless throughsole.
 Material: Oiled Nubuk Leather
 Lining: GORE-TEX®
 Color: Brown
 Shank Height: 7"

Description	Size	Part Number	SRP
	6.5 Medium	7010 885 3800	\$379.99
	7 Medium	7010 885 3812	\$379.99
	7.5 Medium	7010 885 3814	\$379.99
	8 Medium	7010 885 3816	\$379.99
	8.5 Medium	7010 885 3818	\$379.99
	9 Medium	7010 885 3820	\$379.99
	9.5 Medium	7010 885 3822	\$379.99
	10 Medium	7010 885 3824	\$379.99
	10.5 Medium	7010 885 3826	\$379.99
	11 Medium	7010 885 3828	\$379.99
	11.5 Medium	7010 885 3830	\$379.99
	12 Medium	7010 885 3832	\$379.99
	12.5 Medium	7010 885 3834	\$379.99
	13 Medium	7010 885 3836	\$379.99
	13.5 Medium	7010 885 3838	\$379.99
	14 Medium	7010 885 3840	\$379.99

This item is DROP SHIP ONLY.
 NOTE: Meets ASTM F2413-2011 and CAN/CSA Z195-2009 for impact resistance for the toe area; compression resistance for the toe area; anti-static; puncture resistance of footwear bottoms.



STIHL FORESTRY BOOTS BY HAIX - WIDE



Features well-padded steel toe cap and puncture-resistant, stainless throughsole.
Material: Oiled Nubuk Leather
Lining: GORE-TEX®
Color: Brown
Shank Height: 7"

Description	Size	Part Number	SRP
	6.5 Wide	7010 885 3811	\$379.99
	7 Wide	7010 885 3813	\$379.99
	7.5 Wide	7010 885 3815	\$379.99
	8 Wide	7010 885 3817	\$379.99
	8.5 Wide	7010 885 3819	\$379.99
	9 Wide	7010 885 3821	\$379.99
	9.5 Wide	7010 885 3823	\$379.99
	10 Wide	7010 885 3825	\$379.99
	10.5 Wide	7010 885 3827	\$379.99
	11 Wide	7010 885 3829	\$379.99
	11.5 Wide	7010 885 3831	\$379.99
	12 Wide	7010 885 3833	\$379.99
	12.5 Wide	7010 885 3835	\$379.99
	13 Wide	7010 885 3837	\$379.99
	13.5 Wide	7010 885 3839	\$379.99
	14 Wide	7010 885 3841	\$379.99

This item is DROP SHIP ONLY.
NOTE: Meets ASTM F2413-2011 and CAN/CSA Z195-2009 for impact resistance for the toe area; compression resistance for the toe area; anti-static; puncture resistance of footwear bottoms.



STIHL ADVANCE GTX BOOTS BY HAIX



Description	Size	Part Number	SRP
Features chains saw protection, GORE-TEX weather protection, steel toecaps and a cut-resistant fabric across the front of the foot Weight: 5.5 lb Shank Height: 7.9" Material: Hydrophobic Suede Lining: GORE-TEX® Color: Black	6.5 - 7	0000 885 3839	\$460.99
	7.5 - 8	0000 885 3840	\$460.99
	8 - 8.5	0000 885 3841	\$460.99
	8.5 - 9	0000 885 3842	\$460.99
	9 - 9.5	0000 885 3843	\$460.99
	10 - 10.5	0000 885 3844	\$460.99
	11 - 11.5	0000 885 3845	\$460.99
	12 - 12.5	0000 885 3846	\$460.99
	13 - 13.5	0000 885 3847	\$460.99
	14 - 14.5	0000 885 3848	\$460.99

NOTE: All items are drop ship direct to dealer
 NOTE: Meets EN ISO 17249:2007 Cut Level 2 for safety footwear with protection against chainsaw cuts up to 24 m/s. Meets EN ISO 20345:2003 as an S2 for toe compression safety.

FOOTWEAR ACCESSORIES



Description	Part Number	SRP
Boot Sizer, to help ensure proper fit	7010 885 1701	\$20.99



CHAPRON



Description	Color	Part Number	SRP
One size fits most	Orange	0797 110 9000	\$64.99

SHOP APRON



Description	Part Number	SRP
One size fits most	0000 886 3200	\$42.99

MINI CHAIN SAW CHAPS



Description	Part Number	SRP
Mini Chaps	0463 901 0166	\$16.99

For display purposes only.
Note: Order from Grand Forest Inc.

WEDGE AND TOOL POUCH



Description	Part Number	SRP
Wedge and Tool Pouch	0000 886 1600	\$53.99

NOTE: Tools Not Included



DUFFEL AND EQUIPMENT BAGS WITH DUAL ZIPPERS



Description	Part Number	SRP
Small Duffel (20x11x11)	0463 901 0418	\$69.99
Medium Duffel (25x13x13)	0463 901 0420	\$74.99
Large Duffel (38x15x15)	0464 091 0500	\$96.99

POCKET FIRST AID KIT



Description	Part Number	SRP
STIHL Belt Pouch First Aid Kit Includes the belt pouch and multi-purpose trauma bandage kit.	7010 884 2600	\$29.99
Replacement Belt Pouch for STIHL First Aid Kit	7010 884 2601	\$14.99
STIHL First Aid Kit Refill Contains multi-purpose trauma bandage kit refill	7010 884 2602	\$19.99

Note: Order from Grand Forest



ZERO-TURN & RM MOWERS



STIHL RZ 142	Gas Walk-Behind Mowers
STIHL RZ 152	RM 453.3 T
STIHL RZ 261	RM 453.3 V
STIHL RZ 552	RM 655.0 V
STIHL RZ 552 K	RM 655.1 VS
STIHL RZ 560	RM 655.1 YS
STIHL RZ 560 K	RM 756.1 YC
STIHL RZ 752i	
STIHL RZ 752 K	
STIHL RZ 752i K	Battery Zero-Turns
STIHL RZ 760i	RZA 748
STIHL RZ 760 K	RZA 752
STIHL RZ 760i K	RZA 760
STIHL RZ 960i	AZA 748
STIHL RZ 960 K	AZA 752
STIHL RZ 960i K	AZA 760
STIHL RZ 972i	
STIHL RZ 972 K	
STIHL RZ 972i K	

Zero-Turn Mower Accessories

Mower Blades

Mulch Kit

AAZ 120 Armrests

AJZ 100 Service Jack

AJZ 101 Service Jack Mounting Kit

ALZ 120 LED Light Kit

STIHL RZ Collection Systems

ADZ 100 Boot Kit

RZ Mulch Kits

Bagging Blowers

RZ Striping Kits

AZA/RZA Accessories



STIHL RZ 142

WB02/ Home Owner



Weight: 815 lbs., Horsepower: 23 hp, Fuel System: Carbureted, Displacement: 724 cc

Cylinders: 2 V- Twin

Lubrication: Pressurized with oil filter

Transaxles: Hydro-Gear® ZT-2200, Forward Ground Speed: 7 mph, Reverse Ground Speed: 4 mph

Mowing Specs: Deck: 42 in., Deck Construction: 12 Gauge Fabricated, Mowing Height Range: 1.5"- 4.5", Cutting Height Options: 13, Blades: 2 MARBAIN Hardened Blades

Fuel: Fuel Capacity: 3 gal.

Compatible Accessories:

ALZ 120 LED Light Kit (WB00 007 1010), AAZ 120 Armrest (WB00 780 2700), AFZ 100 Twin Bag Collection System (WB00 700 9700), ADZ 100 Boot Kit (WB00 710 7600), AMZ 142 42" Mulch Kit (WB00 007 1005), Smart Connector (0000 400 4901)

Description	Part Number	SRP
STIHL RZ 142 with Briggs & Stratton® Pxi Series V-Twin	WB01 011 3600 US	\$3,999.99

STIHL RZ 152

WB01/ Home Owner



Weight: 925 lbs., Horsepower: 25 hp, Fuel System: Carbureted, Displacement: 724 cc

Cylinders: 2 V- Twin

Lubrication: Pressurized with oil filter

Transaxles: Hydro-Gear® ZT-2800, Forward Ground Speed: 8 mph, Reverse Ground Speed: 4 mph

Mowing Specs: Deck: 52 in., Deck Construction: 10 Gauge Fabricated, Mowing Height Range: 1.5"- 4.5", Cutting Height Options: 13, Blades: 3 MARBAIN Hardened Blades, Spindles: greasable

Fuel: Fuel Capacity: 3 gal.

Compatible Accessories:

ALZ 120 LED Light Kit (WB00 007 1010), AAZ 120 Armrest (WB00 780 2700), AFZ 100 Twin Bag Collection System (WB00 700 9700), ABZ 100 Bagging Blower (WB00 760 0500), AMZ 152 52" Mulch Kit (WB00 007 1015), Smart Connector (0000 400 4901)

Description	Part Number	SRP
STIHL RZ 152 with Briggs & Stratton® Pxi Series Engine	WB01 011 3605 US	\$5,799.99



STIHL RZ 261

WB02/ Home Owner



Weight: 965 lbs., Horsepower: 25 hp, Fuel System: Carbureted, Displacement: 724 cc

Cylinders: 2 V- Twin

Lubrication: Pressurized with oil filter

Transaxles: Hydro-Gear® ZT-3100, Forward Ground Speed: 8.5 mph, Reverse Ground Speed: 4 mph

Mowing Specs: Deck: 61 in., Deck Construction: 10 Gauge Fabricated, Mowing Height Range: 1.5"- 4.5", Cutting Height Options: 13, Blades: 3 MARBAIN Hardened Blades, Spindles: greasable

Fuel: Fuel Capacity: 3 gal.

Compatible Accessories:

ALZ 120 LED Light Kit (WB00 007 1010), AAZ 120 Armrest (WB00 780 2700), ACZ Twin Bag Collection System (WB00-700-9706), ABZ Baggage Blower (WB00 760 0505), AMZ 61" Mulch Kit (WB00 007 1020)

Description	Part Number	SRP
STIHL RZ 261 with Briggs & Stratton® Commercial V-Twin	WB02 011 3610 US	\$6,999.99



STIHL RZ 552

WB03/ Professional



Weight: 1,119 lbs., Horsepower: 27 hp, Fuel System: Carbureted, Displacement: 810 cc

Transaxles: Hydro-Gear® ZT-3400, Forward Ground Speed: 10 mph, Reverse Ground Speed: 5 mph

Mowing Deck: 52": Deck Construction: Fabricated 10- gauge steel 3/8" reinforcement plates, Cutting Height Range: 1.5"- 5", Cutting Height Options: 13, Blades: 3- MARBAIN hardened, Spindles: 5.25" Aluminum & Greaseable, Spindle Bearings: 2.5" x 1" Dual Ball Bearing, Spindle Shaft: 1"

USB Port: Type A 2.0: USB Amperage: 3.15 amps

Fuel Capacity: 5.5 gal.

Tires: Front: 13 x 6.5-6, Rear: 23 x 10.5-12

Compatible Accessories:

AJZ 100 Service Jack Only (WB00 780 6200), AJZ 101 Service Jack Mounting Kit (WB00 007 1060), ASZ 052 Striping Kit for 52" Deck (WB00 007 1030), AMZ 052 Mulching Kit for 52" Deck (WB00 007 1025), AFZ 552 2-Bag Collection System for 52" Deck (WB00 700 9711)

Description	Part Number	SRP
STIHL RZ 552 with Briggs & Stratton® Model 49T877 Engine	WB03 011 3600 US	\$7999.99

STIHL RZ 552 K

WB03/ Professional



Weight: 1,119 lbs., Horsepower: 24 hp, Fuel System: Carbureted, Displacement: 726 cc

Transaxles: Hydro-Gear® ZT-3400, Forward Ground Speed: 10 mph, Reverse Ground Speed: 5 mph

Mowing Deck: 52": Deck Construction: Fabricated 10- gauge steel 3/8" reinforcement plates, Cutting Height Range: 1.5"- 5", Cutting Height Options: 13, Blades: 3- MARBAIN hardened, Spindles: 5.25" Aluminum & Greaseable, Spindle Bearings: 2.5" x 1" Dual Ball Bearing, Spindle Shaft: 1"

USB Port: Type A 2.0: USB Amperage: 3.15 amps

Fuel Capacity: 5.5 gal.

Tires: Front: 13 x 6.5-6, Rear: 23x10.5-12

Compatible Accessories:

AJZ 100 Service Jack Only (WB00 780 6200), AJZ 101 Service Jack Mounting Kit (WB00 007 1060), ASZ 052 Striping Kit for 52" Deck (WB00 007 1030), AMZ 052 Mulching Kit for 52" Deck (WB00 007 1025), AFZ 552 2-Bag Collection System for 52" Deck (WB00 700 9711)

Description	Part Number	SRP
STIHL RZ 552 K with Kawasaki Model FT730V Engine	WB03 011 3601 US	\$8,999.99



STIHL RZ 560

WB03/ Professional



Weight: 1,197 lbs., Horsepower: 27 hp, Fuel System: Carbureted, Displacement: 810 cc

Transaxles: Hydro-Gear® ZT-3400, Forward Ground Speed: 10 mph, Reverse Ground Speed: 5 mph

Mowing Deck: 60":

Deck Construction: Fabricated 10- gauge steel 3/8" reinforcement plates, Cutting Height Range: 1.5"- 5", Cutting Height Options: 13,

Blades: 3- MARBAIN hardened, Spindles: 5.25" Aluminum & Greaseable, Spindle Bearings: 2.5" x 1" Dual Ball Bearing, Spindle Shaft: 1"

USB Port: Type A 2.0: USB Amperage: 3.15 amps

Fuel Capacity: 5.5 gal.

Tires: Front: 13 x 6.5-6, Rear: 23x10.5-12

Compatible Accessories:

AJZ 100 Service Jack Only (WB00 780 6200), AJZ 101 Service Jack Mounting Kit (WB00 007 1060), ASZ 060 Striping Kit for 60" Deck (WB00 007 1040), AMZ 060 Mulching Kit for 60" Deck (WB00 007 1035), AFZ 560 3-Bag Collection System for 60" Deck (WB00 700 9716)

Description	Part Number	SRP
STIHL RZ 560 with Briggs & Stratton® Model 49T877 Engine	WB03 011 3610 US	\$8,749.99

STIHL RZ 560 K

WB03/ Professional



Weight: 1,197 lbs., Horsepower: 24 hp, Fuel System: Carbureted, Displacement: 726 cc

Transaxles: Hydro-Gear® ZT-3400, Forward Ground Speed: 10 mph, Reverse Ground Speed: 5 mph

Mowing Deck: 60":

Deck Construction: Fabricated 10- gauge steel 3/8" reinforcement plates, Cutting Height Range: 1.5"- 5", Cutting Height Options: 13,

Blades: 3- MARBAIN hardened, Spindles: 5.25" Aluminum & Greaseable, Spindle Bearings: 2.5" x 1" Dual Ball Bearing, Spindle Shaft: 1"

USB Port: Type A 2.0: USB Amperage: 3.15 amps

Fuel Capacity: 5.5 gal.

Tires: Front: 13 x 6.5-6, Rear: 23x10.5-12

Compatible Accessories:

AJZ 100 Service Jack Only (WB00 780 6200), AJZ 101 Service Jack Mounting Kit (WB00 007 1060), ASZ 060 Striping Kit for 60" Deck (WB00 007 1040), AMZ 060 Mulching Kit for 60" Deck (WB00 007 1035), AFZ 560 3-Bag Collection System for 60" Deck (WB00 700 9716)

Description	Part Number	SRP
STIHL RZ 560 K with Kawasaki Model FT730V Engine	WB03 011 3611 US	\$9,749.99



STIHL RZ 752i

WB04/ Professional



Weight: 1,319 lbs., Horsepower: 28 hp, Fuel System: Electronic Fuel Injected (EFI), Engine Governor: Mechanical

Displacement: 810 cc

Transaxles: Hydro-Gear® ZT-4400

Forward Ground Speed: 10 mph, Reverse Ground Speed: 5 mph

Mowing Deck: 52"

Deck Construction: Fabricated 10- gauge steel

Cutting Height Range: 1.5"- 5"

Cutting Height Options: 13

Blades: 3- MARBAIN hardened

Spindles Hub: 8" Cast Iron & Greaseable

Spindle Bearings: 2.5" x 1" Dual Ball Bearing

Spindle Shaft: 1"

USB Port: Type A 2.0/ USB Amperage: 3.15 amps

Total Fuel Capacity: 11 gal.

Tires: Front: 13 x 6.5-6, Rear: 24 x 9.5-12

Compatible Accessories:

AJZ 100 Service Jack Only (WB00 780 6200), AJZ 101 Service Jack Mounting Kit (WB00 007 1060), ASZ 052 Striping Kit for 52" Deck (WB00 007 1030), AMZ 052 Mulching Kit for 52" Deck (WB00 007 1025), AFZ 752 3-Bag Collection System for 52" Deck (WB00 700 9720)

Description	Part Number	SRP
STIHL RZ 752i with Vanguard EFI Model 49E877 Engine w/ Oil Guard™	WB04 011 3600 US	\$11,499.99

STIHL RZ 752 K

WB04/ Professional



Weight: 1,319 lbs., Horsepower: 25.5 hp, Engine Governor: Mechanical

Displacement: 852 cc

Transaxles: Hydro-Gear® ZT-4400

Forward Ground Speed: 10 mph, Reverse Ground Speed: 5 mph

Mowing Deck: 52"

Deck Construction: Fabricated 10- gauge steel

Cutting Height Range: 1.5"- 5"

Cutting Height Options: 13

Blades: 3- MARBAIN hardened

Spindles Hub: 8" Cast Iron & Greaseable

Spindle Bearings: 2.5" x 1" Dual Ball Bearing

Spindle Shaft: 1"

USB Port: Type A 2.0/ USB Amperage: 3.15 amps

Total Fuel Capacity: 11 gal.

Tires: Front: 13 x 6.5-6, Rear: 24 x 9.5-12

Compatible Accessories:

AJZ 100 Service Jack Only (WB00 780 6200), AJZ 101 Service Jack Mounting Kit (WB00 007 1060), ASZ 052 Striping Kit for 52" Deck (WB00 007 1030), AMZ 052 Mulching Kit for 52" Deck (WB00 007 1025), AFZ 752 3-Bag Collection System for 52" Deck (WB00 700 9720)

Description	Part Number	SRP
STIHL RZ 752 K with Kawasaki Model FX801V Engine	WB04 011 3607 US	\$10,999.99



STIHL RZ 752i K

WB04/ Professional



Weight: 1,319 lbs., Horsepower: 26 hp, Fuel System: Electronic Fuel Injection (EFI)

Engine Governor: Electronic throttle control

Displacement: 726 cc

Transaxles: Hydro-Gear® ZT-4400

Forward Ground Speed: 10 mph, Reverse Ground Speed: 5 mph

Mowing Deck: 52"

Deck Construction: Fabricated 10- gauge steel

Cutting Height Range: 1.5"- 5"

Cutting Height Options: 13

Blades: 3- MARBAIN hardened

Spindles Hub: 8" Cast Iron & Greaseable

Spindle Bearings: 2.5" x 1" Dual Ball Bearing

Spindle Shaft: 1"

USB Port: Type A 2.0/ USB Amperage: 3.15 amps

Total Fuel Capacity: 11 gal.

Tires: Front: 13 x 6.5-6, Rear: 24 x 9.5-12

Compatible Accessories:

AJZ 100 Service Jack Only (WB00 780 6200), AJZ 101 Service Jack Mounting Kit (WB00 007 1060), ASZ 052 Striping Kit for 52" Deck (WB00 007 1030), AMZ 052 Mulching Kit for 52" Deck (WB00 007 1025), AFZ 752 3-Bag Collection System for 52" Deck (WB00 700 9720)

Description	Part Number	SRP
STIHL RZ 752i K with Kawasaki Model FT730V EFI Engine	WB04 011 3605 US	\$11,999.99

STIHL RZ 760i

WB04/ Professional



Weight: 1,398 lbs., Horsepower: 28 hp, Fuel System: Electronic Fuel Injected (EFI), Engine Governor: Mechanical

Displacement: 810 cc

Transaxles: Hydro-Gear® ZT-4400

Forward Ground Speed: 10 mph, Reverse Ground Speed: 5 mph

Mowing Deck: 60"

Deck Construction: Fabricated 10- gauge steel

Cutting Height Range: 1.5"- 5"

Cutting Height Options: 13

Blades: 3- MARBAIN hardened

Spindles Hub: 8" Cast Iron & Greaseable

Spindle Bearings: 2.5" x 1" Dual Ball Bearing

Spindle Shaft: 1"

USB Port: Type A 2.0/ USB Amperage: 3.15 amps

Total Fuel Capacity: 11 gal.

Tires: Front: 13 x 6.5-6, Rear: 24 x 12-12

Compatible Accessories:

AJZ 100 Service Jack Only (WB00 780 6200), AJZ 101 Service Jack Mounting Kit (WB00 007 1060), ASZ 060 Striping Kit for 60" Deck (WB00 007 1040), AMZ 060 Mulching Kit for 60" Deck (WB00 007 1035), AFZ 760 3-Bag Collection System for 60" Deck (WB00 700 9725)

Description	Part Number	SRP
STIHL RZ 760i with Vanguard EFI Model 49E877 Engine w/ Oil Guard™	WB04 011 3610 US	\$12,499.99



STIHL RZ 760 K

WB04/ Professional



Weight: 1,398 lbs., Horsepower: 25.5 hp, Engine Governor: Mechanical

Displacement: 852 cc

Transaxles: Hydro-Gear® ZT-4400

Forward Ground Speed: 10 mph, Reverse Ground Speed: 5 mph

Mowing Deck: 60"

Deck Construction: Fabricated 10- gauge steel

Cutting Height Range: 1.5"- 5"

Cutting Height Options: 13

Blades: 3- MARBAIN hardened

Spindles Hub: 8" Cast Iron & Greaseable

Spindle Bearings: 2.5" x 1" Dual Ball Bearing

Spindle Shaft: 1"

USB Port: Type A 2.0/ USB Amperage: 3.15 amps

Total Fuel Capacity: 11 gal.

Tires: Front: 13 x 6.5-6, Rear: 24 x 12-12

Compatible Accessories:

AJZ 100 Service Jack Only (WB00 780 6200), AJZ 101 Service Jack Mounting Kit (WB00 007 1060), ASZ 060 Striping Kit for 60" Deck (WB00 007 1040), AMZ 060 Mulching Kit for 60" Deck (WB00 007 1035), AFZ 760 3-Bag Collection System for 60" Deck (WB00 700 9725)

Description	Part Number	SRP
STIHL RZ 760 K with Kawasaki Model FX801V Engine	WB04 011 3617 US	\$11,499.99

STIHL RZ 760i K

WB04/ Professional



Weight: 1,398 lbs., Horsepower: 26 hp, Fuel System: Electronic Fuel Injection (EFI)

Engine Governor: Electronic throttle control

Displacement: 726 cc

Transaxles: Hydro-Gear® ZT-4400

Forward Ground Speed: 10 mph, Reverse Ground Speed: 5 mph

Mowing Deck: 60"

Deck Construction: Fabricated 10- gauge steel

Cutting Height Range: 1.5"- 5"

Cutting Height Options: 13

Blades: 3- MARBAIN hardened

Spindles Hub: 8" Cast Iron & Greaseable

Spindle Bearings: 2.5" x 1" Dual Ball Bearing

Spindle Shaft: 1"

USB Port: Type A 2.0/ USB Amperage: 3.15 amps

Total Fuel Capacity: 11 gal.

Tires: Front: 13 x 6.5-6, Rear: 24 x 12-12

Compatible Accessories:

AJZ 100 Service Jack Only (WB00 780 6200), AJZ 101 Service Jack Mounting Kit (WB00 007 1060), ASZ 060 Striping Kit for 60" Deck (WB00 007 1040), AMZ 060 Mulching Kit for 60" Deck (WB00 007 1035), AFZ 760 3-Bag Collection System for 60" Deck (WB00 700 9725)

Description	Part Number	SRP
STIHL RZ 760i K with Kawasaki Model FT730V EFI Engine	WB04 011 3615 US	\$12,999.99



STIHL RZ 960i

WB05/ Professional



Weight: 1,608 lbs., Horsepower: 40 hp, Fuel System: Electronic Fuel Injected (EFI)

Engine Governor: Electronic throttle control

Displacement: 993 cc

Transaxles: Hydro-Gear® ZT-5400 w/ 9" cooling fans

Forward Ground Speed: 12 mph, Reverse Ground Speed: 5 mph

Mowing Deck: 60"

Deck Construction: Fabricated 10- gauge steel w/ 1/2" reinforcement plates

Cutting Height Range: 1.5"- 5"

Cutting Height Options: 13

Blades: 3- MARBAIN hardened

Spindles Hub: 10" Cast Iron & Greaseable with tapered lock pulleys

Spindle Bearings: 2.5" x 1.18" Double Row Angular Ball Bearings

Spindle Shaft: 1 3/16"

USB Port: Type A 2.0/ USB Amperage: 3.15 amps

Total Fuel Capacity: 11 gal.

Tires: Front: 13 x 6.5-6, Rear: 26 x 12-12

Note: Features adjustable suspension seat for added comfort and reduced fatigue including backrest, lumbar and armrests.

Compatible Accessories:

AJZ 100 Service Jack Only (WB00 780 6200), AJZ 101 Service Jack Mounting Kit (WB00 007 1060), AMZ 060 Mulching Kit for 60" Deck (WB00 007 1035), AFZ 960 3-Bag Collection System for 60" Deck (WB00 700 9730), ASZ 960 Striping Kit for 60" Deck (WB00 007 1045)

Description	Part Number	SRP
STIHL RZ 960i with Vanguard BIG BLOCK EFI ETC Model 61G2 Engine with Oil Guard™	WB05 011 3600 US	\$16,499.99



STIHL RZ 960 K

WB05/ Professional



Weight: 1,608 lbs., Horsepower: 35 hp, Fuel System: Carburetor, Engine Governor: Mechanical
 Displacement: 999 cc
 Transaxles: Hydro-Gear® ZT-5400 w/ 9" cooling fans
 Forward Ground Speed: 12 mph, Reverse Ground Speed: 5 mph
 Mowing Deck: 60"
 Deck Construction: Fabricated 10- gauge steel w/ 1/2" reinforcement plates
 Cutting Height Range: 1.5"- 5"
 Cutting Height Options: 13
 Blades: 3- MARBAIN hardened
 Spindles Hub: 10" Cast Iron & Greaseable with tapered lock pulleys
 Spindle Bearings: 2.5" x 1.18" Double Row Angular Ball Bearings
 Spindle Shaft: 1 3/16"
 USB Port: Type A 2.0/ USB Amperage: 3.15 amps
 Total Fuel Capacity: 11 gal.
 Tires: Front: 13 x 6.5-6, Rear: 26 x 12-12

Note: Features adjustable suspension seat for added comfort and reduced fatigue including backrest, lumbar and armrests.

Compatible Accessories:
 AJZ 100 Service Jack Only (WB00 780 6200), AJZ 101 Service Jack Mounting Kit (WB00 007 1060), AMZ 060 Mulching Kit for 60" Deck (WB00 007 1035), AFZ 960 3-Bag Collection System for 60" Deck (WB00 700 9730), ASZ 960 Striping Kit for 60" Deck (WB00 007 1045)

Description	Part Number	SRP
STIHL RZ 960 K with Kawasaki Model FX1000V Engine	WB05 011 3606 US	\$14,999.99



STIHL RZ 960i K

WB05/ Professional



Weight: 1,608 lbs., Horsepower: 38.5 hp, Fuel System: Electronic Fuel Injection,
 Engine Governor: Electronic throttle control
 Displacement: 999 cc
 Transaxles: Hydro-Gear® ZT-5400 w/ 9" cooling fans
 Forward Ground Speed: 12 mph, Reverse Ground Speed: 5 mph
 Mowing Deck: 60"
 Deck Construction: Fabricated 10- gauge steel w/ 1/2" reinforcement plates
 Cutting Height Range: 1.5"- 5"
 Cutting Height Options: 13
 Blades: 3- MARBAIN hardened
 Spindles Hub: 10" Cast Iron & Greaseable with tapered lock pulleys
 Spindle Bearings: 2.5" x 1.18" Double Row Angular Ball Bearings
 Spindle Shaft: 1 3/16"
 USB Port: Type A 2.0/ USB Amperage: 3.15 amps
 Total Fuel Capacity: 11 gal.
 Tires: Front: 13 x 6.5-6, Rear: 26 x 12-12

Note: Features adjustable suspension seat for added comfort and reduced fatigue including backrest, lumbar and armrests.

Compatible Accessories:
 AJZ 100 Service Jack Only (WB00 780 6200), AJZ 101 Service Jack Mounting Kit (WB00 007 1060), AMZ 060 Mulching Kit for 60" Deck (WB00 007 1035), AFZ 960 3-Bag Collection System for 60" Deck (WB00 700 9730), ASZ 960 Striping Kit for 60" Deck (WB00 007 1045)

Description	Part Number	SRP
STIHL RZ 960 Ki with Kawasaki Model: FX 1000V-EFI Engine	WB05 011 3605 US	\$17,499.99



STIHL RZ 972i

WB05/ Professional



Weight: 1,717 lbs., Horsepower: 40 hp, Fuel System: Electronic Fuel Injected (EFI)

Engine Governor: Electronic throttle control

Displacement: 993 cc

Transaxles: Hydro-Gear® ZT-5400 w/ 9" cooling fans

Forward Ground Speed: 12 mph, Reverse Ground Speed: 5 mph

Mowing Deck: 72"

Deck Construction: Fabricated 10- gauge steel w/ 1/2" reinforcement plates

Cutting Height Range: 1.5"- 5"

Cutting Height Options: 13

Blades: 3- MARBAIN hardened

Spindles Hub: 10" Cast Iron & Greaseable with tapered lock pulleys

Spindle Bearings: 2.5" x 1.18" Double Row Angular Ball Bearings

Spindle Shaft: 1 3/16"

USB Port: Type A 2.0/ USB Amperage: 3.15 amps

Total Fuel Capacity: 11 gal.

Tires: Front: 13 x 6.5-6, Rear: 26 x 12-12

Note: Features adjustable suspension seat for added comfort and reduced fatigue including backrest, lumbar and armrests.

Compatible Accessories:

AJZ 100 Service Jack Only (WB00 780 6200), AJZ 101 Service Jack Mounting Kit (WB00 007 1060), AMZ 072 Mulching Kit for 72" Deck (WB00 007 1050), ASZ 972 Striping Kit for 72" Deck (WB00 007 1055)

Description	Part Number	SRP
STIHL RZ 972i with Vanguard BIG BLOCK EFI ETC Model 61G2 Engine with Oil Guard™	WB05 011 3610 US	\$17,499.99

STIHL RZ 972 K

WB05/ Professional



Weight: 1,717 lbs., Horsepower: 35 hp, Fuel System: Carburetor

Engine Governor: Mechanical

Displacement: 999 cc

Transaxles: Hydro-Gear® ZT-5400 w/ 9" cooling fans

Forward Ground Speed: 12 mph, Reverse Ground Speed: 5 mph

Mowing Deck: 72"

Deck Construction: Fabricated 10- gauge steel w/ 1/2" reinforcement plates

Cutting Height Range: 1.5"- 5"

Cutting Height Options: 13

Blades: 3- MARBAIN hardened, Spindles Hub: 10" Cast Iron & Greaseable with tapered lock pulleys

Spindle Bearings: 2.5" x 1.18" Double Row Angular Ball Bearings

Spindle Shaft: 1 3/16"

USB Port: Type A 2.0/ USB Amperage: 3.15 amps

Total Fuel Capacity: 11 gal.

Tires: Front: 13 x 6.5-6, Rear: 26 x 12-12

Note: Features adjustable suspension seat for added comfort and reduced fatigue including backrest, lumbar and armrests.

Compatible Accessories:

AJZ 100 Service Jack Only (WB00 780 6200), AJZ 101 Service Jack Mounting Kit (WB00 007 1060), AMZ 072 Mulching Kit for 72" Deck (WB00 007 1050), ASZ 972 Striping Kit for 72" Deck (WB00 007 1055)

Description	Part Number	SRP
STIHL RZ 972 K with Kawasaki Model FX1000V Engine	WB05 011 3616 US	\$15,499.99

WARNING! Improper use of any power tool may cause serious or fatal injury. Read, understand and follow carefully the operating and safety instructions in your instruction manual before using such products.



STIHL RZ 972i K

WB05/ Professional



Weight: 1,717 lbs., Horsepower: 38.5 hp, Fuel System: Electronic Fuel Injection,
 Engine Governor: Electronic Throttle Control
 Displacement: 999 cc
 Transaxles: Hydro-Gear® ZT-5400 w/ 9" cooling fans
 Forward Ground Speed: 12 mph, Reverse Ground Speed: 5 mph
 Mowing Deck: 72"
 Deck Construction: Fabricated 10- gauge steel w/ 1/2" reinforcement plates
 Cutting Height Range: 1.5"- 5"
 Cutting Height Options: 13
 Blades: 3- MARBAIN hardened
 Spindles Hub: 10" Cast Iron & Greaseable with tapered lock pulleys
 Spindle Bearings: 2.5" x 1.18" Double Row Angular Ball Bearings
 Spindle Shaft: 1 3/16"
 USB Port: Type A 2.0/ USB Amperage: 3.15 amps
 Total Fuel Capacity: 11 gal.
 Tires: Front: 13 x 6.5-6, Rear: 26 x 12-12

Note: Features adjustable suspension seat for added comfort and reduced fatigue including backrest, lumbar and armrests.

Compatible Accessories:
 AJZ 100 Service Jack Only (WB00 780 6200), AJZ 101 Service Jack Mounting Kit (WB00 007 1060), AMZ 072 Mulching Kit for 72" Deck (WB00 007 1050), ASZ 972 Striping Kit for 72" Deck (WB00 007 1055)

Description	Part Number	SRP
STIHL RZ 972 Ki with Kawasaki Model: FX 1000V-EFI Engine	WB05 011 3615 US	\$18,499.99



STIHL RZA 748

WA04/ Professional



Weight: 1,539 lbs., Max Forward Speed: 16 mpg, Drive Motor: 5 kw; Blade Motor: 1.8 kw, Battery Capacity: 24 kWh, Run Time: up to 8 hrs.
 Charger: ALB 3000
 Power Cable Length: 74.75"; Charging cable length: 82 1/2 inches"
 Charging Time: 3:54
 ALB 3000 Included Standard Charger
 Charging Times (5%-100%): 110 volts NEMA 5-20 Plug, 21 hrs. 45 mins.
 W/ Included Standard Charger: 220 volts NEMA 6-20 Plug, 9 hrs. 13 mins.
 Blades: 3
 Cutting Height Range: 1.5 - 4.5
 Cutting height options: 17
 Tires: Front:13x6.50-6, Rear: 24x9.50-12

Description	Part Number	SRP
STIHL RZA 748 Battery Zero-Turn Lawn Mower with 48" mower deck	WA04 011 8600 US	\$28,359.99

STIHL RZA 752

WA04/ Professional



Weight: 1,572 lbs., Max Forward Speed: 16 mpg, Drive Motor: 5 kw; Blade Motor: 1.8 kw, Battery Capacity: 24 kWh, Run Time: up to 8 hrs.
 Charger: ALB 3000
 Power Cable Length: 74.75"; Charging cable length: 82 1/2 inches"
 Charging Time: 3:54
 ALB 3000 Included Standard Charger
 Charging Times (5%-100%): 110 volts NEMA 5-20 Plug, 21 hrs. 45 mins.
 W/ Included Standard Charger: 220 volts NEMA 6-20 Plug, 9 hrs. 13 mins.
 Blades: 3
 Cutting Height Range: 1.5 - 4.5
 Cutting height options: 17
 Tires: Front:13x6.50-6, Rear: 24x9.50-12

Description	Part Number	SRP
STIHL RZA 752 Battery Zero-Turn Lawn Mower with 52" mower deck	WA04 011 8610 US	\$28,889.99

STIHL RZA 760

WA04/ Professional



Weight: 1,623 lbs., Max Forward Speed: 16 mpg, Drive Motor: 5 kw; Blade Motor: 1.8 kw, Battery Capacity: 24 kWh, Run Time: up to 8 hrs.
 Charger: ALB 3000
 Power Cable Length: 74.75"; Charging cable length: 82 1/2 inches"
 Charging Time: 3:54
 ALB 3000 Included Standard Charger
 Charging Times (5%-100%): 110 volts NEMA 5-20 Plug, 21 hrs. 45 mins.
 W/ Included Standard Charger: 220 volts NEMA 6-20 Plug, 9 hrs. 13 mins.
 Blades: 3
 Cutting Height Range: 1.5 - 4.5
 Cutting height options: 17
 Tires: Front:13x6.50-6, Rear: 24x12.00-12

Description	Part Number	SRP
STIHL RZA 760 Battery Zero-Turn Lawn Mower with 60" mower deck	WA04 011 8620 US	\$29,429.99



ZERO-TURN MOWERS |

STIHL AZA 748



Battery Module: 24 kWh
 Battery Type: Lithium-Iron Phosphate
 Maximum Forward Speed: 12 mph
 Width: 150 cm (59"): Length: 184 cm (72.5")
 Height: 122 cm (48"): Weight: 669 kg (1,475 lbs)
 4 Forward Speed Levels:

Description	Deck Size:	Part Number	SRP
STIHL AZA 748	48"	WA81 011 8400 US	\$27,819.99

STIHL AZA 752



Battery Module: 24 kWh
 Battery Type: Lithium-Iron Phosphate
 Maximum Forward Speed: 12 mph
 Width: 168 cm (66"): Length: 184 cm (72.5")
 Height: 122 cm (48"): Weight: 682 kg (1,504 lbs)
 4 Forward Speed Levels:

Description	Deck Size:	Part Number	SRP
STIHL AZA 752	52"	WA81 011 8410 US	\$28,359.99

STIHL AZA 760



Battery Module: 24 kWh
 Battery Type: Lithium-Iron Phosphate
 Maximum Forward Speed: 12 mph
 Width: 188 cm (74"): Length: 190 cm (75")
 Height: 122 cm (48"): Weight: 707 kg (1,559 lbs)
 4 Forward Speed Levels:

Description	Deck Size:	Part Number	SRP
STIHL AZA 760	60"	WA81 011 8420 US	\$28,889.99



RM 453.3 T



Weight: 32 kg (70.5 lbs),
Deck Width: 53 cm (21"),
Cutting Width: 51 cm (20")
Cutting Height: 2.5cm- 10.0 cm (1.0"-4.0")
Grass Bag Capacity: 55 L (14.5 Gal):

Description	Part Number	SRP
RM 453.3 T	WB42 011 3420 US	\$649.99

RM 453.3 V



Weight: 33 kg (72.7 lbs),
Deck Width: 53 cm (21"),
Cutting Width: 51 cm (20")
Cutting Height: 2.5 cm- 10 cm (1"-4.0")
Grass Bag Capacity: 55 L (14.5 Gal):

Description	Part Number	SRP
RM 453.3 V	WB42 011 3430 US	\$699.99

**RM 655.0 V**

Series 6374



Weight: 101.4 lbs., Drive Type: Vario Drive,
 Cutting Height: 0.98- 3.35 (seven- level central cut- height adjustment)
 Engine Brand: Kohler HD Series™ HD775 OHV
 Displacement/ Rated Power: 173 cc/ 7.46 lbs. ft. torque
 Speeds: 0 - 2.85 mph
 Deck Width/ Cutting Width: 21"/ 20.87"
 Number of Blades/ Mowing Blade Speed: One Multiblade/ 2,800 RPM

Description	Part Number	SRP
RM 655 V push mower	6374 011 3450 US	\$1,069.99

RM 655.1 VS

Series 6374



Weight: 101.4 lbs., Drive Type: Vario Drive,
 Cutting Height: 0.98- 3.35 (seven- level central cut- height adjustment)
 Engine Brand: Kohler HD Series™ HD775 OHV
 Displacement/ Rated Power: 173 cc/ 7.46 lbs. ft. torque
 Speeds: 0 - 2.85 mph
 Deck Width/ Cutting Width: 21"/ 20.87"
 Number of Blades/ Mowing Blade Speed: One Multiblade/ 2,800 RPM

Description	Part Number	SRP
RM 655.1 VS push mower	6374 011 3451 US	\$1,289.99

RM 655.1 YS

Series 6374



Weight: 123.5 lbs., Drive Type: Hydrostatic,
 Cutting Height: 0.98- 3.35 (seven- level central cut- height adjustment)
 Engine Brand: Kohler HD Series™ HD775 OHV
 Displacement/ Rated Power: 173 cc/ 7.46 lbs. ft. torque
 Speeds: 0 - 3.91 mph
 Deck Width/ Cutting Width: 21"/ 20.87"
 Number of Blades/ Mowing Blade Speed: One Multiblade/ 2,800 RPM

Description	Part Number	SRP
RM 655.1 YS push mower	6374 011 3452 US	\$1,719.99



RM 756.1 YC

Series 6378



Weight: 134.5 lbs., Drive Type: Hydrostatic,
 Cutting Height: 0.98- 3.54"
 Engine Brand: Kohler Command Pro CV 200
 Displacement/ Rated Power: 200 cc/ 9.5 lbs. ft. of torque
 Speeds: 0 - 3.72 mph
 Deck Width/ Cutting Width: 22"/ 21.26"
 Number of Blades/ Mowing Blade Speed: 1 multi-blade/ 2,800 RPM

Description	Part Number	SRP
RM 756.1 YC push mower	6378 011 3440 US	\$2,139.99

**MOWER BLADES**

Description	Part Number	SRP
Blade for RM 600 Series	6374 702 0100	\$26.99
Mulching Blade for RM 756 YC	6383 702 0100	\$26.99
Blade for RM/RMA 453	WA42 702 0100	\$26.99
Blade for RM 756 YC	6378 702 0100	\$32.99

MULCH KIT

Description	Part Number	SRP
Mulch Kit for RM 756	6909 007 1024	\$106.99



AAZ 120 ARMRESTS



Description	Part Number	SRP
Armrests for consumer seat Compatible with: STIHL RZ 142, 152 & 261	WB00 780 2700	\$90.99

AJZ 100 SERVICE JACK



Description	Part Number	SRP
Service jack- (jack only) Compatible with: STIHL RZ 5, 7 & 9 series (Note: requires AJZ 101)	WB00 780 6200	\$74.99

AJZ 101 SERVICE JACK MOUNTING KIT



Description	Part Number	SRP
Service jack- (mounting kit only) Compatible with: STIHL RZ 5, 7 & 9 series (Note: requires AJZ 100)	WB00 007 1060	\$32.99

ALZ 120 LED LIGHT KIT



Description	Part Number	SRP
LED Light Kit Compatible with: STIHL RZ 142, 152 & 261	WB00 007 1010	\$69.99



STIHL RZ COLLECTION SYSTEMS

Description	Part Number	MSRP
AFZ 100 2-Bag 6.5 Bushel Collection System (includes front counter weights) Compatible with: STIHL RZ 142 & 152 Note: (STIHL RZ 142 requires the ADZ 100 Boot Kit RZ 152 requires the ABZ 100 Bagging Blower)	WB00 700 9700	\$748.99
2- Bag 6.5 Bushel Collection System Compatible with: STIHL RZ 261 (Note: Requires ABZ 261)	WB00 700 9706	\$534.99
AFZ 552 2-Bag 6.5 Bushel Hard Top Collection System with bagging blower Compatible with: STIHL RZ 552 & 552 K	WB00 700 9711	\$2,139.99
AFZ 560 3-Bag 10 Bushel Hard Top Collection System with bagging blower Compatible with: STIHL RZ 560 & 560 K	WB00 700 9716	\$2,139.99
AFZ 752 3-Bag 10 Bushel Soft Top Collection System with bagging blower Compatible with: STIHL RZ 752 & 752 K	WB00 700 9720	\$2,674.99
AFZ 7603-Bag 10 Bushel Soft Top Collection System with bagging blower Compatible with: STIHL RZ 760 & 760 K	WB00 700 9725	\$2,674.99
3-Bag 10 Bushel Soft Top Collection System with bagging blower Compatible with: STIHL RZ 960 & 960 K	WB00 700 9730	\$2,674.99

ADZ 100 BOOT KIT

Description	Part Number	SRP
Boot Kit Compatible with: STIHL RZ 142 (Note: requires AFZ 100)	WB00 710 7600	\$160.99



RZ MULCH KITS

Description	Part Number	SRP
AMZ 142 Mulch Kit- 42" Compatible with STIHL RZ 142	WB00 007 1005	\$213.99
AMZ 152 Mulch Kit- 52" Compatible with STIHL RZ 152	WB00 007 1015	\$246.99
AMZ 261 Mulch Kit- 61" Compatible with STIHL RZ 261	WB00 007 1020	\$213.99
AMZ 052 Mulch Kit- 52" Compatible with STIHL RZ 552 & RZ 752	WB00 007 1025	\$213.99
AMZ 060 Mulch Kit- 60" Compatible with STIHL RZ 560, 760 & 960	WB00 007 1035	\$213.99
AMZ 072 Mulch Kit- 72" Compatible with STIHL RZ 972 & 972 K	WB00 007 1050	\$213.99

**BAGGING BLOWERS**

Description	Part Number	SRP
ABZ 100 Bagging blower Compatible with: STIHL RZ 152 (Note: Requires AZF 100)	WB00 760 0500	\$641.99
ABZ 261 Bagging blower Compatible with: STIHL RZ 261 (Note: Requires ACZ 261)	WB00 760 0505	\$641.99

RZ STRIPING KITS

Description	Part Number	SRP
ASZ 052 Striping Kit for STIHL RZ 552 & 752	WB00 007 1030	\$42.99
ASZ 060 Striping Kit for STIHL RZ 560 & 760	WB00 007 1040	\$42.99
ASZ 860 Striping Kit for STIHL RZ 960 & 960 K	WB00 007 1045	\$42.99
ASZ 972 Striping Kit for STIHL RZ 972 & 972 K	WB00 007 1055	\$53.99



ZERO-TURN MOWER ACCESSORIES

AZA/RZA ACCESSORIES

Description	Part Number	SRP
Inverter ACA 100.0	WA00 400 6700	\$855.99
RZ Suspension Seat	WB00 007 1090	\$641.99
Sunshade ATA 100.0	WA00 780 4300	\$534.99
Striping Kit 48" / 52"	WA00 007 1030	\$213.99
Striping Kit 60"	WA00 007 1035	\$213.99



BR 200

Series 4241



27.2 cc (1.7 cu. in.), 0.8 kW (1.07 bhp), 5.7 kg (12.6 lbs.- dry weight)
 Fuel Capacity: 1050 cc (35.5 oz.)
 Blowing Force*: 12 Newtons
 Max Air Velocity: 67 m/sec. (150 mph)
 Air Volume at Nozzle**: 680 m³/h (400 cfm)
 Sound Pressure Rating***: 70 dB(A)

Description	Part Number	SRP
Our lightest backpack blower Utilizes BR 420 style tubes BR 350 style controls for ease of use Wide arc elbow for comfortable use	4241 011 1606 US	\$379.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².
 As measured per ANSI B 175.2 standard.* The sound pressure rating is measured at 50 ft.

BR 350

Series 4244



63.3 cc (3.9 cu. in.), 2.1 kW (2.8 bhp), 10.0 kg (22.0 lbs.- dry weight)
 Fuel Capacity: 1700 cc (57.5 oz.)
 Blowing Force*: 17 Newtons
 Max Air Velocity: 90 m/sec. (201 mph)
 Air Volume at Nozzle**: 740 m³/h (436 cfm)
 Sound Pressure Rating***: 74 dB(A)

Prior Part Number: 4244 011 1601

Description	Part Number	SRP
Heavy Duty Air Filter Small Diameter Tubes	4244 011 1608 US	\$449.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².
 As measured per ANSI B 175.2 standard. * The sound pressure rating is measured at 50 ft.



BR 430

Series 4244



63.3 cc (3.9 cu. in.), 2.9 kW (3.9 bhp), 10.1 kg (22.3 lbs. -dry weight)

Fuel Capacity: 1700 cc (57.5 oz.)

Blowing Force*: 26 Newtons

Max Air Velocity: 98 m/sec. (219 mph)

Air Volume at Nozzle**: 850 m³/h (500 cfm)

Sound Pressure Rating***: 76 dB(A)

Description	Part Number	SRP
Heavy Duty Air Filter Large Diameter Tubes similar to the BR 600 for Increased Air Volume	4244 011 1621 US	\$449.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².

As measured per ANSI B 175.2 standard. * The sound pressure rating is measured at 50 ft.

BR 450

Series 4244



63.3 cc (3.9 cu. in.), 2.9 kW (3.9 bhp), 10.6 kg (23.4 lbs.- dry weight)

Fuel Capacity: 1700 cc (57.5 oz.)

Blowing Force*: 28 Newtons

Max Air Velocity: 98 m/sec. (219 mph)

Air Volume at Nozzle**: 1090 m³/h (642 cfm)

Sound Pressure Rating***: 77 dB(A)

Description	Part Number	SRP
High Quality Harness- Dual Adjustments Reduced Vibration Levels	4244 011 1634 US	\$549.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².

As measured per ANSI B 175.2 standard. * The sound pressure rating is measured at 50 ft.



BR 600

Series 4282



64.8 cc (3.95 cu. in.), 2.8 kW (3.8 bhp), 9.8 kg (21.6 lbs.- dry weight)
 Fuel Capacity: 1400 cc (47.3 oz.)
 Blowing Force*: 32 Newtons
 Max Air Velocity: 106 m/sec. (238 mph)
 Air Volume at Nozzle**: 1150 m³/h (677 cfm)
 Sound Pressure Rating***: 75 dB(A)

Description	Part Number	SRP
High Quality Harness- Dual Adjustments 3 Position Adjustment Length Tube Reduced Vibration Levels	4282 011 1632 US	\$549.99
BR 600 Service Kit	4282 007 1801	\$27.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².
 As measured per ANSI B 175.2 standard. * The sound pressure rating is measured at 50 ft.

BR 700

Series 4282



64.8 cc (3.95 cu. in.), 2.8 kW (3.8 bhp), 10.6 kg (23.4 lbs. - dry weight)
 Fuel Capacity: 1400 cc (47.3 oz.)
 Blowing Force*: 35 Newtons
 Max Air Velocity: 88 m/sec. (197 mph)
 Air Volume at Nozzle**: 1550 m³/h (912 cfm)
 Sound Pressure Rating***: 75 dB(A)

Description	Part Number	SRP
High Quality Harness- Dual Adjustments Telescopic Blower Tube Reduced Vibration Levels	4282 011 1638 US	\$679.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².
 As measured per ANSI B 175.2 standard. * The sound pressure rating is measured at 50 ft.



BR 700 X

Series 4282



64.8 cc (4.0 cu. in.), 2.8 kW (3.8 bhp), 10.4 kg (23.0 lbs- dry weight)
 Fuel Capacity: 1400 cc (47.3 fl. oz)
 Blowing Force*: 34 Newtons
 Max Air Velocity: 86 m/sec (193 mph)
 Air Volume at Nozzle**: 1,530 m³/h (901 cfm)
 Sound Pressure Rating***: 75 dB(A)

Description	Part Number	SRP
High Quality Harness- Dual Adjustments Included Reduce Vibration Levels	4282 011 1641 US	\$679.99
Lighter weight tube for more efficient blowing as compared to BR 700		

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².
 As measured per ANSI B 175.2 standard. * The sound pressure rating is measured at 50 ft.

BR 800 C-E MAGNUM®



79.9 cc (4.9 cu. in.), 3.2 kW (4.4 bhp), 11.7 kg (25.8 lbs)
 Fuel Capacity: 2000 cc (67.6 fl. oz)
 Blowing Force*: 41 Newtons
 Max Air Velocity: 107 m/sec (239 mph)
 Air Volume**: 1,550 m³/h (912 cfm)
 Sound Pressure Rating***: 78 dB(A)

Description	Part Number	SRP
Side start for easy access of starter rope w/ blower on the back High quality dual harness adjustments Hip belt and chest strap included Telescopic blower tube Stowaway hook for blower tube	4283 011 1600 US	\$749.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².
 As measured per ANSI B 175.2 standard.* The sound pressure rating is measured at 50 ft.



BR 800 X MAGNUM®

Series 4283



79.9 cc (4.9 cu. in.), 3.2 kW (4.4 bhp), 10.5 kg (23 lbs)

Fuel Capacity: 2000 cc (67.6 fl. oz)

Blowing Force*: 41 Newtons

Max Air Velocity: 107 m/sec (239 mph)

Air Volume**: 1,550 m³/h (912 cfm)

Sound Pressure Rating***: 78 dB(A)

Description	Part Number	SRP
High quality dual harness adjustments Lightweight blower tube for best work progress Stowaway hook for blower tube	4283 011 1610 US	\$649.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².

As measured per ANSI B 175.2 standard. * The sound pressure rating is measured at 50 ft.



BG 50

Series 4229



Packaged 2 per box
 27.2 cc (1.66 cu. in.), 0.7 kW (0.9 bhp), 3.6 kg (7.9 lbs.- dry weight)
 Fuel Capacity: 430 cc (14.5 oz.)
 Blowing Force*: 13 Newtons
 Max Air Velocity: 71 m/sec (159 mph)
 Air Volume at Nozzle**: 700 m³/h (412 cfm)
 Sound Pressure Rating***: 70 dB(A)

Description	Part Number	SRP
Round Nozzle for Increased Air Volume	4229 011 1722 US	\$179.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².
 As measured per ANSI B 175.2 standard.* The sound pressure rating is measured at 50 ft.

BG 56 C-E



27.2 cc (1.66 cu. in.), 0.7 kW (0.9 bhp), 4.2 kg (9.3 lbs.- dry weight)
 Fuel Capacity: 540 cc (18.3 oz.)
 Blowing Force*: 13 Newtons
 Max Air Velocity: 71 m/sec (159 mph)
 Air Volume at Nozzle**: 700 m³/h (412 cfm)
 Sound Pressure Rating***: 70 dB(A)

Description	Part Number	SRP
Featuring the Easy2Start™ System with a Semi- Automatic Choke System	4241 011 1755 US	\$239.99
Service Kit for BG 56 C-E	4241 007 1800	\$21.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².
 As measured per ANSI B 175.2 standard.*The sound pressure rating is measured at 50 ft.



BG 86

Series 4241



27.2 cc (1.66 cu. in.), 0.8 kW (1.07 bhp), 4.4 kg (9.7 lbs.- dry weight)
 Fuel Capacity: 440 cc (14.9 oz.)
 Blowing Force*: 15 Newtons
 Max Air Velocity: Flat: 85 m/sec. (190 mph); Round: 69 m/sec. (154 mph)
 Air Volume at Nozzle**: Flat: 620 m³/h (365 cfm); Round: 755 m³/h (444 cfm)
 Sound Pressure Rating***: 70 dB(A)

Description	Part Number	SRP
Includes: Flat and Round Nozzles; Cruise Control Throttle; Soft Grip Handles	4241 011 1763 US	\$329.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².
 As measured per ANSI B 175.2 standard. * The sound pressure rating is measured at 50 ft.

BG 86 C-E

E = Easy2Start™
 Series 4241



27.2 cc (1.66 cu. in.), 0.8 kW (1.07 bhp), 4.5 kg (9.9 lbs.- dry weight)
 Fuel Capacity: 440 cc (14.9 oz.)
 Blowing Force*: 15 Newtons
 Max Air Velocity: Flat: 85 m/sec. (190 mph); Round: 69 m/sec. (154 mph)
 Air Volume at Nozzle**: Flat: 620 m³/h (365 cfm); Round: 755 m³/h (444 cfm)
 Sound Pressure Rating***: 70 dB(A)

Description	Part Number	SRP
Easy2Start™ Version of the BG 86	4241 011 1764 US	\$349.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².
 As measured per ANSI B 175.2 standard. * The sound pressure rating is measured at 50 ft.

**SH 56 C-E**

E • Easy2Start™
Series 4241



27.2 cc (1.66 cu. in.), 0.7 kW (0.9 bhp), 5.2 kg (11.5 lbs.- dry weight)
Fuel Capacity: 540 cc (18.3 oz.)
Blowing Force*: 13 Newtons
Max Air Velocity: 71 m/sec. (159 mph)
Air Volume at Nozzle**: 700 m³/h (412 cfm)
Sound Pressure Rating***: 70 dB(A)

Description	Part Number	SRP
Includes: Vacuum Bag; Suction Tube; Round Nozzle	4241 011 0934 US	\$269.99
Service Kit for SH 56 C-E	4241 007 1800	\$21.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².

As measured per ANSI B 175.2 standard. * The sound pressure rating is measured at 50 ft.

SH 86 C-E

27.2 cc (1.66 cu. in.), 0.8 kW (1.07 bhp), 5.6 kg (12.3 lbs.- dry weight)
Fuel Capacity: 440 cc (14.9 oz.)
Blowing Force*: 15 Newtons
Max Air Velocity: 76 m/sec. (170 mph)
Air Volume at Nozzle**: 755 m³/h (444 cfm)
Sound Pressure Rating***: 70 dB(A)

Description	Part Number	SRP
Includes: Vacuum Bag, Suction Tube, Flat Nozzle and Round Nozzle	4241 011 0939 US	\$369.99

*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².

As measured per ANSI B 175.2 standard. * The sound pressure rating is measured at 50 ft.



SG 11

Series 4255
Farm & Ranch



Packaged 6 per box
Tank Capacity: 1.5 L (0.4 gals.)
Working Pressure: 29 psi +/- 10%
Weight without liquid: 0.46 kg (1.0 lbs.)

Description	Part Number	SRP
Manual Hand Sprayer- 51 fl. oz. Tank SG 11 Sprayers are sold by the case. MOQ = 6	4255 019 4911	\$26.99

SG 20

Series 4247
Professional



Tank Capacity: 18.0 L (4.75 gals.)
Working Pressure: 40 psi +/- 10%
Weight without liquid: 5.1 kg (11.2 lbs.)

Description	Part Number	SRP
Pressurized Fluid Reservoir Separate from 4.75 Gallon Tank	4247 019 4902	\$149.99



SG 31

Series 4255



Tank Capacity: 5.0 L (1.32 gals.)
 Working Pressure: 29 psi +/- 10%
 Weight without liquid: 1.8 kg (4.0 lbs.)

Description	Part Number	SRP
Manual Hand Sprayer- 1.32 Gallon Tank	4255 019 4931	\$74.99

SG 51

Series 4255
 Professional



Tank Capacity: 12L (3.2 gals.)
 Working Pressure: 40 psi +/- 10%
 Weight without liquid: 9.9 lbs

Description	Part Number	SRP
Pressurized Fluid Reservoir Separate from 3.2 Gallon Tank with adjustable brass nozzle	4255 019 4951	\$139.99

SG 71

Series 4255



Tank Capacity: 18.0 L (4.75 gals.)
 Working Pressure: 40 psi +/- 10%
 Weight without liquid: 10.6 lbs

Description	Part Number	SRP
Pressurized Fluid Reservoir Separate from 4.75 Gallon Tank with adjustable brass nozzle	4255 019 4971	\$155.99

WARNING! Improper use of any power tool may cause serious or fatal injury. Read, understand and follow carefully the operating and safety instructions in your instruction manual before using such products.



SR 200

Series 4241



27.2 cc (1.66 cu. in.), 0.8 kW (1.07 bhp), 8.5 kg (18.7 lbs.- Dry Weight)
 1,079 cc (36.5 oz.)
 Container Capacity: 10.0 L (2.1 gals.)
 Air Velocity: 81 m/sec. (181 mph)
 Air Volume: With tubes: 580 m³/h (391 cfm)
 Spray Range: (Maximum): Horz.: 9 m (29.5 ft.), Vert.: 5.5 m (18.0 ft.)

Description	Part Number	SRP
2.1 Gallon Tank Liquid Only Unit	4241 011 2602 US	\$519.99

The pressure pump kit is recommended for applications in which the spray tube is held at an upward angle of more than 30 degrees in order to maintain a consistent discharge rate.

SR 430

Series 4244



63.3 cc (3.86 cu. in.), 2.9 kW (3.9 bhp), 12.4 kg (27.3 lbs.- Dry Weight)
 Fuel Capacity: 1700 cc (57.5 oz.)
 Container Capacity: 14.0 L (3.7 gals.)
 Air Velocity: 90 m/sec. (201 mph)
 Air Volume: 920 m³/h (542 cfm)
 Spray Range: (Maximum): Horz.: 14.5 m (48.0 ft.), Vert.: 13.0 m (43.0 ft.)

Description	Part Number	SRP
3.7 Gallon Tank Liquid Only Unit Includes: Pressure Pump	4244 011 2601 US	\$749.99

SR 450

Series 4244



63.3 cc (3.86 cu. in.), 2.9 kW (3.9 bhp), 12.8 kg (28.2 lbs.- dry weight)
 Fuel Capacity: 1700 cc (57.5 oz.)
 Container Capacity: 14.0 L (3.7 gals.)
 Air Velocity: 90 m/sec. (201 mph)
 Air Volume: With tubes: 920 m³/h (542 cfm)
 Spray Range: (Maximum): Horz.: 14.5 m (48.0 ft.), Vert.: 13.0 m (43.0 ft.)

Description	Part Number	SRP
3.7 Gallon Tank; Toolless conversion from liquid to granular mode by rotating tank 180 degrees	4244 011 2643 US	\$859.99

WARNING! Improper use of any power tool may cause serious or fatal injury. Read, understand and follow carefully the operating and safety instructions in your instruction manual before using such products.



BG VACUUM KIT



Description	Part Number	SRP
Vacuum Kit for BG 55, BG 65, BG 85	4229 007 1000	\$50.99
Vacuum Kit for BG 56, BG 86	4241 700 2200	\$63.99

BR 350 OPTIONAL NOZZLE



Description	Part Number	SRP
Flat Curved Nozzle	4203 701 8300	\$11.49
Round Curved Nozzle	4203 708 6300	\$10.99

BR 350, BR 430, SR 450 HIP/ LAP BELT



Description	Part Number	SRP
Hip/ Lap Belt	4203 710 9102	\$62.49

HANDHELD BLOWER GUTTER KIT



Description	Part Number	SRP
Over 10 feet of extensions make it easy to clean rain gutters. Fits BG 56, BG 86, BGE 61 & BGE 71.	4241 007 1003	\$50.99



BR 500, BR 550, BR 600, BR 700, BR 800 ACCESSORIES



Description	Part Number	SRP
BR Chest Strap	0000 790 7700	\$12.99



Hip Belt	4282 710 9101	\$38.99
----------	---------------	---------

Curved Nozzle for BR 700/ BR 800	4282 708 6303	\$14.99
----------------------------------	---------------	---------

Flat Curved Nozzle for BR 800	4282 708 6304	\$28.99
-------------------------------	---------------	---------



Curved Fan (Flat) Nozzle (Does NOT fit BR 700)	4282 708 6340	\$10.99
---	---------------	---------

REPLACEMENT VACUUM BAG FOR BG AND SH UNITS

Description	Part Number	SRP
Fine Mesh Bag	4229 708 9701	\$102.99
Coarse Mesh Bag	4229 708 9702	\$39.49

WARNING! Improper use of any power tool may cause serious or fatal injury. Read, understand and follow carefully the operating and safety instructions in your instruction manual before using such products.

**BR AIR FILTER KITS - BLISTER PACKED**

Description	Case	Part Number	SRP
BR 340, 380, 420 Air Filter Kit	10	4203 007 1028	\$39.99

SG 20 TELESCOPING WAND

Description	Part Number	SRP
Telescopic Lance	4247 500 2100	\$66.49

SG 20 CONTROL VALVE

Color	Rated Pressure	Part Number	SRP
Yellow	15 psi	4247 500 7400	\$68.99
Red	21 psi	4247 500 7401	\$68.99
Blue	29 psi	4247 500 7402	\$68.99

Note: Control valve maintains constant spray pressure and closes to prevent dripping when pressure falls below rated value.

SG 20 COMPLETE WAND ASSEMBLY

Description	Part Number	SRP
Wand Assembly	4247 500 7600	\$81.99

NOTE: Includes: Hose, Hose Clamp, Trigger Valve, Wand and Nozzle Kit



SR 200 ACCESSORIES



Description	Part Number	SRP
SR 200 Pressure Pump Kit For providing constant discharge rate at upward angles Set of ULV Nozzles included	4241 007 1006	\$145.99



Set of ULV Nozzles- SR 200 For fine control of low volume liquid flow	4241 007 1009	\$17.99
--	---------------	---------

SR 430/450 ACCESSORIES



Description	Part Number	SRP
Tube Extension Kit For extra reach into high trees or low bushes	4244 770 0300	\$12.99

SR 450 Pressure Pump Kit For providing constant discharge rate at upward spray angles Set of ULV Nozzles included	4244 007 1004	\$145.99
---	---------------	----------

Set of ULV Nozzles For fine control of low volume liquid flow	4244 007 1022	\$8.99
--	---------------	--------

SET OF NOZZLES

Description	Part Number	SRP
Sprayer Nozzle Kit	4255 007 1000	\$22.99

TECHNICAL MATERIALS



STIHL Smart Connector

Smart Connector 2A

STIHL Connected

Chain Saw Service Kits

Trimmer Service Kits

Blower / Sprayer Service Kits

STIHL 4-MIX™ Service Kit

Dirko HT Crankcase Sealer

Hex Drive Carburetor Adjustment Screwdriver

Torx® Screwdriver

T-Handle Screwdrivers

Torx® Bit Adapter

Touch Up Spray Paint

MDG 1 Diagnostic Tool

Product Liability Guidelines

Tool Box for Special Tools

MasterWrench Service Tool Kit®



STIHL SMART CONNECTOR



Description	Part Number	SRP
1 Single Pack: Bluetooth connection between device and smart phone iOS and Android compatible. 2032 Lithium-ion battery. Battery life approximately 1 year.	0000 400 4901	\$21.99
Pack of 10 connectors: Bluetooth connection between device and smart phone iOS and Android compatible. 2032 Lithium-ion battery. Battery life approximately 1 year.	0000 400 4904	\$203.99

SMART CONNECTOR 2A



Description	Part Number	SRP
Compatible only with designated products. Powered by 2450 Lithium-ion battery. Bluetooth connection between Smart Connector and smart phone with additional data point capabilities.	CA01 400 4901	\$42.99

STIHL CONNECTED



Description	Part Number	SRP
Hub Ideal for collecting data from many Smart Connectors. The STIHL connected mobile hub transmits the collected data using a customer's WiFi or LAN network.	CE02 400 9601	\$235.99
Mobile Hub Ideal for collecting data from many Smart Connectors. The STIHL connected mobile hub wirelessly transmits the collected data using a customer supplied LTE sim chip. The mobile hub can be plugged into a traditional wall outlet or USB-A power supply.	CE02 400 9801	\$342.99



CHAIN SAW SERVICE KITS



Fits Models	Includes	Part Number	SRP
MS 210, MS 230, MS 250	Air Filter, Fuel Filter and Spark Plug	1123 007 1800	\$23.99
MS 290, MS 310, MS 390	Air Filter, Fuel Filter and Spark Plug	1127 007 1800	\$23.99
MS 170, MS 180	Air Filter, Fuel Filter and Spark Plug	1130 007 1800	\$23.99
MS 171, MS 181, MS 211	Air Filter, Fuel Filter and Spark Plug	1139 007 1800	\$23.99
MS 311 (with Serial No. lower than 295 938 526) MS 391 (with Serial No. lower than 295 938 026)	Pre Air Filter, Main Air Filter and Spark Plug	1140 007 1800	\$27.99
MS 271, MS 291 MS 311 (with Serial No. greater than 295 938 526) MS 391 (with Serial No. greater than 295 938 026)	HD2 Air Filter, Fuel Filter and Spark Plug	1141 007 1800	\$27.99
MS 251	Air Filter, Fuel Filter and Spark Plug	1143 007 1800	\$27.99

TRIMMER SERVICE KITS



Fit Models	Includes	Part Number	SRP
BG 75, FS 75, FS 80, FS 85, KM 85, HT 75	Air Filter, Fuel Filter and Spark Plug	4137 007 1800	\$21.99
FS 45, FS 46, FS 55, HL 45, KM 55	Air Filter, Fuel Filter and Spark Plug	4140 007 1800	\$21.99
FC 56, FC 70, FS 40, FS 56, FS 70, HT 56, KM 56	Air Filter, Fuel Filter and Spark Plug	4144 007 1800	\$21.99
FC 90, FC 95, FC 110, FS 90, FS 100RX, FS 110, HL 90, HL 100, HT 101, KM 90, KM 110	Air Filter, Fuel Filter and Spark Plug	4180 007 1800	\$21.99
FC 91, FC 96, FC 111, FS 91, FS 111, FS 111 RX, KM 91, KM 111, HT 102, HT 103	Air Filter, Fuel Filter & Spark Plug	4180 007 1042	\$23.99
FS 131, FS 311, KM 131, FB 131, BT 131, HT 132, HT 133	Air Filter, Fuel Filter & Spark Plug	4180 007 1043	\$23.99

**BLOWER / SPRAYER SERVICE KITS**

Fits Models	Includes	Part Number	SRP
BG 55, BG 65, BG 85, SH 55, SH 85	Air Filter, Fuel Filter and Spark Plug	4229 007 1800	\$21.99
BG 56, BG 66, BG 86 SH 56 C-E, SH 86 C-E	Air Filter, Fuel Filter and Spark Plug	4241 007 1800	\$21.99
BR 350, BR 430, BR 450, BR 450 C-EF SR 430, SR 450	Air Filter, Fuel Filter and Spark Plug	4244 007 1800	\$27.99
BR 500, BR 550, BR 600 BR 700, BR 700X	Air Filter, Dual Fuel Filter Assembly and Spark Plug	4282 007 1801	\$27.99
BR 800 X, BR 800 C-E	Air Filter, Dual Fuel Filter Assembly and Spark Plug	4283 007 4100	\$27.99

STIHL 4-MIX™ SERVICE KIT

Description	Part Number	SRP
Mandrel for 2" Abrasive Disk	5910 890 0400	\$20.99
Long Mandrel for Abrasive Pads	5910 893 1100	\$10.99
2" Abrasive Disk-Medium	5910 893 5601	\$1.49
1" Abrasive Pad-Medium	5910 893 5602	\$3.49
3/4" Abrasive Pad-Medium	5910 893 5603	\$3.49
1" Abrasive Pad-Extra Fine	5910 893 5604	\$3.49
3/4" Abrasive Pad-Extra Fine	5910 893 5607	\$3.99
Leak-down Tester	5910 850 0300	\$152.49

DIRKO HT CRANKCASE SEALER

Description	Part Number	SRP
3 1/2 oz (100 g) tube	0783 830 2000	\$13.99

Order from STIHL Inc.



HEX DRIVE CARBURETOR ADJUSTMENT SCREWDRIVER

Description	Part Number	SRP
1141 Carburetor Adjustment Tool	5910 890 2306	\$2.99
4282 Carburetor Adjustment Tool	5910 890 2307	\$3.99

NOTE: Carburetor service and adjustment tools are for use only by STIHL Retailers trained to properly service carburetors on STIHL products and are not for resale.

TORX® SCREWDRIVER



Description	Part Number	SRP
Torx® T-20 Screwdriver	5910 890 2301	\$2.99

T-HANDLE SCREWDRIVERS



Description	Part Number	SRP
Torx® T-27 x 150mm	5910 890 2400	\$3.99
Allen 4mm	5910 890 2405	\$2.49
Allen 5mm	5910 890 2410	\$2.49
Torx® T-27 x 200mm	5910 890 2415	\$4.49
Socket 8mm	5910 890 2420	\$5.99

TORX® BIT ADAPTER



Description	Part Number	SRP
Torx® T-20 x 140 mm Bit Adapter	0812 540 1016	\$6.49
Torx® T-27 x 140 mm Bit Adapter	0812 540 1112	\$6.49
Torx® T-27 x 125 mm Bit Adapter	0812 542 2104	\$2.99

TOUCH UP SPRAY PAINT



Description	Part Number	SRP
Orange Spray Paint	0000 000 2101	\$9.99
Gray Spray Paint	0000 000 2102	\$9.99



MDG 1 DIAGNOSTIC TOOL



Description	Part Number	SRP
MDG1 Connecting Cable	5910 440 2000	\$22.99



MDG1 Diagnostic unit with connection cable and case	5910 840 0210	\$701.99
---	---------------	----------

PRODUCT LIABILITY GUIDELINES



Description	Part Number	SRP
Product Liability Guidelines Booklet	0457 979 0100	\$0.00

TOOL BOX FOR SPECIAL TOOLS



Description	Pack Qty	Part Number	SRP
Tool Box with Lock (foam insert not included) Width: 20.5", Depth: 12.5", Height: 15"	1	0463 901 0249	\$208.49
Foam Insert for Tool Box (3 per pack)	3	0797 510 1078	\$32.99



MASTERWRENCH SERVICE TOOL KIT®



(Tool Box sold separately.)

Description	Component Part Numbers	Part Number	SRP
Pressure and Vacuum Tester Kit	0000 890 1701	7010 871 5275	
Starter Bushing Installation Tool	0000 890 2201		
Piston Ring Clamp	0000 893 2600		
Chain Gauge Checker	0000 893 4105		
Piston Stop Strip - Large	0000 893 5903		
Piston Stop Strip - Small	0000 893 5904		
T 27 Torx® Bit - Hex Drive	0812 540 1112		
T 27 Torx® Bit - 1/4" Drive	0812 542 2104		
Flywheel Puller	1106 890 4501		
Wooden Support	1108 893 4800		
Flywheel Puller	1110 890 4500		
Brake Spring Mounting Tool	1117 890 0900		
Block Off Adaptor	1122 145 1200		
1123 Oil Pump Installation Tool	1123 890 2202		
Flywheel Puller	5910 890 4504		
Flange Adaptor - 1138	1138 890 1200		
Flange Adaptor - 1139	1139 893 2500		
Flange Adaptor - 1140	1140 890 1200		
Clutch Wrench	4130 890 3600		
Flywheel Puller	4133 893 0800		
Block off Adaptor	4140 145 1200		
Decompression Valve Plug	4221 025 2200		
Piston Stop w/Centered Spark Plug	4221 893 5900		
Flange Adaptor - 4238	4238 890 1200		
Tachometer	5910 850 1109		
Zat 4 Ignition Tester	5910 850 4503		
T 20 Torx® Wrench	5910 890 2301		
Screwdriver	5910 890 2305		
T-Handle Torx® Wrench	5910 890 2415		
Square Drive Carb Screwdriver	5910 890 2307		
T-Handle 8 mm Wrench	5910 890 2420		
Clutch Spring Assembly Hook	5910 890 2800		
Limiter Cap Tool	5910 890 4500		
Limiter Cap Tool	5910 890 4501		
Easy2Start™ Winding Tool	5910 893 0301		
Flywheel Puller	5910 893 0800		
Bearing Installation Sleeve	5910 893 1702		
Setting Disc	5910 893 6600		
Pick up Hose Hook	5910 893 8800		
MDG 1	5910 840 0210		
Setting Gauge	4180 893 6400		



BG/BR BLOWER SPARK PLUGS



Model	Bosch Model and Part number	NGK Model and Part Number
BG 50 / 55 / 65 / 75 / 85	WSR6F - 1110 400 7005	0000 400 7000
BG 56 / 66 / 86	*	CMR6H - 0000 400 7011
BR 320 / 340 / 400 / 420	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
BR 200 / 500 / 550 / 600 / 700 / 800	*	CMR6H - 0000 400 7011
SH 55 & SH 85	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
SH 56 & SH 86	*	CMR6H - 0000 400 7011

FS TRIMMER SPARK PLUGS



Model	Bosch Model and Part number	NGK Model and Part Number
FS 36 / 44	*	BMR6A - 4112 400 7001
FS 38 / 45 / 46 / 55	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
FS 40 / 50 / 56 / 70	*	CMR6H - 0000 400 7011
FS 75 / 80 / 85	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
FS 83		CMR7A - 0000 400 7007
FS 90 / 91 / 100 / 110 / 111	USR7AC - 0000 400 7009	*
FS 94 / 130 / 131 / 310 / 311	*	CMR6H - 0000 400 7011
FS 120 & FS 200	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
FS 360 & FS 460	*	CMR6H - 0000 400 7011
FS 350 / 450 / 550 / 560	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000

HS HEDGE TRIMMER SPARK PLUGS



Model	Bosch Model and Part number	NGK Model and Part Number
HS 75 / 80 / 85	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
HS 45	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
HS 81 / 86	USR7AC - 0000 400 7009	*
HS 46 / 56 / 82 / 87	*	CMR6H - 0000 400 7011

KM KOMBIMOTOR SPARK PLUGS



Model	Bosch Model and Part number	NGK Model and Part Number
KM 55	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
KM 56 / 94	*	CMR6H - 0000 400 7011
KM 90 / 91 / 110 / 111	USR7AC - 0000 400 7009	*
KM 130 / 131	*	CMR6H - 0000 400 7011



TS CUT-OFF MACHINE SPARK PLUGS



Model	Bosch Model and Part number	NGK Model and Part Number
TS 350 / 360 / 400 / 410 / 420 / 440 510 / 700 / 760 / 800 Note: ALL TS UNITS TAKE THE SAME SPARK PLUG	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
GS 461	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000

MS CHAIN SAW SPARK PLUGS



Model	Bosch Model and Part number	NGK Model and Part Number
021, 023, 025, 009, 010, 011, 012 & 015	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
026 & 028	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
034 & 036	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
MS 170 & MS 180	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
MS 171 / 181 / 211 / 241 C-M / 251	*	CMR6H - 0000 400 7011
MS 192 T Top Handle	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
MS 192 C-E Rear Handle MS 193 C-E / 193 T / 201 T / 201 C-E	*	CMR6H - 0000 400 7011
MS 200 & MS 200 T	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
MS 210 / 230 / 250	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
MS 260	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
MS 261 / 261 C-M	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
MS 270 & MS 280	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
MS 271 & MS 291	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
MS 290 / 310 / 390	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
MS 311 & MS 391	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
MS 361	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
MS 362 (Prior to Serial #183610771)	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
MS 362 (After Serial #183610771)	*	CMR6H - 0000 400 7011
MS 362 C-M (Prior to Serial #183609631)	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
MS 362 C-M (After Serial #183609631)	**	CMR6H - 0000 400 7011
MS 440	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
MS 441	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
MS 460 / 461	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
MS 650	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
MS 660 / 661	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
MS 880	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000

* WSR6F - 1110 400 7005 / BPMR7A - 0000 400 7000 = 19mm Hex Socket

** CMR6H - 0000 400 7011 = 16mm Hex Socket



HT POLE SAWS



Model	Bosch Model and Part number	NGK Model and Part Number
HT 56	*	CMR6H - 0000 400 7011
HT 75	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
HT 100 / 101 / 102 / 103	*	USR7AC - 0000 400 7009
HT 130 / 131 / 132 / 133	*	CMR6H - 0000 400 7011
HT 250	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000

MM YARD BOSS®



Model	Bosch Model and Part number	NGK Model and Part Number
MM 55	WSR6F - 1110 400 7005	BPMR7A - 0000 400 7000
MM 56	*	CMR6H - 0000 400 7011

RB PRESSURE WASHERS



Model	Part number	NGK Model and Part Number
RB 200	4789 400 7000	*
RB 400 / 600 / 800	4790 400 7000	*

TRIMMERS, BRUSHCUTTERS & BED REDEFINER



Contents	FS 94 R
FC 56 C-E	FS 111
FC 70	FS 111 R
FC 91	FS 111 RX
FC 96	FS 131
FC 111	FS 131 R
FB 131	FS 240
FS 38	FS 240 R
FS 40 C-E	FS 251 R
FS 50 C-E	FS 251 R
FS 56 C-E	FS 251
FS 56 R C-E	FS 311
FS 70 R	FS 361 C-EM
FS 91	FS 461.0 C-EM
FS 91 R	FS 561.0 C-EM

ACCESSORIES

Contents	Combination Wrenches
Brush Knife	For Chisel-tooth Saw Blades
Chisel Tooth Blade	Trimmer Line Cutter
Circular Blades	Trimmer Line
Grass Blades	
Installation Kit for Metal	
Grass Blades	
STIHL PolyCut™ Blades	
Cutting Attachments	
Bulk Box of AutoCut® Heads	
Deflector Kits	
Edger Blades	
Harness	
Limit Stop Kits	
Spark Plugs	



FC 56 C-E

Series 4144
E = Easy2Start™



Displacement: 27.2 cc (1.7 cu. in.),
Engine Power: 0.8 kW (1.1 bhp), 6.1 kg (13.5 lbs)
Weight*: 6.1 kg (13.5 lbs)*
Fuel Capacity: 340 cc (11.5 oz.)
Blade Size: 20.3 cm (8.0")
Arbor Size: 25.4 mm (1.0")
Gear Ratio: 00:01:01
Blade Speed: 8,300 rpm

Description	Part Number	SRP
Curved Shaft for Homeowner use (Includes protective glasses)	4144 011 1908 US	\$329.99
Service Kit for FC 56 C-E	4144 007 1800	\$21.99

FC 70

Series 4144



Displacement: 27.2 cc (1.7 cu. in.),
Engine Power: 0.9 kW (1.2 bhp),
Weight*: 5.9 kg (13.0 lbs)*
Fuel Capacity: 340 cc (11.5 oz.)
Blade Size: 20.3 cm (8.0")
Arbor Size: 25.4 mm (1.0")
Gear Ratio: 1:01.21
Blade Speed: 8,300 rpm

Description	Part Number	SRP
Curved Shaft for Professional use (Includes protective glasses)	4144 011 1910 US	\$409.99
Service Kit for FC 70	4144 007 1800	\$21.99

FC 91

Series 4180



Displacement: 28.4 cc (1.7 cu. in.),
Engine Power: 0.1 kW (1.3 bhp),
Weight*: 6.0 kg (13.2 lbs.)*
Fuel Capacity: 710 cc (24.0 oz.)
Blade Size: 20.3 cm (8.0 in.)
Arbor Size: 25.4 mm (1.0 in.)
Gear Ratio: 1:01.2
Blade Speed: 8,100 rpm

Description	Part Number	SRP
Curved Shaft for Professional use (Includes protective glasses)	4180 011 1913 US	\$429.99
Service Kit for FC 91	4180 007 1042	\$23.99

*Dry weight without cutting attachment or deflector.

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



TRIMMERS | EDGERS

FC 96

Series 4180



Displacement: 28.4 cc (1.7 cu. in.),
 Engine Power: 0.95 kW (1.3 bhp),
 Weight*: 6.2 kg (13.7 lbs.)*
 Fuel Capacity: 710 cc (24.0 oz.)
 Blade Size: 20.3 cm (8.0 in.)
 Arbor Size: 25.4 mm (1.0 in.)
 Gear Ratio: 00:01:02
 Blade Speed: 4,800 rpm

Description	Part Number	SRP
Straight, Solid Drive Shaft (Includes protective glasses)	4180 011 1914 US	\$559.99
Service Kit for FC 96	4180 007 1042	\$23.99

FC 111

Series 4180



Displacement: 31.4 cc (1.9 cu. in.),
 Engine Power: 1.1 kW (1.4 bhp),
 Weight*: 6.2 kg (13.7 lbs.)*
 Fuel Capacity: 710 cc (24.0 oz.)
 Blade Size: 20.3 cm (8.0 in.)
 Arbor Size: 25.4 mm (1.0 in.)
 Gear Ratio: 1:02.1
 Blade Speed: 4,800 rpm

Description	Part Number	SRP
Straight, Solid Drive Shaft (Includes protective glasses)	4180 011 1915 US	\$629.99
Service Kit for FC 111	4180 007 1042	\$23.99

FB 131

Series 4180



Displacement: 36.3 cc (2.2 cu. in.),
 Engine Power: 1.4 kW (1.9 bhp),
 Weight* 7.8 kg (17.2 lbs.)*
 Fuel Capacity: 710 cc (24.0 oz.)
 Blade Cutting Depth: Up to 6.6 cm (2.6 in.)
 Arbor Size: 25.4 mm (1.0 in.)
 Gear Ratio: 1:2.09
 Blade Speed: 4,800 rpm
 Discontinued, available while supplies last

Description	Part Number	SRP
Straight, Solid Drive Shaft (Includes protective glasses)	4180 011 6500 US	\$649.99
Replacement Blade	4180 710 6001	\$36.49

*Dry weight without cutting attachment or deflector.

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



FS 38

Series 4140
Loop Handle



Packaged 2 per box
Displacement: 27.2 cc (1.7 cu. in.),
Engine Power: 0.7 kW (0.9 bhp),
Weight*: 4.2 kg (9.3 lbs.)*
Fuel Capacity: 330 cc (11.2 oz.)
Cutting Width: 38 cm (14.96")

Description	Part Number	SRP
Curved Shaft; Includes: AutoCut® 5-2 Head, Deflector and Protective Glasses (2 Units/Carton)	4140 012 2368 US	\$199.99
Service Kit for FS 38	4140 007 1800	\$21.99

*Weight without cutting attachment or deflector.

FS 40 C-E

Series 4144
LoopHandle
E+Easy2Start™



Packaged 2 per box
Displacement: 27.2 cc (1.66 cu. in.),
Engine Power: 0.7 kW (0.9 bhp),
Weight*: 4.5 kg (9.9 lbs.)*
Fuel Capacity: 340 cc (11.5 oz.)
Cutting Width: 38 cm (14.96")

Description	Part Number	SRP
Curved Shaft; Includes: AutoCut® C 6-2, Deflector and Protective Glasses	4144 011 2307 US	\$199.99
Service Kit for FS 40 C-E	4144 007 1800	\$21.99

*Weight without cutting attachment or deflector.

FS 50 C-E

Series 4144
Loop Handle
E+Easy2Start™



Packaged 2 per box
Displacement: 27.2 cc (1.7 cu. in.),
Engine Power: 0.8 kW (1.1 bhp),
Weight*: 4.6 kg (10.1 lbs.)*
Fuel Capacity: 340 cc (11.5 oz.)
Cutting Width: 42 cm (16.5")

Description	Part Number	SRP
Assembled, Longer Curved Shaft; Includes: AutoCut® C 6-2 Head, High Visibility Deflector and Protective Glasses	4144 011 2349 US	\$249.99
Service Kit for FS 50 C-E	4144 007 1800	\$21.99

*Weight without cutting attachment or deflector.

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



TRIMMERS | STRAIGHT SHAFT

FS 56 C-E

Series 4144
Bike Handle
E = Easy2Start™



Packaged 2 per box
Displacement: 27.2 cc (1.7 cu. in.),
Engine Power: 0.8 kW (1.1 bhp),
Weight*: 5.2 kg (11.5 lbs.)*
Fuel Capacity: 340 cc (11.5 oz.)
Cutting Width: 42 cm (16.5")

Description	Part Number	SRP
Straight Shaft; Includes: AutoCut® C 26-2 Cutting Head, High Visibility Deflector, Protective Glasses, Basic Harness (4130 710 9000)	4144 200 0219 US	\$329.99
Service Kit for FS 56 C-E	4144 007 1800	\$19.99

*Weight without cutting attachment or deflector.

FS 56 R C-E

Series 4144
Loop Handle
E = Easy2Start™



Packaged 2 per box
Displacement: 27.2 cc (1.66 cu. in.),
Engine Power: 0.8 kW (1.07 bhp),
Weight*: 4.8 kg (10.6 lbs.)*
Fuel Capacity: 340 cc (11.5 oz.)
Cutting Width: 42 cm (16.5")

Description	Part Number	SRP
Assembled, Straight Shaft, Loop Handle. Includes: AutoCut® C26-2 Head, High Visibility Deflector, Protective Glasses, Basic Harness (4130 710 9000)	4144 200 0013 US	\$249.99
Service Kit for FS 56 R C-E	4144 007 1800	\$21.99

*Weight without cutting attachment or deflector.

FS 70 R

Series 4144
Loop Handle



Packaged 2 per box
Displacement: 27.2 cc (1.66 cu. in.),
Engine Power: 0.9 kW (1.2 bhp),
Weight*: 4.8 kg (10.6 lbs.)*
Fuel Capacity: 340 cc (11.5 oz.)
Cutting Width: 42 cm (16.5")

Description	Part Number	SRP
Assembled, Straight Shaft; Flex Drive; Loop Handle; 2 Ring Piston Includes: Protective Glasses, AutoCut® 27-2, High Visibility Deflector, Basic Harness (4130 710 9000)	4144 200 0137 US	\$359.99
Service Kit for FS 70 R	4144 007 1800	\$21.99

*Weight without cutting attachment or deflector.

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



FS 91

Series 4180
Bike Handle



Packaged 2 per box
Displacement: 28.4 cc (1.73 cu. in.),
Engine Power*: 0.95 kW (1.27 bhp),
Weight: 5.8 kg (12.8 lbs.)*
Fuel Capacity: 710 cc (24.0 oz.)
Cutting Width: 42 cm (16.5")

Description	Part Number	SRP
Straight, Solid Drive Shaft; Bike Handle; Anti-Vibration; Includes: Protective Glasses, AutoCut® 27-2, 420mm Large Deflector, Deluxe Padded Harness (4119 710 9011)	4180 200 0507 US	\$429.99
Service Kit for FS 91	4180 007 1042	\$23.99

*Weight without cutting attachment or deflector.

FS 91 R

Series 4180
Loop Handle



Packaged 2 per box
Displacement: 28.4 cc (1.73 cu. in.),
Engine Power: 0.95 kW (1.27 bhp),
Weight*: 5.5 kg (12.1 lbs.)*
Fuel Capacity: 710 cc (24.0 oz.)
Cutting Width: 42 cm (16.5")

Description	Part Number	SRP
Assembled, Straight Solid Drive Shaft; Anti-Vibration; Includes: Protective Glasses, AutoCut® 27-2, High Visibility Deflector, Deluxe Padded Harness (4119 710 9011)	4180 200 0506 US	\$379.99
Service Kit for FS 91	4180 007 1042	\$23.99

*Weight without cutting attachment or deflector.

FS 94 R

Series 4149
Loop Handle



Packaged 2 per box
Displacement: 24.1 cc (1.5 cu. in.),
Engine Power: 0.9 kW (1.2 bhp),
Weight*: 4.6 kg (10.1 lbs.)*
Fuel Capacity: 540 cc (18.3 oz.)
Cutting Width: 42 cm (16.5")

Description	Part Number	SRP
2-Stroke, low-emissions engine; Assembled, Flex Drive Shaft Includes: Protective Glasses, Harness, High Visibility Deflector, AutoCut® 27-2, Deluxe Padded Harness (4119 710 9011)	4149 200 0061 US	\$429.99

*Weight without cutting attachment or deflector.

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



FS 111

Series 4180
Bike Handle



Packaged 2 per box
Displacement: 31.4 cc (1.9 cu. in.),
Engine Power: 1.1 kW (1.4 bhp),
Weight*: 5.8 kg (12.8 lbs.)*
Fuel Capacity: 710 cc (24.0 oz.)

Description	Part Number	SRP
Straight Shaft, Solid Drive Shaft; Includes: Protective Glasses, Harness, 420 mm Large Deflector, AutoCut® 27-2, (4119 710 9011) Deluxe Padded Harness	4180 200 0508 US	\$549.99
Service Kit for FS 111	4180 007 1042	\$23.99

*Weight without cutting attachment or deflector.

FS 111 R

Series 4180
Loop Handle



Packaged 2 per box
Displacement: 31.4 cc (1.9 cu. in.),
Engine Power: 1.05 kW (1.4 bhp),
Weight*: 5.5 kg (12.1 lbs.)*
Fuel Capacity: 710 cc (24.0 oz.)
Cutting Width: 42 cm (16.5")

Description	Part Number	SRP
Straight Solid Drive Shaft, Anti Vibration; Includes: Protective Glasses, High Visibility Deflector, AutoCut® 27-2, (4119 710 9011) Deluxe Padded Harness	4180 200 0509 US	\$519.99
Service Kit for FS 111 R	4180 007 1042	\$23.99

*Weight without cutting attachment or deflector

FS 111 RX

Series 4180
Loop Handle



Packaged 2 per box
Displacement: 31.4 cc (1.9 cu. in.),
Engine Power: 1.1 kW (1.4 bhp),
Weight*: 5.0 kg (11.0 lbs.)*
Fuel Capacity: 710 cc (24.0 oz.)
Cutting Width: 42 cm (16.5 cm")

Description	Part Number	SRP
Light Weight Drive Shaft, Anti-Vibration; Includes: Protective Glasses, High Visibility Deflector, AutoCut® 27-2, (4119 710 9011) Deluxe Padded Harness	4180 200 0510 US	\$519.99
Service Kit for FS 111 RX	4180 007 1042	\$23.99

*Weight without cutting attachment or deflector

NOTE: Gearbox attachments are not approved for the FS 111 RX.

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



FS 131

Series 4180
Bike Handle



Packaged 2 per box
 Displacement: 36.3 cc (2.2 cu. in.),
 Engine Power: 1.4 kW (1.9 bhp),
 Weight*: 5.8 kg (12.8 lbs.)*
 Fuel Capacity: 710 cc (24.0 oz.)
 Cutting Width: 42 cm (16.5")

Description	Part Number	SRP
Includes: Protective Glasses, 420 mm Large Deflector, AutoCut® 27-2, (4119 710 9001) Double Harness	4180 200 0512 US	\$629.99
Service Kit for FS 131	4180 007 1043	\$23.99

*Weight without cutting attachment or deflector.

FS 131 R

Series 4180
Loop Handle



Packaged 2 per box
 Displacement: 36.3 cc (2.2 cu. in.),
 Engine Power: 1.4 kW (1.9 bhp),
 Weight*: 5.5 kg (12.1 lbs.)*
 Fuel Capacity: 710 cc (24.0 oz.)
 Cutting Width: 42 cm (16.5")

Description	Part Number	SRP
Includes: Protective Glasses, High Visibility Deflector, AutoCut® 27-2, (4119 710 9011) Deluxe Padded Harness	4180 200 0511 US	\$569.99
Service Kit for FS 131 R	4180 007 1043	\$23.99

*Weight without cutting attachment or deflector.

FS 240

Series 4147
Bike Handle



Packaged 2 per box
 Displacement: 37.7 cc (2.3 cu. in.),
 Engine Power: 1.7 kW (2.3 bhp),
 Weight*: 6.9 kg (15.2 lbs.)*
 Fuel Capacity: 750 cc (25.4 oz.)
 Cutting Width: 42 cm (16.5")

Discontinued. Available while supplies last.

Description	Part Number	SRP
Includes: Protective Glasses, 420 mm Large Deflector, AutoCut® 27-2, (4119 710 9001) Full Harness	4147 200 0347 US	\$789.99

*Weight without cutting attachment or deflector

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



FS 240 R

Series 4147
Loop Handle



Packaged 2 per box
Displacement: 37.7 cc (2.3 cu. in.),
Engine Power: 1.7 kW (2.3 bhp),
Weight*: 6.6 kg (14.6 lbs.)*
Fuel Capacity: 750 cc (25.4 oz.)
Cutting Width: 42 cm (16.5")

Discontinued. Available while supplies last.

Description	Part Number	SRP
Includes: Protective Glasses, High Visibility Deflector, AutoCut® 27-2, (4119 710 9011) Deluxe Padded Harness	4147 200 0346 US	\$729.99

*Weight without cutting attachment or deflector

FS 251 R



Packaged 2 per box
Displacement: 41.6 cc (2.5 cu. in.),
Engine Power: 2.0 kW (2.7 bhp),
Weight*: 6.6 kg (14.6 lbs.)*
Fuel Capacity: 750 cc (25.4 oz.)
Cutting Width: 42 cm (16.5")

Discontinued. Available while supplies last.

Description	Part Number	SRP
Includes: Protective Glasses, High Visibility Deflector, AutoCut® 27-2, Deluxe Padded Harness	4147 200 0578	\$679.99
CALIFORNIA ONLY Includes: Protective Glasses, 420 mm Large Deflector, Grass Cutting Blade 230-4, Deluxe Padded Harness	4147 200 0576	\$679.99

*Weight without cutting attachment or deflector

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



FS 251



Packaged 2 per box
Displacement: 41.6 cc (2.5 cu. in.),
Engine Power: 2.0 kW (2.7 bhp),
Weight*:6.9 kg (15.2 lbs.)*
Fuel Capacity: 750 cc (25.4 oz.)
Cutting Width: 42 cm (16.5")

Description	Part Number	SRP
Includes: Protective Glasses, 420 mm Large Deflector, AutoCut® 27-2 , Full Harness	4147 200 0579	\$729.99
CALIFORNIA ONLY Includes: Protective Glasses, 420 mm Large Deflector, Grass Cutting Blade 230-4, Full Harness	4147 200 0577	\$729.99

*Weight without cutting attachment or deflector

FS 311

Series 4180
Bike Handle



Displacement: 36.3 cc (2.2 cu. in.),
Engine Power: 1.4 kW (1.9 bhp),
Weight*: 7.2 kg (15.9 lbs.)*
Fuel Capacity: 710 cc (24.0 oz.)
Cutting Width: 48 cm (18.9")

Note: The FS 311 comes with a high-vis deflector and an AutoCut® 46-2 line head. In order to use a grass blade, the following parts must be purchased: (4128 713 1600) Washer, (4116 713 3100) Rider Plate, (4119 642 7600) Nut. To attach a circular saw blade you will also need the Limit Stop Kit (4147 007 1008).

Discontinued. Available while supplies last

Description	Part Number	SRP
Includes: Protective Glasses; (4147 710 9002) Double Shoulder Harness (4147 710 9002)	4180 200 0513 US	\$749.99

*Weight without cutting attachment or deflector.

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



FS 361 C-EM

Bike Handle



Displacement: 37.7 cc (2.3 cu. in.),
 Engine Power: 1.7 kW (2.3 bhp),
 Weight*: 8.7 kg (19.2 lbs.)*
 Fuel Capacity: 750 cc (25.4 oz.)
 Cutting Width: 52 cm (20.5")

Prior Part Numbers: FS 361 C-EM (4147 200 0452) (4147 200 0453)

Description	Part Number	SRP
Includes: Mowing head AutoCut® 46-2, Protective Glasses, Double Shoulder Harness and appropriate limit stop/deflector	4147 200 0612 US	\$1,239.99
Includes: Scratcher tooth circular saw blade 250-26mm, Protective Glasses, Double Shoulder Harness and appropriate limit stop/deflector	4147 200 0611 US	\$1,289.99

*Weight without cutting attachment or deflector.

FS 461 C-EM



Displacement: 45.6 cc (2.8 cu. in.),
 Engine Power: 2.2 kW (3.0 bhp),
 Weight*: 8.72 kg (19.2 lbs.)*
 Fuel Capacity: 750 cc (25.4 oz.)
 Cutting Width: 52 cm (20.5")

Prior Part Numbers: FS 461 C-EM (4147 200 0454) (4147 200 0455)

Description	Part Number	SRP
Includes: AutoCut® 46-2, Protective Glasses, Blade Transport Guard, Double Shoulder Harness	4147 200 0646	\$1,449.99
Includes: Scratcher tooth circular saw blade 250-26mm, Protective Glasses, Blade Transport Guard, Double Shoulder Harness	4147 200 0645	\$1,499.99

*Weight without cutting attachment or deflector.

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



FS 561.0 C-EM



Displacement: 57.1 cc (3.48 cu. in.),
Engine Power: 2.8 kW (3.75 bhp),
Weight*: 10.2 kg (22.5 lbs.)*
Fuel Capacity: 990 cc (33.5 oz.)
Cutting Width: 56 cm (22")

Prior Part Numbers: FS 561 C-EM (4148 200 0175)

Description	Part Number	SRP
Includes: Chisel tooth blade 250-26 (4000 713 4204), protective glasses (4134 710 9002), Universal Advance Harness	4148 200 0225	\$1,769.99

*Weight without cutting attachment or deflector.

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



BRUSH KNIFE

Description	Case	Part Number	SRP
-------------	------	-------------	-----

The Blades Listed Below Fit The Following Models: FS 561 C-EM only

Brush Knife 350 mm x 20.0 mm.	10	4110 713 4100	\$52.99
-------------------------------	----	---------------	---------

The Brush Knife Listed Below Fits The Following Models: FS 91, FS 111, FS 91 R*, FS 111 R*, FS 131, FS 131 R*, FS 240, FS 240 R*, FS 251, FS 251 R* FSA 135, FSA 135 R, FSA 200.0, FSA 200.0 R*, KM 91 R*, KM 94 R*, KM 111 R*, with FS-KM, KM 131 R* with FS-KM, KMA 135 R with FS-KM,
 *Trimmers equipped with loops handles.
 **2018 models and newer.



Brush Knife 250 mm x 25.4 mm	10	4112 713 4100	\$39.99
------------------------------	----	---------------	---------

The Blades Listed Below Fit The Following Models: FS 311, FS 361 C-EM, FS 461 C-EM, FSA 400, FSA 400 K, FS 561 C-EM

Brush Knife 300 mm x 20.0 mm	10	4119 713 4100	\$39.99
------------------------------	----	---------------	---------

CHISEL TOOTH BLADE*

Description	Case	Part Number	SRP
-------------	------	-------------	-----

The Blades Listed Below Fit The Following Models: FS 361 C-EM, FS 461 C-EM, FSA 400 K, FS 561 C-EM

Chisel Tooth Blade MZ 250-26	20	4000 713 4204	\$52.99
------------------------------	----	---------------	---------

The Blades Listed Below Fit The Following Models: FS 361 C-EM, FS 461 C-EM, FSA 400 K, FS 561 C-EM

Chisel Tooth Blade 225 mm x 20.0 mm	20	4110 713 4204	\$39.99
-------------------------------------	----	---------------	---------



The Blades Listed Below Fit The Following Models: FSA 200, FSA 200 R, FS 240 R, FS 251 R.

Chisel Tooth Blade 200 mm x 25.4 mm	20	4112 713 4203	\$26.99
-------------------------------------	----	---------------	---------

The Blades Listed Below Fit The Following Models: FS 311, FS 361 C-EM, FS 461 C-EM

Chisel Tooth Blade 200 mm x 20.0 mm	20	4119 713 4200	\$39.99
-------------------------------------	----	---------------	---------

*Disclaimer: All Chisel Tooth Blades approved for use with bike handle, double shoulder harness, and limit stop.

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



CIRCULAR BLADES



Description	Case	Part Number	SRP
The Blades Listed Below Fit The Following Models: FS 311, FS 361 C-EM, FS 461 C-EM			
Circular Saw Scratcher Tooth Blade 200 mm x 20.0 mm	20	4000 713 4200	\$27.99
The Blades Listed Below Fit The Following Models: FS 361 C-EM, FS 461 C-EM, FSA 400 K, FS 561 C-EM			
Circular Saw Scratcher Tooth Blade 225 mm x 20.0 mm	20	4000 713 4205	\$39.99
The Blades Listed Below Fit The Following Models: FS 240, FS 251			
Circular Saw Scratcher Tooth Blade 200 mm x 25.4 mm	20	4112 713 4201	\$26.99

*Disclaimer: All Circular Blades approved for use with bike handle, double shoulder harness, and limit stop.

GRASS BLADES



Description	Case	Part Number	SRP
The Blades Listed Below Fit The Following Models: FS 311, FS 361 C-EM, FS 461 C-EM, FSA 400, FSA 400			
4 Tooth Grass Blade 230 mm x 20.0 mm	20	4000 713 3801	\$16.99
The Blades Listed Below Fit The Following Models: FS 311, FS 361 C-EM, FS 461 C-EM, FSA 400, FS 561 C-EM			
8 Tooth Grass Blade 255 mm x 20.0 mm	20	4000 713 3802	\$22.99
The Grass Blades Listed Below Fit The Following Models: FSA 80, FSA 80 R, FSA 120, FSA 120 R, FSA 135*, FSA 135 R*, FSA 200, FSA 200 R, FS 56 C-E**, FS 56 RC-E*, FS 70 R*, FS 94 R*, FS 91 R*, FS 111 R*, FS 131 R*, FS 240 R*, FS 251 R*, FSA 400, FS-KM with KM 56 RC-E***, FS-KM with KM 91 R***, KM 94 R***, KM 111 R***, KM 131 R***, FS-KM with KMA 80 R***, KMA 120 R***, KM 135 R***			
Grass Blade 4-Tooth 230 mm x 25.4 mm*	20	4001 713 3801	\$16.99
The Grass Blades Listed Below Fit The Following Models: The Grass Blades Listed Below Fit The Following Models: FSA 80, FSA 80 R, FSA 120, FSA 120 R, FSA 135*, FSA 135 R*, FSA 200, FSA 200 R, FS 56 C-E**, FS 56 RC-E*, FS 70 R*, FS 94 R*, FS 91 R*, FS 111 R*, FS 131 R*, FS 91, FS 111, FS 131, FS 240, FS 251, FS 240 R*, FS 251 R*, FSA 400, FS-KM with KM 56 RC-E***, FS-KM with KM 91 R***, KM 94 R***, KM 111 R***, KM 131 R***, FS-KM with KMA 80 R***, KMA 120 R***, KM 135 R***			
Grass Blade 8-Tooth 230 mm x 25.4 mm*	20	4001 713 3803	\$22.99

*Approved for use with loop handle only if equipped with barrier bar, deflector kit, and a single or double shoulder harness

**Must be equipped with deflector (4144 710 8119)

***2018 models and newer

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



INSTALLATION KIT FOR METAL GRASS BLADES



Description	Part Number	SRP
Includes: deflector, washer, rider plate, nut, barrier bar and pin		
For units with 4144 loop handle (2008-2013)	4144 007 1014	\$33.99
For units with 4180 loop handle (2014+)	4144 007 1016	\$33.99
FS 55, FS 80, FS 85, FS 90, FS 110, FS 130, FS 250	4180 007 1013	\$33.99
Blade Installation Kit for FS 91 R/111 R/131 R/240 R (2016+) FS 94 R (2018+)	4180 007 1032	\$33.99

STIHL POLY CUT™ BLADES



Description	Case	Part Number	SRP
Pack of 12 blades: Only for use with STIHL PolyCut™ 6-2, PolyCut™ 12-2, PolyCut™ 28-2, PolyCut™ 48-2	25	4002 007 1000	\$16.99
Pack of 12 blades. Only for use with STIHL PolyCut™ 6-2, 18-2	25	4002 007 1020	\$16.99
Pack of 12 blades. Only for use with STIHL PolyCut™ 5-3, 6-3, 7-3, 10-3, 20-3, 40-3, 41-3	25	4111 007 1001	\$13.99

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



CUTTING ATTACHMENTS FOR FS 311, 361 C-EM, 461 C-EM & FSA 400 & 400 K



Description	Case	Part Number	SRP
TrimCut™ C 42-2	10	4003 710 2122	\$33.99



STIHL SuperCut™ 40-2	10	4003 710 2140	\$52.99
----------------------	----	---------------	---------

CUTTING ATTACHMENTS FOR FS 311, 361 C-EM, 461 C-EM, 561 C-EM, FSA 400 & 400 K



Description	Case	Part Number	SRP
TrimCut™ C 52-2 Manual Feed	10	4005 710 2117	\$39.99



DuroCut 40-4	0	4005 710 2114	\$59.99
--------------	---	---------------	---------



AutoCut® 56-2 (FS 561.0 C-EM Only)	8	4005 710 2107	\$52.99
------------------------------------	---	---------------	---------



AutoCut® 46-2 (FS 311, FS 361.0 C-EM, FS 461.0 C-EM Only)	8	4003 710 2115	\$52.99
---	---	---------------	---------

PREWOUND REPLACEMENT SPOOL AUTOCUT 5-2 CURVED SHAFT FS 38, FS 40 C-E, FS 50 C-E, FSB-KM WITH KM 56 RC-E, KM 91 R & KM 111 R *



Description	Part Number	SRP
Prewound replacement spool AutoCut 5-2	4004 710 4304	\$13.99

**2018 Models and Newer

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



CUTTING ATTACHMENTS FOR CURVED SHAFT FS 38, FS 40, FS 40 C-E, FS 50, FS 50 C-E, FSB-KM WITH KM 56 RC-E, KM 91 R & KM 111 R FSA 60 R, FSA 86 R, FSA 400 & FSA 400 K**

	Description	Case	Part Number	SRP
	AutoCut® C 6-2 EasySpool™ (.080" trimmer line) AutoCut® C 6-2 EasySpool™ (.095" trimmer line)	8	4006 710 2126 4006 710 2140	\$33.99
	DuroCut 5-2- (All Units mentioned, except FSA 400 & FSA 400 K.) Must be equipped with loop handle	8	4006 710 2131	\$33.99
	AutoCut® 5-2	8	4006 710 2100	\$26.99
	STIHL PolyCut™ 6-2	8	4006 710 2137	\$21.99

*Must be equipped with loop handle.
 **2018 Models and Newer

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



REPLACEMENT SPOOL FOR AUTOCUT® 5-2



Description	Case	Part Number	SRP
Replacement spool for AutoCut® 5-2 with .080" nylon line	28	4004 710 4300	\$13.99

REPLACEMENT BLADES

Description	Case	Part Number	SRP
Replacement Blades for STIHL PolyCut™ 2-2 (Pack of 8)	8	4008 007 1000	\$8.99

ACCESSORIES- AUTOCUT



Description	Case	Part Number	SRP
Prewound Spools with .080" Line for AutoCut® 2-2 (Pack of 3).		4008 710 4302	\$26.99



AutoCut® 2-2	10	4008 710 2103	\$23.99
--------------	----	---------------	---------



Single Prewound Spool with .080" Line for AutoCut® 2-2		4008 710 4301	\$12.99
--	--	---------------	---------

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



CUTTING ATTACHMENTS FOR STRAIGHT SHAFT TRIMMERS

	Description	case	Part Number	SRP
	STIHL PolyCut™ 28-2	8	4002 820 2300	\$39.99
	STIHL PolyCut™ 18-2 (recommended for FSA 80, FSA 80 R, FSA 120, FSA 120 R)	10	4002 820 2320	\$32.99
	TrimCut™ 32-2 Manual Feed	8	4002 710 2198	\$26.99
	AutoCut® C 26-2	8	4002 710 2169	\$39.99
	AutoCut® 36-2 (FS 130-FS 240 Only)	8	4002 710 2170	\$39.99
	SuperCut™ 20-2 Fully Automatic Head	8	4002 710 2162	\$39.99
	Replacement Spool For AutoCut® C 25-2	8	4002 710 4301	\$13.99
	Replacement Spool for STIHL SuperCut™ 20-2	28	4002 710 4309	\$13.99
	DuroCut 20-2	8	4002 710 2182	\$39.99

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



TRIMMER ACCESSORIES | CUTTING ATTACHMENTS



Description	case	Part Number	SRP
FixCut™ 31-2	8	4001 710 2105	\$33.99



Replacement Spool with .105" for AutoCut® 36-2, 46-2, 56-2	8	4003 710 4307	\$13.99
--	---	---------------	---------



Optional wear plate kit for DuroCut 20-2		4005 007 1001	\$9.99
--	--	---------------	--------



AutoCut® 27-2 with standard spool	8	4002 820 2302	\$33.99
-----------------------------------	---	---------------	---------

AutoCut® 27-2 with Longlife Spool	10	4002 820 2304	\$38.99
-----------------------------------	----	---------------	---------



AutoCut® 27-2 standard spool with nylon line	10	4002 710 4320	\$14.99
--	----	---------------	---------

AutoCut® 46-2 with Longlife spool	8	4003 710 4310	\$25.99
-----------------------------------	---	---------------	---------

AutoCut 27-2® Longlife spool with nylon line	10	4002 710 4321	\$21.99
--	----	---------------	---------



AutoCut 27-2® for FSA 90 R	8	4002 820 2306	\$29.99
----------------------------	---	---------------	---------

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.

**RAPID CLICK SYSTEM**

	Part Number	SRP
--	-------------	-----

For FSA 70 R & 110 R ONLY



Advanced Easy Spool: Mowing head AutoCut® C 12-2 (2.4 mm dia.)

4010 710 2100

\$32.99



PolyCut™ 12-2

4010 710 2110

\$26.99

BULK BOX OF AUTOCUT® HEADS

Description	Case	Part Number	SRP
-------------	------	-------------	-----



Bulk box of AutoCut® 27- 2 Heads

24

4002 820 2310

\$25.99

NOTE: Units are NOT blister packed. Units will NOT hang on your STIHL display.

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



DEFLECTOR KITS



Description	Part Number	SRP
Deflector Kits for FS 361 C-EM, FS 461 C-EM		

High Visibility Deflector 480 mm	4147 710 8100	\$33.49
----------------------------------	---------------	---------

Deflector Kits for FS 561 C-EM		
--------------------------------	--	--

For drive tube diameter 35.5 mm for previous versions	4116 007 1016	\$47.99
---	---------------	---------



For drive tube diameter 37.5 mm	4116 007 1020	\$52.99
---------------------------------	---------------	---------

High Visibility Deflectory Kits		
---------------------------------	--	--

420 mm High Visibility Deflector Kit	4133 007 1007	\$21.99
--------------------------------------	---------------	---------



420 mm High Visibility Deflector Kit for FS 91, 91 R, 111, 111 R, 131, 131 R, FS-KM (2015+), FS 240 & 240 R (2016+), FS 94 R (2018+)	4180 007 1030	\$16.99
--	---------------	---------

Large Deflector Kits		
----------------------	--	--

420 mm Large Deflector Kit	4119 007 1027	\$21.99
----------------------------	---------------	---------



420 mm Large Deflector Kit for FS 91 R, 91, 111 R, 111, 131 R, 131, 240 & 240 R (2016+), FS 94 R (2018+)	4180 007 1028	\$35.49
--	---------------	---------

For additional information, please consult the Cutting Attachments, Parts & Accessories catalog found in the Marketing Library

FSA DEFLECTOR KITS

Description	Part Number	SRP
-------------	-------------	-----

135° deflector (for use with FSA 60 R and FSA 86 R when equipped with STIHL PolyCut 6-2)	FA05 710 8101	\$24.99
--	---------------	---------



135° Deflector (For use with FSA 57 when equipped with STIHL PolyCut™ 3-2)	N/A	4522 710 8102	\$19.99
--	-----	---------------	---------

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.

**LIMIT STOP KITS AND ASSEMBLIES**

Description	Part Number	SRP
250 mm Limit Stop (FSA 400.0, FS 361.0 C-EM, FS 461.0 C-EM, FS 561.0 C-EM)	4148 710 8203	\$26.99
200 mm Limit Stop Kit (includes transport guard and blade mounting hardware) for FS 91, FS 111, FS 131, FS 240 (2016+)	4180 007 1039	\$39.99
225mm Limit Stop Kit (FS 550)	4116 007 1019	\$28.99
200mm Limit Stop Kit (FS 311, FS 361.0 C-EM, FS 461.0 C-EM)	4147 007 1008	\$28.99
225mm Limit Stop Kit (360, 460)	4147 007 1009	\$28.99
225mm Limit Stop Kit (FSA 400.0, FS 361.0 C-EM, FS 461.0 C-EM, FS 561.0 C-EM)	4148 710 8202	\$28.99
200mm Limit Stop Kit (FS 80, 83, 85, 90, 94, 110, 120, 130, 200, 240, 250, 310, 350, 450 K)	4126 007 1002	\$26.99

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.

**EDGER BLADES- CLAMSHELL PACK**

Description	Case Qty	Part Number	SRP
2.4mm Thick	50	4133 713 4103	\$7.99
3.8mm Thick	40	4133 713 4104	\$8.99

EDGER BLADES- BULK PACK

Description	Case Qty	Part Number	SRP
2.4mm Thick	62	4133 713 4101	\$3.99
3.8mm - 58% Thicker	42	4133 713 4102	\$4.99

ADVANCE X-TREEM HARNESS*

Description	Part Number	SRP
ADVANCE X-TREEm Harness*	0000 710 9001	\$185.99

*Double shoulder Harness is mandatory when using a circular saw blade.

BASIC HARNESS

Description	Part Number	SRP
Standard strap to fit most trimmers	4130 710 9000	\$9.99

DELUXE BASIC HARNESS

Description	Part Number	SRP
Deluxe Single Harness	4119 710 9011	\$21.99

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.

**DOUBLE STANDARD HARNESS**

Description	Part Number	SRP
Designed to distribute weight evenly*	4119 710 9001	\$33.99

*Double shoulder harness is mandatory when using a circular saw blade.

FORESTRY DOUBLE SHOULDER HARNESS

Description	Part Number	SRP
Forestry Harness - Size Large*	4147 710 9003	\$79.99

*Double shoulder harness is mandatory when using a circular saw blade.

UNIVERSAL DOUBLE SHOULDER HARNESS

Description	Part Number	SRP
New design for comfortable, extensive use. Lightweight - 1.6 lbs.		
Size Large*	4147 710 9002	\$79.99
Size XXL Large*	4147 710 9004	\$93.99

*Double shoulder harness is mandatory when using a circular saw blade. Chest strap 0000 790 7700 can be used with the Deluxe Universal Double Harness.

ACCESSORIES FOR BGA 100, BGA 200, FSA 130 R AND KMA 130 R

Description	Part Number	SRP
Harness Kit	0000 007 1045	\$32.99

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



SPARK PLUGS FOR STIHL 4-MIX™ ENGINE



Description	Part Number	SRP
For Models: FC FS KM 91, FS HL HT 100, HT 102, FC FS KM 111		
Bosch USR7AC	0000 400 7009	\$8.49
NGK CMR6H	0000 400 7011	\$8.49

NOTE: Spark plugs are considered Spare Parts and are not eligible for Bid Award Assistance.

COMBINATION WRENCHES



Description	Part Number	SRP
Most STIHL Power Tools	4128 890 3400	\$10.49
STIHL 4-MIX™ Wrench	4180 890 3400	\$10.49

FILE HOLDER FOR CHISEL-TOOTH SAW BLADES



Description	Part Number	SRP
File Holder for Chisel-tooth Saw Blades	5605 750 4343	\$21.99

TRIMMER LINE CUTTER



Description	Part Number	SRP
Trimmer Line Cutter (150 trimmer line cutters per counter display carton)	0000 881 8204	\$2.99

CF3 PRO-TRIMMER LINE

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



TRIMMER ACCESSORIES | TRIMMER LINE



Size*	Weight*	Case	Part Number	SRP
.080" (147 ft)	1 lb	10	0000 930 4318	\$14.99
.080" (295 ft)	1 lb	10	0000 930 4319	\$25.99
.095" (114 ft.)	1/2 lb	10	0000 930 4300	\$14.99
.095" (229 ft.)	1 lb	10	0000 930 4303	\$25.99
.095" (695 ft)	3 lbs	9	0000 930 4313	\$63.99
.095" (1,130 ft)	5 lbs	8	0000 930 4320	\$99.99
.105" (85 ft.)	1/2 lb	10	0000 930 4301	\$14.99
.105" (173 ft.)	1/2 lb	10	0000 930 4304	\$25.99
.105" (564 ft)	3 lbs	9	0000 930 4314	\$63.99
.105" (917 ft)	5 lbs	8	0000 930 4321	\$99.99
.118" (68 ft.)	1/2 lb	10	0000 930 4302	\$14.99
.118" (141 ft.)	1 lb	10	0000 930 4305	\$25.99
.118" (439 ft)	3 lbs	9	0000 930 4315	\$63.99
.118" (705 ft)	5 lbs	8	0000 930 4322	\$99.99
.130" (111 ft.)	1 lb	10	0000 930 4311	\$25.99
.130" (370 ft)	3 lbs	9	0000 930 4316	\$63.99
.130" (590 ft)	5 lbs	8	0000 930 4323	\$99.99

*Approximate Weight & Length

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



COMMERCIAL ROUND TRIMMER LINE



Size*	Weight*	Case	Part Number	SRP
.095" (272 ft.)	1 lb	10	0000 930 3600	\$17.99
.095" (830 ft.)	3 lb	9	0000 930 2717	\$38.99
.095" (1,377 ft.)		8	0000 930 2718	\$60.99
.105" (213 ft.)	1 lb	10	0000 930 3601	\$17.99
.105" (682 ft.)	3 lbs	9	0000 930 2728	\$38.99
.105" (1,138 ft.)		8	0000 930 2729	\$60.99

*Approximate Weight & Length



COMMERCIAL SQUARE LINE



Size*	Weight*	Case	Part Number	SRP
.095" (830 ft.)	3 lbs	9	0000 930 2601	\$38.99
.095" (1,377 ft.)	5 lbs	8	0000 930 2602	\$60.99
.105" (682 ft.)	3 lbs	9	0000 930 2626	\$38.99
.105" (1,138 ft.)	5 lbs	8	0000 930 2627	\$60.99

*Approximate Weight & Length

DUROCUT TRIMMER LINE



Size	Case	Part Number	SRP
.155" Round (88 ft.)	10	0000 930 3607	\$21.99
.155" Round (285 ft.)	9	0000 930 3603	\$44.99
.155" Quiet (88 ft.)	10	0000 930 3708	\$22.99
.080 DuroCut Serrated Large 7.7" Lengths	20	0000 930 3503	\$9.99
.120 DuroCut Serrated XL 7.3" Lengths	20	0000 930 3504	\$12.99
.155 DuroCut Serrated XXL 8.5" Lengths	20	0000 930 3505	\$19.99
.155 DuroCut Round 8.5" Lengths	20	0000 930 3605	\$17.99

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



PENTAGON TRIMMER LINE



Size*	Weight*	Case	Part Number	SRP
.095" (157 ft.) Orange	1/2 lb	10	0000 930 3340	\$10.99
.095" (318 ft.) Orange	1 lb	10	0000 930 3341	\$17.99
.095" (954 ft.) Orange	3 lbs	9	0000 930 3339	\$38.99
.105" (124 ft.) Red	1/2 lb	10	0000 930 3342	\$10.99
.105" (252 ft.) Red	1 lb	10	0000 930 3343	\$17.99
.118" (190 ft.) Yellow	1 lb	10	0000 930 3344	\$17.99
.130" (75 ft.) Black	1/2 lb	10	0000 930 3345	\$10.99
.130" (150 ft.) Black	1 lb	10	0000 930 3346	\$17.99
.105" (705 ft.) Red	3 lb	9	0000 930 3303	\$38.99
.130" (509 ft.) Black	3 lb	9	0000 930 3327	\$38.99
.130" (846 ft.) Black	5 lb	8	0000 930 3328	\$60.99
.105" (1175 ft.) Red	3 lb	8	0000 930 3330	\$60.99
.095" (1590 ft.) Orange		8	0000 930 3332	\$60.99

*Approximate Weight & Length

PRE-CUT TRIMMER LINE FOR DUROCUT AND FIXCUT™ HEADS



Description	Case	Part Number	SRP
50 Count			
.095" Round	24	0000 930 2310	\$8.99
.130" Round	24	0000 930 2312	\$8.99
.095" Pentagon	24	0000 930 3316	\$8.99
.118" Pentagon	24	0000 930 3318	\$8.99
100 Count			
.095" Round	12	0000 930 2311	\$12.99
.130" Round	12	0000 930 2313	\$12.99
.095" Pentagon	12	0000 930 3317	\$12.99
.118" Pentagon	12	0000 930 3319	\$12.99

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



PREMIUM SQUARE LINE



Size*	Weight*	Case	Part Number	SRP
.095" (134 ft.) Orange	1/2 lb	10	0000 930 2640	\$10.99
.095" (272 ft.) Orange	1 lb	10	0000 930 2641	\$17.99
.105" (104 ft.) Red	1/2 lb	10	0000 930 2642	\$10.99
.105" (213 ft.) Red	1 lb	10	0000 930 2643	\$17.99
.118" (173 ft.) Yellow	1 lb	10	0000 930 2644	\$17.99
.130" (124 ft.) Black	1 lb	10	0000 930 2645	\$17.99

*Approximate Weight & Length

PREMIUM ROUND TRIMMER LINE- BLUE



Size	Case	Part Number	SRP
.065" (62 ft.), Small Spools	24	0000 930 2334	\$7.99

These hangable display spools are measured/described according only to length, not weight.

PREMIUM ROUND TRIMMER LINE- BLACK



Size*	Weight*	Case	Part Number	SRP
.130" (19 ft.)		24	0000 930 2345	\$7.99
.130" (62 ft.)		10	0000 930 2346	\$10.99
.118" (173 ft.)	1 lb	10	0000 930 2344	\$17.99
.130" (124 ft.)	1 lb	10	0000 930 2347	\$17.99
.130" (449 ft.)	3 lb	9	0000 930 2287	\$38.99
.130" (748 ft.)		8	0000 930 2290	\$60.99

*Approximate Weight & Length

PREMIUM ROUND TRIMMER LINE- GREEN



Size*	Weight*	Case	Part Number	SRP
.080" (45 ft.)		24	0000 930 2335	\$7.99
.080" (390 ft.)	1 lb	10	0000 930 2337	\$17.99
.080" (1181 ft.)		9	0000 930 2263	\$38.99
.080" (196 ft.)	1/2 lb	10	0000 930 2336	\$10.99

*Approximate Weight & Length

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



PREMIUM ROUND TRIMMER LINE- ORANGE



Size*	Weight*	Case	Part Number	SRP
.095" (45 ft.)		24	0000 930 2338	\$7.99
.095" (134 ft.)	1/2 lb	10	0000 930 2339	\$10.99
.095" (272 ft.)	1 lb	10	0000 930 2340	\$17.99
.095" (830 ft.)	3 lb	9	0000 930 2246	\$38.99
.095" (1,377 ft.)		8	0000 930 2247	\$60.99

*Approximate Weight & Length

PREMIUM ROUND TRIMMER LINE- RED



Size*	Weight*	Case	Part Number	SRP
.105" (29 ft.)		24	0000 930 2341	\$7.99
.105" (104 ft.)	1/2 lb	10	0000 930 2342	\$10.99
.105" (213 ft.)	1 lb	10	0000 930 2343	\$17.99
.105" (1,377 ft.)		9	0000 930 2227	\$38.99
.105" (1,138 ft.)		8	0000 930 2289	\$60.99

*Approximate Weight & Length

QUIET LINE™



Size*	Weight*	Case	Part Number	SRP
.065" (62 ft.), Blue		24	0000 930 2415	\$8.99
.080" (45 ft.), Green		24	0000 930 2416	\$8.99
.080" (196 ft.), Green	1/2 lb	10	0000 930 2418	\$14.99
.080" (390 ft.), Green	1 lb	10	0000 930 2424	\$22.99
.095" (45 ft.), Orange		24	0000 930 2419	\$8.99
.095" (134 ft.), Orange	1/2 lb	10	0000 930 2420	\$14.99
.095" (272 ft.), Orange	1 lb	10	0000 930 2421	\$22.99
.095" (830 ft.), Orange		9	0000 930 2535	\$47.99
.105" (29 ft.), Red		24	0000 930 2422	\$8.99
.105" (213 ft.), Red	1 lb	10	0000 930 2423	\$22.99

*Approximate Weight & Length

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.

**X-LINE**

Size*	Weight*	Case	Part Number	SRP
Medium Spools				
.095" (272 ft.)	1 lb	10	0000 930 3410	\$19.99
.105" (213 ft.)	1 lb	10	0000 930 3411	\$19.99
Large Spools				
.095" (921 ft.)	3 lb	9	0000 930 3401	\$44.99
.105" (672 ft.)	3 lb	9	0000 930 3404	\$44.99
X-Large Spools				
.095" (1,558 ft.)		8	0000 930 3402	\$68.99
.105" (1,145 ft.)		8	0000 930 3405	\$68.99

*Approximate Weight & Length

WARNING! Improper use of any brushcutter/trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used only on FS brushcutters that have a bicycle handle with double shoulder harness and not on FS brushcutters with a "J" handle or loop handle. Other rigid blades may be used on FS brushcutters having a bicycle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



YARD BOSS®

MM 56 C-E YARD BOSS®

ACCESSORIES

BF-MM PICK TINES

BK-MM BOLO TINES

FC-MM BED EDGER

FS-MM TRIMMER

KB-MM BRISTLE BRUSH SWEEPER

KW-MM STIHL POWERSWEEP™

MF-MM DETHATCHER

RL-MM LAWN AERATOR

WHEEL KIT

MM ACCESSORIES



MM 56 C-E



Displacement: 27.2 cc (1.66 cu. in.),
Engine Power: 0.85 kW (1.14 bhp),
Weight*: 9.9 kg (21.8 lbs)
Fuel Capacity: 340 cc (11.5 oz)
Tine Speed: 200 rpm
Cultivating Width: 8.5"
Pick Tine Diameter: 9.1"

Description	Part Number	SRP
MM 56 C-E unit packaged with wheel kit (does NOT come already attached, assembly required)	4604 200 0004	\$529.99
MM 56 C-E Unit Only: Includes: folding handles; low center of gravity; integrated carrying handle	4604 011 5403 US	\$489.99

*Dry Weight and powerhead only

**BF-MM PICK TINES**

Description	Part Number	SRP
Comes standard with MM 56 C-E	4601 740 4605 US	\$69.99

BK-MM BOLO TINES

Description	Part Number	SRP
Great for loosening and mixing the soil, and adding amendments to soil.	4601 740 4606 US	\$69.99

FC-MM BED EDGER

Description	Part Number	SRP
Bed Edger	4601 740 4603 US	\$59.99

FS-MM TRIMMER

Description	Part Number	SRP
Includes AutoCut® 27-2 head	4601 740 4609 US	\$117.99

NOTE: The FS-MM attachment MUST be used with the MM Wheel Kit.

KB-MM BRISTLE BRUSH SWEEPER

Description	Part Number	SRP
Includes Deflector Kit (4601 007 1009)	4601 740 4608 US	\$159.99

NOTE: This attachment must be used with large deflector and extensions. Do not use on grass lawns.




KW-MM STIHL POWERSWEEP™



Description	Part Number	SRP
Made with heavy duty rubber flaps This attachment must be used with large deflector and extension sold separately (4601 007 1009)..	4601 740 4604 US	\$219.99

MF-MM DETHATCHER



Description	Part Number	SRP
Includes Deflector Kit (4601 007 1009)	4601 740 4607 US	\$279.99

NOTE: This attachment must be used with large deflector and extensions.

RL-MM LAWN AERATOR



Description	Part Number	SRP
Lawn Aerator	4601 740 4600 US	\$79.99

WHEEL KIT



Description	Part Number	SRP
Wheel Kit	4601 007 1008	\$74.99
Extra Weight Kit	4601 730 4500	\$74.99
Wheel Kit with support tube	7010 871 0010	\$101.99



MM ACCESSORIES

Description	Part Number	SRP
Large Deflector and Extensions	4601 007 1009	\$75.99
 Depth Gauge	4601 740 4800	\$18.49